

# Suncor Energy Products Partnership

## Soil Vapour Monitoring Report, Winter 2020

### Hounsfield Heights, Calgary, Alberta 9445



Prepared by:  
Daniel Budai, P.Eng.  
Environmental Engineer

Reviewed by:  
Stephen d'Abadie, P.Eng., P.Biol.  
Project Manager

Reviewed by:  
David Pritchard, P.Geol.  
Director, Environmental Services

Distribution List							
Recipient	Date	Revision No.	By	Sent Via	Document Type	Description	No. of Hard Copies
Clifton Engineering Group Inc.	25 August 2021	1	SD	E-mail	PDF	Final Report	0
Suncor Energy Inc.	25 August 2021	1	SD	E-mail	PDF	Final Report	0
Alberta Environment and Parks – Barbara Mcewen, Rick McClelland, Craig Knaus and EAS Communications	25 August 2021	1	SD	E-mail	PDF	Final Report	0
City of Calgary – Tyson Allan	25 August 2021	1	SD	E-mail	PDF	Final Report	0
Alberta Health Services – David Crowe	25 August 2021	1	SD	E-mail	PDF	Final Report	0
Hounsfield Heights Briar Hill – Beacon, Plume Committee and General Manager	25 August 2021	1	SD	E-mail	PDF	Final Report	0
HHLG – Gary Molnar	25 August 2021	1	SD	E-mail	PDF	Final Report	0
Linda Barron	25 August 2021	1	SD	E-mail	PDF	Final Report	0
Clifton Engineering Group Inc.	25 August 2021	1	SD	E-mail	PDF	Final Report	0

---

## Executive Summary

Clifton Engineering Group Inc. is pleased to present this Soil Vapour Sampling Report, November and December 2020 (the "Report") prepared for Suncor Energy Products Partnership ("Suncor EPP"). The presented Report describes in detail the methodology of soil vapour sample collection, Quality Assurance/Quality Control (QA/QC), implementation and interpretation of soil vapour sampling results in the community of Hounsfield Heights within the City of Calgary (the "Site") conducted by Clifton in November and December 2020.

The executed soil vapour sampling event conducted during November and December 2020 included two components:

- Semi-annual soil vapour sampling; and
- Risk Management and Contingency Plan (RM & C)-based soil vapour sampling.

The soil vapour sampling event described in this report constituted an extension of the soil vapour sampling program with 3-years duration at the Site, stipulated in the document: Clifton Associates Ltd.: Sears Canada Inc., Revised Soil Vapour Monitoring Program (Update Fall 2016), Hounsfield Heights and North Hill Mall, Calgary, Alberta, 20 October 2016, and approved by AEP for the implementation at the Site. A total of 8 community-wide sampling events have been executed to date at the Site providing data regarding the soil vapour concentrations distribution.

Clifton carried out the soil vapour sampling event at the Site from 18 November 2020 to 2 December 2020. A total of 32 (29 primary soil vapour samples and 3 field duplicates) soil vapour samples were collected at external, nested and delineation sampling points and analysed for Contaminants of Potential Concern (CoPCs) concentrations. Neither soil vapour samples collected as a part of the semi-annual sampling, nor samples collected as a part of the RM & C Plan recorded exceedances for the investigated CoPCs compared either to the soil vapour quality guidelines protective of indoor air quality, soil vapour remediation guidelines protective of indoor air quality for a residential property at the Site, or to the increased sampling frequency trigger values.

The soil vapour analytical laboratory results collected during the November and December 2020 sampling event showed that a potential vapour intrusion pathway into the residential and commercial structures within the investigated area should not pose immediate health risk for the occupants, and therefore, an instantaneous application of exposure controls is not deemed necessary.

Soil vapour inhalation is currently the only potentially active exposure pathway at the Site that could potentially lead to a deleterious effect for human health. Soil vapour sampling at the Site should thus continue until the exposure risk to the residents at the Site can be considered eliminated. Collected information for the Site, in Clifton's opinion, supports the case for the recommended further course of the action and refinement of the soil vapour sampling program at the Site outlined in Section 7.0 of this Report.

---

# Table of Contents

---

<b>1.0 Introduction</b>	<b>1</b>
<b>2.0 Project Background</b>	<b>2</b>
<b>3.0 Site Overview</b>	<b>2</b>
3.1 Soil Vapour Sampling Area Extent Modification	3
3.2 Semi-Annual Soil Vapour Sampling Area Extent	3
3.3 RM&C Plan-Based Soil Vapour Sampling Area Extent	4
<b>4.0 Objective and Scope of Work</b>	<b>4</b>
<b>5.0 Sampling Methodology</b>	<b>5</b>
5.1 Soil Vapour Sampling Methodology	5
5.2 Quality Assurance/Quality Control (QA/QC)	5
5.3 Analytical Suite and Methods	6
<b>6.0 Sampling Results</b>	<b>7</b>
6.1 6.1 Selection of Assessment Criteria	7
6.2 Semi-Annual Soil Vapour Sampling Results	8
6.3 Sampling Results – RM&C Plan-Based Soil Vapour Sampling	8
6.4 QA/QC Results	9
6.5 Meteorological Conditions	9
6.6 Organic Vapour in Groundwater	10
<b>7.0 Discussion of Results</b>	<b>11</b>
<b>8.0 Closure</b>	<b>12</b>
<b>Reference List</b>	<b>13</b>

---

**Appendices**

Appendix A: Figures

Appendix B: Analytical Results Tables

Appendix C: Historical Analytical Results Tables

Appendix D: QA/QC Tables

Appendix E: Certificates of Analysis

---

**List of Tables**

Table 6.1 – Summary of Meteorological Conditions

---

## 1.0 Introduction

Clifton Engineering Group Inc. (Clifton) is pleased to present this Soil Vapour Sampling Report, November and December 2020 (the "Report") prepared for Suncor Energy Products Partnership ("Suncor EPP"). The presented Report describes in detail the methodology of soil vapour sample collection, Quality Assurance/Quality Control (QA/QC), implementation and interpretation of soil vapour sampling results in the community of Hounsfeld Heights within the City of Calgary (the "Site") conducted by Clifton in November and December 2020.

The executed soil vapour sampling event in November and December 2020 included two components:

- Semi-annual soil vapour sampling; and
- Risk Management and Contingency (RM & C) Plan-based soil vapour sampling.

The presented document is partially based on the previous environmental work completed for Sears Canada Ltd. (Sears) as the previous Site owner in both the Mall area and the Hounsfeld Heights area by Clifton and by Intrinsic Environmental Sciences Inc. (Intrinsic). Therefore, the presented Report should be read and understood in conjunction with the following reports:

- Clifton Associates Ltd.: *Sears Canada Inc., Revised Soil Vapour Monitoring Program (Update Fall 2016), Hounsfeld Heights and North Hill Mall, Calgary, Alberta, 20 October 2016 (Revised SVMP)*;
- Clifton Associates Ltd.: *Sears Canada Inc., Soil Vapour Monitoring Points Installation Report, Hounsfeld Heights and North Hill Mall, Calgary, Alberta, 20 October 2016 (Installation Report)*;
- Clifton Associates Ltd.: *Subsurface Investigation-Mall Area and Hounsfeld Heights, 22 January 2016 (2016 SI)*;
- Clifton Associates Ltd.: *Updated Site Management Plan (2014), Hounsfeld Heights-Briar Hill Community, Calgary, Alberta, April 2014 (2014 Updated SMP)*;
- Intrinsic Environmental Sciences Inc.: *Draft Report-Human Health and Ecological Risk Assessment for the Hounsfeld Heights Community and North Hill Mall Areas, Calgary, Alberta, December 2015 (2015 HHERA)*; and
- Intrinsic Environmental Sciences Inc.: *Final Report-Development of Soil Vapour Quality Guidelines, 31 August 2016.*

The presented Report follows guidance, protocols, scientific rationale and best practices as outlined in the following documents:

- Alberta Environment and Parks: *Alberta Tier 1 Soil and Groundwater Remediation Guidelines, 2019 (2019 AEP Tier 1 Guidelines)*;
- Alberta Environment and Parks: *Alberta Tier 2 Soil and Groundwater Remediation Guidelines, 2019 (2019 AEP Tier 2 Guidelines)*;

- Canadian Council of Ministers of the Environment: *A Protocol for the Derivation of Soil Vapour Quality Guidelines for Protection of Human Exposures via Inhalation of Vapors*, 2014 (2014 CCME Protocol);
- British Columbia Ministry of Environment: *Technical Guidance on Contaminated Sites 4*, version 1, September 2010 (BC TG-4);
- Golder Associates Ltd.: *Guidance on Site Characterization for Evaluation of Soil Vapour Intrusion into Buildings*, Submitted to the British Columbia Ministry of Environment by Science Advisory Board for Contaminated Sites in British Columbia, May 2011 (2011 Golder Guidance);
- Health Canada: *Federal Contaminated Site Risk Assessment in Canada, Part VII: Guidance for Soil Vapour Intrusion Assessment at Contaminated Sites*, September 2010 (2010 HC); and
- Johnson, P.C., & R. Ettinger: *Heuristic Model for predicting the Intrusion Rate of Contaminant Vapours into Buildings*, 1991(J&E Model).

---

## 2.0 Project Background

A detailed project background and the rationale for the selected constituents analyzed as part of this assessment is provided in the following report:

- Clifton Associates Ltd.: *Sears Canada Inc., Revised Soil Vapour Monitoring Program (Update Fall 2016), Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 20 October 2016 (Revised SVMP);

---

## 3.0 Site Overview

The Site consists of two distinctive portions separated by 14<sup>th</sup> Avenue NW: the Hounsfeld Heights area and the North Hill Mall (Mall) area:

- The Hounsfeld Heights area is bound by the southern edge of the LRT line to the north; 14<sup>th</sup> Street NW to the east; 10<sup>th</sup> Avenue SW (extending west to 17A Street NW) to the south; and 17A Street NW to the west. The area is zoned as residential, as it primarily consists of single detached dwellings with basements. There are three areas of the Site that are zoned as Special Purpose: Hounsfeld Heights Park; a parcel of land along 10<sup>th</sup> Avenue SW between 16<sup>th</sup> Street NW and 16<sup>th</sup> A Street NW; and the area between the LRT line and 13<sup>th</sup> Avenue NW.
- The Mall area is bound by 16<sup>th</sup> Avenue NW to the north; 14<sup>th</sup> Street NW to the east; the northern edge of the LRT line to the south; and, to the west by the western edge of the North Hill Centre property and a line extending south to the northern edge of the LRT line.

Capitol Hill, a residential area, is located to the north of the Site. To the east is SAIT Polytechnic and the Alberta College of Art + Design. Hillhurst and Briar Hill, both residential areas, are found south and west of the Site, respectively. The Site layout and land use are shown in Appendix A, Figures 1 and 2.

The Site topography is characterized by a gently south-sloping river valley plateau on the northern portion of the Site, and a more moderately sloping valley wall towards the southeast portion. The Site varies in elevation from approximately 1,094 m above sea level in the northwestern corner along 13<sup>th</sup> Avenue NW, to approximately 1,068 m above sea level in the southeastern corner, north of the intersection of 15<sup>th</sup> Street NW and 10<sup>th</sup> Avenue NW.

---

### 3.1 Soil Vapour Sampling Area Extent Modification

As a part of the updated Site Management Plan, a community-wide soil vapour sampling program has been carried out by Clifton since 2016. The sampling program is conducted in accordance with guidance provided in the Clifton Associates Ltd. report entitled *Sears Canada Inc., Revised Soil Vapour Monitoring Program (Update Fall 2016), Hounsfeld Heights and North Hill Mall, Calgary, Alberta*. This document was approved by the regulator (Alberta Environment and Parks), utilizing an established network of soil vapour sampling points throughout the community.

Based on the recorded soil vapour concentrations distribution recorded throughout the community-wide soil vapour sampling events executed to the date, Clifton recommended in the Clifton Associates Ltd.: *Soil Vapour Monitoring Report, Winter 2019/2020, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, dated 1 June 2020, document, discontinuing of the regular soil vapour sampling in the North Hill Mall area and the areas to the north of 11<sup>th</sup> Avenue NW in Hounsfeld Heights. Based on the collected sampling data from 2016, the likelihood of the soil vapour intrusions in concentrations considered as a potential health hazard into the residential or commercial buildings in these areas was assessed as very low, or negligible, respectively.

In lieu, Clifton proposed to focus future soil vapour sampling to the areas along 11<sup>th</sup> Avenue NW and to the south of 11<sup>th</sup> Avenue NW. Based on the collected soil vapour sampling data, this area for the time being should be considered as an area where soil vapour intrusions in concentrations considered as a potential health hazard into the residential buildings in the area cannot be excluded.

Alberta Environment and Parks (AEP) accepted the above recommendations in the letter dated 18 November 2020. The resulting modified soil vapour sampling area applied to the November and December 2020 event described in this Report is shown in Appendix A, Figure 3.

---

### 3.2 Semi-Annual Soil Vapour Sampling Area Extent

The semi-annual soil vapour sampling area included a total of 23 primary soil vapour sampling points installed along and to the south of 11 Avenue NW as shown in Appendix A, Figure 3. Sampling included one nested soil vapour sampling point resulting in a total of 25 primary soil vapour samples collected.

---

### 3.3 RM&C Plan-Based Soil Vapour Sampling Area Extent

The soil vapour analytical laboratory results collected during the March 2019 sampling event showed that vapour migration from groundwater or soil in the vicinity of soil vapour sampling point SV32 might be an active exposure pathway of concern for indoor vapour inhalation. Soil vapour probe SV32 is situated in the residential laneway between 15 and 14 Street NW close to the southeast extremity of the Site. Based upon those findings, Clifton implemented the RM&C Plan, which included an additional environmental investigation focused on the potentially affected private properties near SV32.

Soil vapour samples collected at SV32 on 10 June 2020 and 6 July 2020 again recorded exceedances for CoPC concentrations in soil vapour.

The RM&C Plan-based soil vapour sampling included a total of four soil vapour sampling points, namely:

- Soil vapour sampling point SV32;
- Soil vapour sampling points SV321B and SV322 installed adjacent to a residential property at 10<sup>th</sup> Avenue NW in lieu of a sub-slab monitoring point; and
- Soil vapour sampling point SV323 installed adjacent to a residential property at 15<sup>th</sup> Street NW in lieu of a sub-slab monitoring point.

The RM&C Plan-based soil vapour sampling area extent is shown in Appendix A, Figure 3.

---

## 4.0 Objective and Scope of Work

The principle objective of the executed Soil Vapour Sampling Program (SVSP) was to evaluate potential risk to human health from inhalation of subsurface vapours in indoor air in the residential structures present at the Site. To address this objective, Clifton carried out the following Scope of Work within the SVSP:

- Collected representative soil vapour samples from the selected area along and to the south of 11<sup>th</sup> Avenue NW identified by 2015 Site Investigation as having CoPCs concentrations in groundwater or soil exceeding the 2019 AEP Tier 1 Guidelines for the vapour inhalation exposure pathway;
- Sampled nested soil vapour sampling point (SV26) at the location representing changing stratigraphy of the Site to provide representative data for evaluation of the Site-specific vertical soil vapour migration and biodegradation;
- Sampled soil vapour sampling locations constituting lateral transects to facilitate lateral delineation of the soil vapour plume extent at the Site;
- Forwarded collected soil vapour and air samples to AGAT Labs under Chain-of-Custody protocols for laboratory analyses of CoPCs;

- Implemented QA/QC procedures to assure quality and defensibility of the collected data;
- Compared CoPCs concentrations in soil vapour from soil vapour sampling points against the Site-specific soil vapour quality guidelines (SVQG) developed based on the 2014 CCME Protocol by Intrinsik (August 2016); and
- Compared CoPCs concentrations in soil vapour from soil vapour sampling points against trigger threshold values for additional investigation set as 90% of guidelines.

---

## 5.0 Sampling Methodology

The following sections provide a description of the soil vapour sampling methodology. Where applicable, activities were completed as per *Compendium of Methods for the Determination of Compounds in Ambient Air, Second Edition, Compendium Method TO-15, Determination of Volatile Organic Compounds (VOCs) in Air Collected in Specially-prepared Canisters and Analyzed by Gas Chromatography/Mass Spectrometry (GCMS)*. EPA/625/R96/01b, 1999.

---

### 5.1 Soil Vapour Sampling Methodology

In order to achieve required resolution of the laboratory detection limits for investigated constituents (especially 1,2 – DCA), and to extend validity of collected samples, Clifton collected soil vapour samples in 1.4L Summa™ canisters, which were proofed and cleaned by the laboratory as per the United States Environmental Protection Agency (USEPA) reference method TO-14A. The sampling train included: an orifice equipped flow controller calibrated for a sampling rate of 70 mL/min; and a length of the dedicated PTFE tubing with stainless steel fitting to connect to a valve at the top of the soil vapour sampling point.

Before any sampling, Clifton completed a seal integrity check of the sampling point using helium tracer. All sampling points meeting seal integrity criteria were subsequently purged by the SKC PGX-R8 vacuum pump calibrated for a flow rate of 70 mL/min for 20 minutes. Purging vacuum rate did not exceed 10" (254 mm) of water column in order to avoid excessive moisture influx to the radius of influence.

The soil vapour sampling also included: measuring the initial and final Summa™ canister vacuum levels by standalone vacuum gauge; recording the start and finish time of the sampling; sampling point identifier check; and weather observations, including barometric pressure and precipitation at the time of sampling. The stainless-steel valve installed at the top of a soil vapour sampling point were kept in a closed position, except when purging and sampling.

---

### 5.2 Quality Assurance/Quality Control (QA/QC)

A comprehensive QA/QC program was implemented to ensure that the sampling and analyses follow established protocols and provide defensible, representative results. The program included all aspects of data collection from the field to the laboratory.

The field QA/QC consisted of the following components:

- Labelling air sampling containers with the specific sample number to ensure adequate identification;
- Using laboratory-prepared batch-proofed and cleaned air sampling containers cleaned as per USEPA TO-14A reference method;
- Conducting a 5-minutes shut-in test on sampling trains to eliminate any potentially leaking part of the train that might introduce a negative bias into the collected soil vapour sample;
- Conducting helium tracer competent seal integrity testing by creating and recording an initial helium shroud above sampling point, maintaining helium shroud during pre-sampling purge and recording final helium concentration in the sampling train to prove that seal integrity of a soil vapour sampling point was not compromised and collected soil vapour sample will be representative;
- Limiting purging vacuum to a flow rate of 70 mL/min (i.e., less than 254 mm of water column) in order to avoid excessive moisture influx to the radius of influence;
- Collecting field duplicates at a rate of 1 duplicate per 10 primary samples and evaluating Relative Percent Difference (RPD) ratio using the following equation:

$$\text{RPD (\%)} = [\text{abs}(x_1-x_2)/(x_1+x_2)/2] * 100^1$$

- Measuring initial vacuum levels at the sampling canisters by the standalone vacuum gauge to ensure initial sampler integrity;
- Measuring final vacuum levels at the sampling canisters by the standalone vacuum gauge to avoid a potential for soil vapour sample contamination during the transport to analytical laboratory;
- Evaluating weather conditions throughout the sampling process duration that might affect recorded soil vapour concentrations;
- Forwarding collected samples under the Chain-of -Custody protocols to an accredited analytical laboratory; and
- Reviewing the laboratory quality assurance data.

QA/QC results and weather observations are discussed in Sections 6.3 and 6.4 of this Report.

---

### 5.3 Analytical Suite and Methods

Clifton selected to use soil vapour analytical methods compatible with performance-based reference method USEPA TO-15 based on the gas chromatography and mass spectrometry (GC/MS). All CoPCs for the vapour inhalation pathway as identified by the 2015 HHERA were investigated. Therefore, the applied analytical suite included the following:

- PHCs fraction F1<sup>2</sup>;

---

<sup>1</sup> Where  $x_1$  and  $x_2$  are concentration parameters for the primary and secondary sample.

<sup>2</sup> Expressed in form of the constituting aliphatic and aromatic sub-fractions.

- PHCs fraction F2<sup>3</sup>;
- BTEX (benzene, toluene, ethylbenzene, xylenes);
- Naphthalene;
- 1,2 Dichloroethane (1,2-DCA); and
- Matrix Gases (O<sub>2</sub>, N<sub>2</sub>, CO<sub>2</sub>, CH<sub>4</sub>)<sup>4</sup>

Clifton used AGAT Labs as a provider of the laboratory services for this SVSP. AGAT Labs are accredited analytical laboratory under the ISO 9001 and ISO 14001 Standards and are certified by the Standards Council of Canada.

---

## 6.0 Sampling Results

### 6.1 Selection of Assessment Criteria

The selection of the assessment criteria outlines the rationale for selecting applicable exposure pathways and indicates which guidelines should apply at the investigated Site. This evaluation is based on guidance presented in the documents further referenced in the text.

The owners of the two residential properties located in the Hounsfield Heights area at 10<sup>th</sup> Avenue NW and 15<sup>th</sup> Street NW, respectively, are included in the RM&C Plan-based soil vapour sampling. In lieu of sub-slab soil vapour sampling, Clifton used the following conservative approach to estimate indoor air quality in these structures based on the Revised SVMP, Section 6.1:

- An external soil vapour sampling point located in the shortest distance from the property was used for an estimate of indoor air quality. No allowance was made for either lateral or vertical biodegradation of soil vapour regardless of the soil vapour sampling point installation depth, i.e., recorded concentrations of CoPCs in soil vapour were directly projected within the property and compared against SVQG for depth of 0 m bgs (Appendix B, Tables 1 and 2).

Soil vapour sampling analytical results were generally compared to SVQG for fine-textured soils and protective of indoor air quality for a residential building (Appendix B, Tables 3 -11) based on the installation depth. 2014 CCME Protocol assumes that at least 1 m of clean soil is present immediately beneath the building as a condition for validity of the provided SVQG derivation model. Considering shallow groundwater in a portion of the Site to the south of 11<sup>th</sup> Avenue NW and default basement depth 2.44 m bgs (2019 Alberta Tier 1), this assumption may not be met for soil vapour sampling points listed in

---

<sup>3</sup> Expressed in form of the constituting aliphatic and aromatic sub-fractions.

<sup>4</sup> Applicable for soil vapour samples collected from sub-slab, nested monitoring points and external soil vapour monitoring points located in the vicinity of the residential properties.

Appendix B, Tables 3 and 4. Analytical results for these sampling points were thus compared to SVQG based on the default attenuation factors.

In addition, AEP approved on a trial basis increased sampling frequency triggers for soil vapour and sub-slab soil vapour sampling points at the Site. These trigger values were set at 90% of a pertaining SVQG for CoPCs. Comparison of analytical results to the trigger values is shown in Appendix B, Tables 3-11.

---

### **6.2 Semi-Annual Soil Vapour Sampling Results**

Clifton carried out the semi-annual soil vapour sampling event at the Site from 19 November 2020 to 2 December 2020. A total of 27 (25 primary soil vapour samples and 2 field duplicates) soil vapour samples were collected at external, nested and delineation sampling points and analysed for CoPC concentrations. There were no recorded exceedances for the investigated CoPCs compared either to the SVQG protective of indoor air quality, soil vapour remediation guidelines protective of indoor air quality for a residential building, or to the increased sampling frequency trigger values.

Distribution of the investigated CoPCs in soil vapour at the Site based on the analytical results for the November and December 2020 sampling event is shown in Appendix A. Analytical Results Tables for these soil vapour sampling points are presented in Appendix B, Tables 3-11. A summary of all historical soil vapour results for each probe is provided in Appendix C.

---

### **6.3 Sampling Results – RM&C Plan-Based Soil Vapour Sampling**

Clifton carried out the RM&C Plan-based soil vapour sampling event at the Site on 18 November 2020. A total of 5 (4 primary soil vapour samples and 1 field duplicate) soil vapour samples were collected at external monitoring points and analysed for CoPCs concentrations. Analytical results for the soil vapour sample collected from the soil vapour monitoring point SV32 were compared to SVQG for a residential building on fine-textured soil for a depth less than 1.0 m. There were no recorded exceedances for the investigated CoPCs at SV32.

Tabulated analytical results for SV32 are presented in Appendix B, Table 3.

Analytical results for the soil vapour samples collected from the soil vapour sampling points SV321B, SV322 and SV323 were compared to SVQG based on default attenuation factors using the methodology described in Section 6.1. No exceedances for CoPCs criteria protective of indoor air quality were recorded. Thus an active vapour intrusion pathway into these structures (if present) should not pose an immediate health risk for the occupants.

Analytical Results Tables for these soil vapour sampling points are presented in Appendix B, Tables 1 and 2. A summary of all historical soil vapour results for each probe is provided in Appendix C.

#### 6.4 QA/QC Results

A total of three field duplicates (Sample IDs 98, 939 and 932) were collected and analyzed for CoPCs during sampling as a part of QA/QC program. These duplicates were compared against primary samples and RPD values were calculated. USEPA TO-15 method recommends the RPD difference to be below 25%. Summary of field duplicates analytical results and the RPD calculations are presented in Appendix D, Table 2.

The calculated RPD threshold for all collected duplicates and investigated constituents were below the recommended threshold of 25%. Therefore, the collected soil vapour samples can be considered reporting soil vapour concentrations at the Site without a significant bias and are generally representative.

Prior to the sampling, soil vapour sampling points were tested for seal integrity by a helium tracer gas method. Test results are summarized in Appendix D, Tables 1 A -1 C. The threshold limit applied was at least 95% differential between recorded initial He shroud concentration and final recorded concentration of He in the sampling train after purging. Final He shroud concentration was also recorded as a part of the process to ensure that He was still present in a significant concentration. All soil vapour sampling points sampled during the sampling event passed these integrity criteria.

#### 6.5 Meteorological Conditions

As ambient meteorological conditions, especially precipitation and barometric pressure, might affect soil vapour sampling, Clifton conducted limited meteorological observations during sampling, which are summarized in the following table.

<b>Date</b>	<b>Average Wind Speed (km/h)</b>	<b>Average Wind Direction</b>	<b>Total Precipitation (mm)</b>	<b>Barometric Pressure (kPa)</b>	<b>Pressure Tendency</b>
<b>18 November 2020</b>	15	NE	< 0.3 (snow)	100.44	Rising
<b>19 November 2020</b>	9	NE	< 0.7 (snow)	102.22	Rising
<b>20 November 2020</b>	13	SW	0.0	102.72	Falling
<b>23 November 2020</b>	6	ENE	0.0	101.32	Falling

<sup>5</sup> Based on the Calgary International Airport meteorological station data as recorded at 12:00 pm for each sampling day.

<sup>6</sup> Weather data stated only for the actual sampling days.

**Table 6.1 – Summary of Meteorological Conditions – Sampling Event Winter 2020<sup>5,6</sup>**

Date	Average Wind Speed (km/h)	Average Wind Direction	Total Precipitation (mm)	Barometric Pressure (kPa)	Pressure Tendency
24 November 2020	19	WNW	0.0	100.70	Stable
25 November 2020	17	NW	0.0	101.11	Stable
26 November 2020	20	S	0.0	101.59	Falling
27 November 2020	11	S	0.0	101.01	Rising
30 November 2020	7	W	0.0	100.28	Falling
1 December 2020	9	SW	0.0	103.17	Rising
2 December 2020	7	SSW	0.0	103.20	Falling

As apparent from the presented meteorological data, no major precipitation events occurred and barometric pressure had predominantly stable or falling trends throughout the soil vapour sampling duration. Therefore, in our opinion, the prevalent weather conditions were unlikely to affect recorded soil vapour concentrations in any significant way.

### 6.6 Organic Vapour in Groundwater

To investigate possible correlation between CoPCs in groundwater and soil vapour at the Site, Clifton recorded organic vapour (OVA) concentrations present in the headspace at two groundwater monitoring wells installed in proximity to the soil vapour sampling point SV32:

- Groundwater monitoring well BH1947 located approximately 12 m southwest of SV32; and
- Groundwater monitoring well BH1948 located approximately 25 m north of SV32.

OVA concentrations were measured concurrently with the soil vapour collection at SV32 using an appropriately calibrated photo-ionization detector. OVA concentrations at both investigated groundwater monitoring wells were below the detection limit of the analyzer.

It should be however noted that neither BH1947, nor BH1948 are completed in water-bearing strata closest to the surface in this portion of the Site (Unit 3), and as a result, the OVA readings presented above may

not fully represent the relationship between COPCs concentration in groundwater and soil vapour concentration in the location around SV32.

---

## 7.0 Discussion of Results

A total of 32 soil vapour samples were collected at external, nested and delineation sampling points and analysed for CoPC concentrations throughout the duration of the November and December 2020 soil vapour sampling event. Neither soil vapour samples collected as a part of the semi-annual sampling, nor samples collected as a part of the RM&C Plan recorded exceedances for the investigated CoPCs compared either to the SVQG protective of indoor air quality, soil vapour remediation guidelines protective of indoor air quality for a residential property at the Site, or to the increased sampling frequency trigger values.

The soil vapour concentrations measured during the November and December 2020 sampling event are below the applicable guidelines for the protection of human health through the vapour inhalation pathway. Therefore, the application of exposure controls is not deemed necessary at this time.

Soil vapour inhalation is currently the only potentially active exposure pathway at the Site that might lead to a deleterious effect for human health. Soil vapour sampling at the Site in areas south of 11<sup>th</sup> Avenue NW should continue until the exposure risk to the residents at the Site can be considered eliminated. Based on the collected information, and the recently approved Revised Remediation Plan (RRP) for the Site, in our opinion, support the case for the following recommended course of action provided approval from the regulator:

- Risk Management and Contingency Plan – based soil vapour sampling at the Site will continue seasonally (i.e., four times a year) until five consecutive readings below 90% of SVQG for all investigated CoPC are recorded, or until instructed otherwise by the regulator;
- Going forward, the Risk Management and Contingency Plan – based soil vapour sampling at the Site will also include additional soil vapour sampling points installed in the vicinity of SV32 in December 2020<sup>7</sup>;
- The next Risk Management and Contingency Plan – based soil vapour sampling event at the Site should be carried out in March 2021 to confirm that the exposure pathway for indoor vapour inhalation is not active in this area;
- The next semi-annual soil vapour sampling event at the Site is recommended to be carried out in July 2021 to record soil vapour concentrations representative of typical summer meteorological conditions; and

---

<sup>7</sup> A Report describing in detail these new environmental installations and the SV321B replacement soil vapour monitoring point will be submitted under a separate cover.

- Soil vapour sampling points SV321B, SV322 and SV323 should be immediately re-sampled in the case of any future SVQG exceedances recorded at SV32 or recorded elevated OVA readings at MW50019 or MW50029.

Any possible additional soil vapour-related mitigation action recommended at the Site will depend on the results obtained from additional environmental investigation described above.

---

## 8.0 Closure

This report was prepared by Clifton Engineering Group Inc. for Suncor Energy Products Partnership. The material in it reflects Clifton Engineering Group Inc. best judgment available to it at the time of preparation. Any use that a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. Clifton Engineering Group Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

This report has been prepared in accordance with generally accepted engineering practice common to the local area. No other warranty expressed or implied is made.

No conclusions should be made based on this report regarding any concentrations of substances in other areas of the Site. Other Contaminants of Concern may be present at the Site in areas that were not investigated. Clifton Engineering Group Inc. accepts no responsibility for any deficiencies or inaccuracies in the information provided in this report that are the direct result of intentional or unintentional misrepresentations, errors or omissions of the persons interviewed, or information reviewed.

No environmental site investigation or remediation can wholly eliminate uncertainty regarding environmental conditions in connection with a property. This Report is intended to reduce, but not eliminate the uncertainty regarding environmental conditions. Conclusions regarding the condition of the Site do not represent a warranty that all areas within the site and beneath structures are of the same quality as those sampled. Further, contamination could also exist in forms not indicated by the investigation.

The work was based in part upon the environmental quality guidelines and regulations in effect when the work was begun. Future regulatory changes may require reassessment of the findings of this Report.

---

## Reference List

Alberta Environment and Parks. (2019). *Alberta Tier 1 Soil and Groundwater Remediation Guidelines*

Alberta Environment and Parks. (2019). *Alberta Tier 2 Soil and Groundwater Remediation Guidelines*

The United States Environmental Protection Agency. *Compendium of Methods for the Determination of Compounds in Ambient Air, Second Edition, Compendium Method TO-15, Determination of Volatile Organic Compounds (VOCs) in Air Collected in Specially-prepared Canisters and Analyzed by Gas Chromatography/Mass Spectrometry (GCMS)*. EPA/625/R96/01b, 1999.

Clifton Associates Ltd.: *Soil Vapour Monitoring Report, Winter 2019/2020, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, dated 1 June 2020

Clifton Associates Ltd.: *Supplemental Soil Vapour Installation and Monitoring Report, November 2019, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 13 January 2020

Clifton Associates Ltd.: *Soil Vapour Monitoring Report, Summer 2019, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 23 October 2019

Clifton Associates Ltd.: *Supplemental Soil Vapour Installations and Monitoring Report, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 20 June 2019

Clifton Associates Ltd.: *Soil Vapour Monitoring Report, Winter 2019, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 15 April 2019

Clifton Associates Ltd.: *Soil Vapour Monitoring Report, Summer 2017 and Spring 2018, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 4 May 2018

Clifton Associates Ltd.: *Soil Vapour Monitoring Report, Spring 2016, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 8 December 2016

Clifton Associates Ltd.: *Sears Canada Inc., Revised Soil Vapour Monitoring Program (Update Fall 2016), Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 20 October 2016.

Clifton Associates Ltd.: *Sears Canada Inc., Soil Vapour Monitoring Points Installation Report, Hounsfeld Heights and North Hill Mall, Calgary, Alberta*, 20 October 2016.

Clifton Associates Ltd.: *Subsurface Investigation-Mall Area and Hounsfeld Heights*, 22 January 2016

Clifton Associates Ltd.: *Updated Site Management Plan (2014), Hounsfeld Heights-Briar Hill Community, Calgary, Alberta, April 2014*

Intrinsic Environmental Sciences Inc.: *Draft Report, Human Health and Ecological Risk Assessment for the Hounsfeld Heights Community and North Hill Mall, Calgary, Alberta, December 2015*

Intrinsic Environmental Sciences Inc.: *Final Report, Development of Soil Vapour Quality Guidelines, August 2016*

Canadian Council of Ministers of the Environment: *A Protocol for the Derivation of Soil Vapour Quality Guidelines for Protection of Human Exposures via Inhalation of Vapors, 2014*

British Columbia Ministry of Environment: *Technical Guidance on Contaminated Sites 4, version 1, September 2010*

Health Canada: *Federal Contaminated Site Risk Assessment in Canada, Part VII: Guidance for Soil Vapour Intrusion Assessment at Contaminated Sites, September 2010*

Johnson, P.C., & R. Ettinger: *Heuristic Model for predicting the Intrusion Rate of Contaminant Vapours into Buildings, 1991*

Pennsylvania Department of Environmental Protection: *Land Recycling Program Technical Guidance for Vapor Intrusion into Buildings from Groundwater and Soil under Act 2. 2015.*


---

# Appendix A

## Figures




Clifton




**GENERAL SITE LOCATION**

SCALE 1:30,000



**SURROUNDING LAND USE**

SCALE 1:7,500



**LEGEND:**

- SITE BOUNDARY
- MALL AREA
- HOUSFIELD HEIGHTS AREA
- CITY OF CALGARY BY-LAW ZONING


**LAND USE DISTRICTS:**

- RESIDENTIAL - CONTEXTUAL ONE DWELLING DISTRICT R-C1
- MULTI-RESIDENTIAL - CONTEXTUAL LOW-PROFILE DISTRICT MC-1
- MULTI-RESIDENTIAL - CONTEXTUAL GRADE-ORIENTED DISTRICT MC-G
- COMMERCIAL - CORRIDOR 2 DISTRICT C-COR2
- SPECIAL PURPOSE - SCHOOL, PARK, AND COMMUNITY RESERVE DISTRICT S-SPR
- SPECIAL PURPOSE - COMMUNITY INSTITUTION DISTRICT S-CI
- SPECIAL PURPOSE - COMMUNITY SERVICE DISTRICT S-CS
- SPECIAL PURPOSE - FUTURE URBAN DEVELOPMENT DISTRICT S-FUD
- DIRECT CONTROL DISTRICT DC

**NOTES:**

1. CITY OF CALGARY ROAD MAP PROVIDED BY CANADIAN CARTOGRAPHICS CORPORATION, 2012.
2. LAND USE MAP PROVIDED BY THE CITY OF CALGARY.


ENGINEER			
CLIENT			
SUNCOR ENERGY PRODUCTS PARTNERSHIP			
PROJECT			
SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUSFIELD HEIGHTS CALGARY 9445, ALBERTA			
TITLE			
SITE LOCATION AND SURROUNDING LAND USE			
DESIGNED	SCALE	AS SHOWN	DATE
DRAWN	PROJECT NO.	CG3418E03/04	FIG.
CHECKED	FILE NO.	CG3418E03-1	1



- LEGEND:**
- SITE BOUNDARY
  - MALL AREA
  - HOUNSFELD HEIGHTS AREA

**NOTES:**

1. AERIAL PHOTOGRAPH PROVIDED BY GOOGLE EARTH PRO. AIR PHOTO DATE: OCT 23, 2015.




CLIENT: SUNCOR ENERGY PRODUCTS PARTNERSHIP

PROJECT: SOIL VAPOUR SAMPLING REPORT  
WINTER 2020  
HOUNSFELD HEIGHTS  
CALGARY 9445, ALBERTA

TITLE: SITE AND SURROUNDING PROPERTIES

DESIGNED	SCALE	1:5000	DATE	2021-08-19
DRAWN	DMP	PROJECT NO.	CG3418E03/04	FIG.
CHECKED	DB	FILE NO.	CG3418E03-2	2

Z:\Share\Cell Design and Drawing\Projects\CG3418E03\CURRENT DRAWINGS\CG3418E03-2.dwg, 08/19/2021, 8:28:24 AM



**LEGEND**

SITE BOUNDARY	
LRT TRACKS	
FENCE LINE	
LEGAL LINE	
FORMER FACILITY/FEATURE	
BUILDING	
SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs	SV#
NESTED SOIL VAPOUR SAMPLING POINT	SV#
ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019	SV#
RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)	

RESIDENTIAL	
DETACHED GARAGE	
SUB-SLAB SOIL VAPOUR POINT	


**UTILITY LINES & SYMBOLS**

NATURAL GAS LINE	
SANITARY SEWER	
STORM SEWER	
WATER	
CATCH BASIN	
FIRE HYDRANT	
LIGHT STANDARD	
MANHOLE	
UTILITY POLE	


EXTENT OF SEMI-ANNUAL SOIL VAPOUR SAMPLING, WINTER 2020

EXTENT OF ERP SOIL VAPOUR SAMPLING, WINTER 2020

**NOTES:**  
 1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER			
CLIENT SUNCOR ENERGY PRODUCTS PARTNERSHIP			
PROJECT SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA			
TITLE SOIL VAPOUR SAMPLING POINT INSTALLATION LAYOUT (AS OF NOVEMBER 2020)			
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	3
CHECKED	FILE NO.		
DB	CG3418E03-3		



**LEGEND**

SITE BOUNDARY:

LRT TRACKS:

FENCE LINE:

LEGAL LINE:

FORMER FACILITY/FEATURE:

BUILDING:

SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs: SV#

NESTED SOIL VAPOUR SAMPLING POINT: SV#

ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019: SV#

RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS):

SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019: SV# 6.06

NOT SAMPLED:

RESIDENTIAL:

DETACHED GARAGE:

SUB-SLAB SOIL VAPOUR POINT:

UTILITY LINES & SYMBOLS

NATURAL GAS LINE:

SANITARY SEWER:

STORM SEWER:

WATER:

CATCH BASIN:

FIRE HYDRANT:


LIGHT STANDARD:

MANHOLE:


UTILITY POLE:

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER:			
CLIENT:	SUNCOR ENERGY PRODUCTS PARTNERSHIP		
PROJECT:	SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA		
TITLE:	DISTRIBUTION OF BENZENE IN SOIL VAPOUR		
DESIGNED:	SCALE:	DATE:	2021-08-19
DRAWN:	PROJECT NO.:	FIG.:	4
CHECKED:	FILE NO.:		
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY
  - LRT TRACKS
  - FENCE LINE
  - LEGAL LINE
  - FORMER FACILITY/FEATURE
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
C.05
  - NOT SAMPLED ●


- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE
  - SANITARY SEWER
  - STORM SEWER
  - WATER
  - CATCH BASIN
  - FIRE HYDRANT
  - LIGHT STANDARD
  - MANHOLE
  - UTILITY POLE

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER		<b>Clifton</b>	
CLIENT			
SUNCOR ENERGY PRODUCTS PARTNERSHIP			
PROJECT			
SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA			
TITLE			
<b>DISTRIBUTION OF 1, 2-DICHLOROETHANE IN SOIL VAPOUR</b>			
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	5
CHECKED	FILE NO.		
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY
  - LRT TRACKS
  - FENCE LINE
  - LEGAL LINE
  - FORMER FACILITY/FEATURE
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
6.06
  - NOT SAMPLED ● SV#


- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE
  - SANITARY SEWER
  - STORM SEWER
  - WATER
  - CATCH BASIN
  - FIRE HYDRANT
  - LIGHT STANDARD
  - MANHOLE
  - UTILITY POLE

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.




ENGINEER		Clifton	
CLIENT		SUNCOR ENERGY PRODUCTS PARTNERSHIP	
PROJECT		SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY T4A 1A6, ALBERTA	
TITLE		<b>DISTRIBUTION OF NAPHTHALENE IN SOIL VAPOUR</b>	
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	6
CHECKED	FILE NO.		
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY
  - LRT TRACKS
  - FENCE LINE
  - LEGAL LINE
  - FORMER FACILITY/FEATURE
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
0.06
  - NOT SAMPLED

- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE
  - SANITARY SEWER
  - STORM SEWER
  - WATER
  - CATCH BASIN
  - FIRE HYDRANT
  - LIGHT STANDARD
  - MANHOLE
  - UTILITY POLE
  - NOT SAMPLED

**NOTES:**  
 1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.




ENGINEER		<b>Clifton</b>	
CLIENT		SUNCOR ENERGY PRODUCTS PARTNERSHIP	
PROJECT		SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA	
TITLE		<b>DISTRIBUTION OF TOLUENE IN SOIL VAPOUR</b>	
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	7
CHECKED	FILE NO.		
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY ---
  - LRT TRACKS ---
  - FENCE LINE ---
  - LEGAL LINE ---
  - FORMER FACILITY/FEATURE ---
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
6.06
  - NOT SAMPLED ● SV#

- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE ---
  - SANITARY SEWER ---
  - STORM SEWER ---
  - WATER ---
  - CATCH BASIN CB
  - FIRE HYDRANT ●
  - LIGHT STANDARD ●
  - MANHOLE M
  - UTILITY POLE ●
  - NOT SAMPLED ●

**NOTES:**  
 1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.




ENGINEER			
CLIENT		SUNCOR ENERGY PRODUCTS PARTNERSHIP	
PROJECT		SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA	
TITLE		<b>DISTRIBUTION OF ETHYLBENZENE IN SOIL VAPOUR</b>	
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	8
CHECKED	FILE NO.		
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY - - - - -
  - LRT TRACKS =
  - FENCE LINE - - - - -
  - LEGAL LINE =
  - FORMER FACILITY/FEATURE =
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
6.05
  - NOT SAMPLED ● SV#

- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE —
  - SANITARY SEWER - - - - -
  - STORM SEWER - - - - -
  - WATER —
  - CATCH BASIN
  - FIRE HYDRANT ●
  - LIGHT STANDARD ●
  - MANHOLE
  - UTILITY POLE ●

**NOTES:**  
 1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER		<b>Clifton</b>	
CLIENT		SUNCOR ENERGY PRODUCTS PARTNERSHIP	
PROJECT		SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA	
TITLE		<b>DISTRIBUTION OF TOTAL XYLENES IN SOIL VAPOUR</b>	
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	9
CHECKED	FILE NO.		
DB	CG3418E03-4-16		



**LEGEND**

SITE BOUNDARY: Pink dashed line

LRT TRACKS: Grey lines with cross-ticks

FENCE LINE: Dashed line with cross-ticks

LEGAL LINE: Dotted line

FORMER FACILITY/FEATURE: Blue outline

BUILDING: Black outline

SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs: Pink circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs: Orange circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs: Green circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs: Light blue circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs: Blue circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs: Purple circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs: Dark blue circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs: Purple circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs: Green circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs: Orange circle with SV#

SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs: Brown circle with SV#

NESTED SOIL VAPOUR SAMPLING POINT: Triangle with SV#

ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019: Cyan circle with SV#

RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS): Pink outline

SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019: Box with SV# and value (e.g., 6.06)

NOT SAMPLED: NS

RESIDENTIAL: Square with 'R'

DETACHED GARAGE: Square with 'G'

SUB-SLAB SOIL VAPOUR POINT: Square with 'SSVP'

UTILITY LINES & SYMBOLS

NATURAL GAS LINE: Orange line

SANITARY SEWER: Dashed line

STORM SEWER: Dashed line with cross-ticks

WATER: Solid line

CATCH BASIN: Circle with 'CB'

FIRE HYDRANT: Circle with 'FH'

LIGHT STANDARD: Circle with 'LS'

MANHOLE: Circle with 'M'


UTILITY POLE: Circle with 'U'

NOT SAMPLED: NS


**NOTES:**

1. DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING U/G UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-SA11.DWG, 149-SA6.DWG.

2. ALIPHATIC C6-C8 VALUES CALCULATED BY SUMMING ALIPHATIC >C5-C6 AND ALIPHATIC >C6-C8 FRACTIONS WITH ANALYTICAL DETECTION LIMIT ADDED FOR INCREASED LEVEL OF CONSERVATISM.



ENGINEER			
CLIENT			
SUNCOR ENERGY PRODUCTS PARTNERSHIP			
PROJECT			
SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY T4E 4A5, ALBERTA			
TITLE			
DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBFRACTION IN SOIL VAPOUR ALIPHATIC C6-C8			
DESIGNED	SCALE	DATE	
	1:1000	2021-08-19	
DRAWN	PROJECT NO.	FIG.	
DMP	CG3418E03	10	
CHECKED	FILE NO.		
DB	CG3418E03-4-16		



**LEGEND**

SITE BOUNDARY:

LRT TRACKS:

FENCE LINE:

LEGAL LINE:

FORMER FACILITY/FEATURE:

BUILDING:

SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs: SV#

NESTED SOIL VAPOUR SAMPLING POINT: SV#

ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019: SV#

RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS):

SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019: SV#  
6.06

NOT SAMPLED:

RESIDENTIAL:

DETACHED GARAGE:

SUB-SLAB SOIL VAPOUR POINT:

UTILITY LINES & SYMBOLS

NATURAL GAS LINE:

SANITARY SEWER:

STORM SEWER:

WATER:

CATCH BASIN:

FIRE HYDRANT:

LIGHT STANDARD:


MANHOLE:

UTILITY POLE:


NOT SAMPLED:

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.




ENGINEER:			
CLIENT:	SUNCOR ENERGY PRODUCTS PARTNERSHIP		
PROJECT:	SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA		
TITLE:	DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBTRACTION IN SOIL VAPOUR ALIPHATIC C8-C10		
DESIGNED:	SCALE:	DATE:	2021-08-19
DRAWN:	PROJECT NO.:	FIG.:	11
CHECKED:	FILE NO.:		
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY
  - LRT TRACKS
  - FENCE LINE
  - LEGAL LINE
  - FORMER FACILITY/FEATURE
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
<math><15</math>
  - NOT SAMPLED ● SV#

- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE
  - SANITARY SEWER
  - STORM SEWER
  - WATER
  - CATCH BASIN
  - FIRE HYDRANT
  - LIGHT STANDARD
  - MANHOLE
  - UTILITY POLE

**NOTES:**  
 1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER		<b>Clifton</b>	
CLIENT		SUNCOR ENERGY PRODUCTS PARTNERSHIP	
PROJECT		SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFELD HEIGHTS CALGARY 9445, ALBERTA	
TITLE		<b>DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBFRACTION IN SOIL VAPOUR AROMATIC C8-C10</b>	
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	12
CHECKED	FILE NO.		
DB	CG3418E03-4-16		



**LEGEND**

SITE BOUNDARY:

LRT TRACKS:

FENCE LINE:

LEGAL LINE:

FORMER FACILITY/FEATURE:

BUILDING:

SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs:

SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs:

NESTED SOIL VAPOUR SAMPLING POINT:

ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019:

RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS):

SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019:

NOT SAMPLED:

RESIDENTIAL:

DETACHED GARAGE:

SUB-SLAB SOIL VAPOUR POINT:

**UTILITY LINES & SYMBOLS**

NATURAL GAS LINE:

SANITARY SEWER:

STORM SEWER:

WATER:

CATCH BASIN:

FIRE HYDRANT:


LIGHT STANDARD:

MANHOLE:


UTILITY POLE:

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER:			
CLIENT:	SUNCOR ENERGY PRODUCTS PARTNERSHIP		
PROJECT:	SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA		
TITLE:	DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBFRACTION IN SOIL VAPOUR ALIPHATIC C10-C12		
DESIGNED:	SCALE:	1:1000	DATE: 2021-08-19
DRAWN:	PROJECT NO.:	CG3418E03	FIG: 13
CHECKED:	FILE NO.:	CG3418E03-4-16	



**LEGEND**

SITE BOUNDARY:

LRT TRACKS:

FENCE LINE:

LEGAL LINE:

FORMER FACILITY/FEATURE:

BUILDING:

SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs: SV#

SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs: SV#

NESTED SOIL VAPOUR SAMPLING POINT: SV#

ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019: SV#

RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS):

SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019: SV# 6.06

NOT SAMPLED:

RESIDENTIAL: R

DETACHED GARAGE: G

SUB-SLAB SOIL VAPOUR POINT: SSV#

UTILITY LINES & SYMBOLS

NATURAL GAS LINE:

SANITARY SEWER:

STORM SEWER:

WATER:

CATCH BASIN:

FIRE HYDRANT:


LIGHT STANDARD:

MANHOLE:


UTILITY POLE:

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER			
CLIENT SUNCOR ENERGY PRODUCTS PARTNERSHIP			
PROJECT SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY T4E 1A5, ALBERTA			
TITLE DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBFRACTION IN SOIL VAPOUR ALIPHATIC C12-C16			
DESIGNED	SCALE	DATE	2021-08-19
DRAWN	PROJECT NO.	FIG.	14
CHECKED	FILE NO.		
DB	CG3418E03-4-16		



**LEGEND**


SITE BOUNDARY	
LRT TRACKS	
FENCE LINE	
LEGAL LINE	
FORMER FACILITY/FEATURE	
BUILDING	
SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs	SV#
SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs	SV#
NESTED SOIL VAPOUR SAMPLING POINT	SV#
ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019	SV#
RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)	
SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019	
NOT SAMPLED	

RESIDENTIAL	
DETACHED GARAGE	
SUB-SLAB SOIL VAPOUR POINT	


**UTILITY LINES & SYMBOLS**

NATURAL GAS LINE	
SANITARY SEWER	
STORM SEWER	
WATER	
CATCH BASIN	
FIRE HYDRANT	
LIGHT STANDARD	
MANHOLE	
UTILITY POLE	

**NOTES:**  
 1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER			
CLIENT	SUNCOR ENERGY PRODUCTS PARTNERSHIP		
PROJECT	SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY 9445, ALBERTA		
TITLE	DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBFRACTION IN SOIL VAPOUR AROMATIC C10-C12		
DESIGNED	SCALE	DATE	
DRAWN	PROJECT NO.	2021-08-19	
CHECKED	FILE NO.	CG3418E03	15
DB	CG3418E03-4-16		




- LEGEND**
- SITE BOUNDARY ---
  - LRT TRACKS ---
  - FENCE LINE ---
  - LEGAL LINE ---
  - FORMER FACILITY/FEATURE ---
  - BUILDING
  - SOIL VAPOUR PROBES INSTALLED AT 1.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 1.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 2.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 3.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 4.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.0 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 5.5 mbgs ● SV#
  - SOIL VAPOUR PROBES INSTALLED AT 6.0 mbgs ● SV#
  - NESTED SOIL VAPOUR SAMPLING POINT ▲ SV#
  - ADDITIONAL SOIL VAPOUR SAMPLING POINTS INSTALLED IN MAY 2019 ● SV#
  - RESIDENTIAL STRUCTURES WITH REPORTED UNUSUAL FEATURES (EARTHEN FLOORS)
  - SOIL VAPOUR SAMPLING POINT ID AND RECORDED CONCENTRATION IN SUMMER 2019 SV#  
<15.0
  - NOT SAMPLED ● SV#

- RESIDENTIAL R
  - DETACHED GARAGE G
  - SUB-SLAB SOIL VAPOUR POINT SSVP
- UTILITY LINES & SYMBOLS**
- NATURAL GAS LINE ---
  - SANITARY SEWER ---
  - STORM SEWER ---
  - WATER ---
  - CATCH BASIN
  - FIRE HYDRANT ●
  - LIGHT STANDARD ●
  - MANHOLE ●
  - UTILITY POLE ●

**NOTES:**

1 DRAWING COMPILED FROM PLANIMETRIC FILES SUPPLIED BY THE CITY OF CALGARY (INCLUDING UG UTILITIES) & FROM SITE ASSESSMENT INFORMATION. ADDITIONAL REFERENCES FROM SEACOR ENVIRONMENTAL ENGINEERING INC., DRAWINGS 149-5A11.DWG, 149-5A6.DWG.



ENGINEER		Clifton	
CLIENT			
SUNCOR ENERGY PRODUCTS PARTNERSHIP			
PROJECT			
SOIL VAPOUR SAMPLING REPORT WINTER 2020 HOUNSFIELD HEIGHTS CALGARY T4A 1A5, ALBERTA			
TITLE			
DISTRIBUTION OF PETROLEUM HYDROCARBONS SUBFRACTION IN SOIL VAPOUR AROMATIC C12-C16			
DESIGNED	SCALE	DATE	
	1:1000	2021-08-19	
DRAWN	PROJECT NO.	FIG.	
DMP	CG3418E03	16	
CHECKED	FILE NO.		
DB	CG3418E03-4-16		

---

# Appendix B

## Analytical Results Tables



Clifton

**Table 1 - Summary of Soil Vapour Laboratory Analysis  
Chemicals of Potential Concern in Soil Vapour**

**Estimate of Indoor Air Quality for Residential Property at 10<sup>th</sup> Avenue NW, Calgary, Alberta**

Sample ID	321B	322	Guideline <sup>1</sup>	RDL
Sampling Date	11/18/2020	11/18/2020		
Parameter				
Benzene	<0.50	<0.50	3.0E+02	0.50
Toluene	<0.75	0.98	1.9E+05	0.75
Ethylbenzene	<0.87	<0.87	5.0E+04	0.87
Xylenes	<1.8	<1.8	8.9E+03	1.8
Aliphatic C6-C8	<15	<15	9.2E+05	15
Aliphatic C8-C10	<15	<15	4.8E+04	15
Aromatic C8-C10	<15	<15	8.1E+03	15
Aliphatic >C10-C12	<15	<15	5.0E+04	15
Aliphatic >C12-C16	<15	<15	5.0E+04	15
Aromatic >C10-C12	<15	<15	1.0E+04	15
Aromatic >C12-C16	<15	<15	1.0E+04	15
1,2-Dichloroethane (1,2-DCA)	<0.41	<0.41	4.0E+01	0.41
Naphthalene	<5.2	<5.2	1.0E+02	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

RDL Reportable Detection Limit

ND No data available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



<b>Job No.</b>	CG3418EE03/04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfeld Heights, Calgary, AB 9445

## Table 2 - Summary of Soil Vapour Laboratory Analysis

### Chemicals of Potential Concern in Soil Vapour

#### Estimate of Indoor Air Quality for Residential Property at 15<sup>th</sup> Street NW, Calgary, Alberta

Sample ID	323	Guideline <sup>1</sup>	RDL
Sampling Date	11/18/2020		
Parameter			
Benzene	0.5	3.0E+02	0.50
Toluene	2.4	1.9E+05	0.75
Ethylbenzene	<0.87	5.0E+04	0.87
Xylenes	<1.8	8.9E+03	1.8
Aliphatic C6-C8	<15	9.2E+05	15
Aliphatic C8-C10	<15	4.8E+04	15
Aromatic C8-C10	<15	8.1E+03	15
Aliphatic >C10-C12	<15	5.0E+04	15
Aliphatic >C12-C16	<15	5.0E+04	15
Aromatic >C10-C12	<15	1.0E+04	15
Aromatic >C12-C16	<15	1.0E+04	15
1,2-Dichloroethane (1,2-DCA)	<0.41	4.0E+01	0.41
Naphthalene	<5.2	1.0E+02	5.2

**Notes:**

<sup>1</sup> Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

RDL Reportable Detection Limit

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

**Table 3 - Summary of Soil Vapour Laboratory Analysis  
Chemicals of Potential Concern in Soil Vapour**

**Soil Vapour Samples-Residential Buildings-Installation Depth 1.0 m bgs**

Sample ID	10	30	31	32	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	1.0	1.0	1.0	1.0			
Sampling Date	11/19/2020	11/30/2020	12/01/2020	11/18/2020			
Parameter							
Benzene	<0.50	2.52	<0.54	<0.50	3.0E+02	2.7E+02	0.50
Toluene	<0.75	1.7	<0.80	<0.75	1.9E+05	1.7E+05	0.75
Ethylbenzene	<0.87	<0.87	<0.87	<0.87	5.0E+04	4.5E+04	0.87
Xylenes	<1.8	<1.8	<1.8	<1.8	8.9E+03	8.0E+03	1.8
Aliphatic C6-C8	<15	<15	<15	<30	9.2E+05	8.2E+05	15
Aliphatic C8-C10	<15	<15	<15	<15	4.8E+04	4.3E+04	15
Aromatic C8-C10	<15	<15	<15	<15	8.1E+03	7.3E+03	15
Aliphatic >C10-C12	<15	<15	<15	<15	5.0E+04	4.5E+04	15
Aliphatic >C12-C16	<15	<15	<15	<15	5.0E+04	4.5E+04	15
Aromatic >C10-C12	<15	<15	<15	<15	1.0E+04	9.0E+03	15
Aromatic >C12-C16	<15	<15	<15	<15	1.0E+04	9.0E+03	15
1,2-Dichloroethane (1,2-DCA)	<0.41	<0.82	<0.82	<0.41	4.0E+01	3.6E+01	0.41
Naphthalene	<5.2	<5.2	<5.2	<5.2	1.0E+02	9.3E+01	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No data available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Sampling Report, Winter 2020
<b>Location</b>	Hounsfeld Heights, Calgary, AB 9445

**Table 4 - Summary of Soil Vapour Laboratory Analysis  
Chemicals of Potential Concern in Soil Vapour**

**Soil Vapour Samples-Residential Buildings-Installation Depth 1.5 m bgs**

Sample ID	11	29	40	41	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	1.5	1.5	1.5	1.5			
Sampling Date	12/01/2020	11/19/2020	12/01/2020	11/30/2020			
Parameter							
Benzene	<0.54	<0.50	<0.54	60.3	3.0E+02	2.7E+02	0.50
Toluene	<0.80	<0.75	<0.80	59.8	1.9E+05	1.7E+05	0.75
Ethylbenzene	<0.87	<0.87	<0.87	15.5	5.0E+04	4.5E+04	0.87
Xylenes	<1.8	<1.8	<1.8	62.4	8.9E+03	8.0E+03	1.8
Aliphatic C6-C8	<15	<15	<15	76	9.2E+05	8.2E+05	15
Aliphatic C8-C10	<15	<15	<15	16	4.8E+04	4.3E+04	15
Aromatic C8-C10	<15	<15	<15	48	8.1E+03	7.3E+03	15
Aliphatic >C10-C12	<15	<15	<15	<15	5.0E+04	4.5E+04	15
Aliphatic >C12-C16	<15	<15	<15	<15	5.0E+04	4.5E+04	15
Aromatic >C10-C12	<15	<15	<15	<15	1.0E+04	9.0E+03	15
Aromatic >C12-C16	<15	<15	<15	<15	1.0E+04	9.0E+03	15
1,2-Dichloroethane (1,2-DCA)	<0.82	<0.41	<0.82	<0.82	4.0E+01	3.6E+01	0.41
Naphthalene	<5.2	<5.2	<5.2	<5.2	1.0E+02	9.3E+01	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No data available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



Job No.	CG3418E03/E04
Client	Suncor EPP
Project	Soil Vapour Sampling Report, Winter 2020
Location	Hounsfeld Heights, Calgary, AB 9445

**Table 5 - Summary of Soil Vapour Laboratory Analysis  
Chemicals of Potential Concern in Soil Vapour**

**Soil Vapour Samples-Residential Buildings-Installation Depth 2.0 m bgs**

Sample ID	26C	39	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	2.0	2.0			
Sampling Date	11/23/2020	11/27/2020			
Parameter					
Benzene	<0.50	<0.50	1.6E+05	1.4E+05	0.50
Toluene	<0.75	<0.75	9.8E+07	8.8E+07	0.75
Ethylbenzene	<0.87	<0.87	2.7E+07	2.4E+07	0.87
Xylenes	<1.8	<1.8	4.7E+06	4.3E+06	1.8
Aliphatic C6-C8	<15	<15	5.3E+08	4.8E+08	15
Aliphatic C8-C10	<15	<15	2.8E+07	2.5E+07	15
Aromatic C8-C10	<15	<15	4.7E+06	4.2E+06	15
Aliphatic >C10-C12	<15	<15	2.9E+07	2.6E+07	15
Aliphatic >C12-C16	<15	<15	2.9E+07	2.6E+07	15
Aromatic >C10-C12	<15	<15	5.8E+06	5.2E+06	15
Aromatic >C12-C16	<15	<15	5.8E+06	5.2E+06	15
1,2-Dichloroethane (1,2-DCA)	<0.41	<0.41	1.9E+03	1.7E+03	0.41
Naphthalene	<5.2	<5.2	5.7E+03	5.2E+03	5.2
Oxygen (% v/v)	19.78	ND	NG	NG	0.001
Nitrogen (% v/v)	78.23	ND	NG	NG	0.001
Methane (% v/v)	<0.001	ND	NG	NG	0.001
Carbon Dioxide (% v/v)	1.991	ND	NG	NG	0.001

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 200 cm, Intrinsic 31/8/2016.

Indicates that concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No data available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted

Testing was conducted by AGAT Labs



**Clifton**

<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Sampling Report, Winter 2020
<b>Location</b>	Hounsfeld Heights, Calgary, AB 9445

**Table 6 - Summary of Soil Vapour Laboratory Analysis  
Chemicals of Potential Concern in Soil Vapour**

**Soil Vapour Samples-Residential Buildings-Installation Depth 2.5 m bgs**

Sample ID	28	37	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	2.5	2.5			
Sampling Date	11/19/2020	11/27/2020			
Parameter					
Benzene	<0.50	<0.50	1.6E+05	1.5E+05	0.50
Toluene	<0.75	<0.75	1.0E+08	9.2E+07	0.75
Ethylbenzene	<0.87	<0.87	2.8E+07	2.5E+07	0.87
Xylenes	<1.8	<1.8	4.9E+06	4.4E+06	1.8
Aliphatic C6-C8	<15	<15	5.6E+08	5.1E+08	15.0
Aliphatic C8-C10	<15	<15	2.9E+07	2.7E+07	15
Aromatic C8-C10	<15	<15	5.0E+06	4.5E+06	15
Aliphatic >C10-C12	<15	<15	3.1E+07	2.8E+07	15
Aliphatic >C12-C16	<15	<15	3.1E+07	2.8E+07	15
Aromatic >C10-C12	<15	<15	6.1E+06	5.5E+06	15
Aromatic >C12-C16	<15	<15	6.1E+06	5.5E+06	15
1,2-Dichloroethane (1,2-DCA)	<0.41	<0.41	2.0E+03	1.8E+03	0.41
Naphthalene	<5.2	<5.2	6.0E+03	5.4E+03	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 250 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Sampling Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

## Table 7 - Summary of Soil Vapour Laboratory Analysis

### Chemicals of Potential Concern in Soil Vapour

#### Soil Vapour Samples-Residential Buildings-Installation Depth 3.0 m bgs

Sample ID	27	36	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	3.0	3.0			
Sampling Date	12/02/2020	11/27/2020			
Parameter					
Benzene	<0.54	<0.50	1.6E+05	1.4E+05	0.50
Toluene	<0.80	<0.75	9.8E+07	8.8E+07	0.75
Ethylbenzene	<0.87	<0.87	2.7E+07	2.4E+07	0.87
Xylenes	<1.8	<1.8	4.7E+06	4.3E+06	1.8
Aliphatic C6-C8 <sup>2</sup>	<15	<15	5.3E+08	4.8E+08	15.0
Aliphatic C8-C10	<15	<15	2.8E+07	2.5E+07	15
Aromatic C8-C10	<15	<15	4.7E+06	4.2E+06	15
Aliphatic >C10-C12	<15	<15	2.9E+07	2.6E+07	15
Aliphatic >C12-C16	<15	<15	2.9E+07	2.6E+07	15
Aromatic >C10-C12	<15	<15	5.8E+06	5.2E+06	15
Aromatic >C12-C16	<15	<15	5.8E+06	5.2E+06	15
1,2-Dichloroethane (1,2-DCA)	1.01	<0.41	1.9E+03	1.7E+03	0.41
Naphthalene	<5.2	<5.2	5.7E+03	5.2E+03	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 300 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No Data Available

NG No applicable guideline

All results are expressed as  $\mu\text{g}/\text{m}^3$  unless otherwise noted.

Testing was conducted by AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Sampling Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

## Table 8 - Summary of Soil Vapour Laboratory Analysis

### Chemicals of Potential Concern in Soil Vapour

#### Soil Vapour Samples-Residential Buildings-Installation Depth 3.5 m bgs

Sample ID	20	21	26B	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	3.5	3.5	3.5			
Sampling Date	12/02/2020	11/26/2020	11/23/2020			
Parameter						
Benzene	<0.54	<0.50	<0.50	1.8E+05	1.6E+05	0.50
Toluene	3.69	<0.75	<0.75	1.1E+08	9.8E+07	0.75
Ethylbenzene	<0.87	<0.87	<0.87	3.0E+07	2.7E+07	0.87
Xylenes	<1.8	<1.8	<1.8	5.3E+06	4.8E+06	1.8
Aliphatic C6-C8 <sup>2</sup>	<15	<15	<15	6.2E+08	5.6E+08	15.0
Aliphatic C8-C10	<15	<15	<15	3.3E+07	2.9E+07	15
Aromatic C8-C10	<15	<15	<15	5.5E+06	5.0E+06	15
Aliphatic >C10-C12	<15	<15	<15	3.4E+07	3.1E+07	15
Aliphatic >C12-C16	<15	<15	<15	3.4E+07	3.1E+07	15
Aromatic >C10-C12	<15	<15	<15	6.8E+06	6.1E+06	15
Aromatic >C12-C16	<15	<15	<15	6.8E+06	6.1E+06	15
1,2-Dichloroethane (1,2-DCA)	<0.82	<0.41	<0.41	2.1E+03	1.9E+03	0.41
Naphtalene	<5.2	<5.2	<5.2	6.6E+03	5.9E+03	5.2
Oxygen (% v/v)	ND	ND	19.94	NG	NG	0.001
Nitrogen (% v/v)	ND	ND	78.06	NG	NG	0.001
Methane (% v/v)	ND	ND	<0.001	NG	NG	0.001
Carbon Dioxide (% v/v)	ND	ND	2.00	NG	NG	0.001

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 350 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



Job No.	CG3418E03/E04
Client	Suncor EPP
Project	Soil Vapour Sampling Report, Winter 2020
Location	Hounsfield Heights, Calgary, AB 9445

## Table 9 - Summary of Soil Vapour Laboratory Analysis

### Chemicals of Potential Concern in Soil Vapour

#### Soil Vapour Samples-Residential Buildings-Installation Depth 4.0 m bgs

Sample ID	8	9	22	38	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	4.0	4.0	4.0	4.0			
Sampling Date	11/25/2020	11/25/2020	11/26/2020	11/30/2020			
Parameter							
Benzene	<0.50	<0.50	<0.50	176	1.8E+05	1.6E+05	0.50
Toluene	<0.75	1.62	<0.75	300	1.1E+08	1.0E+08	0.75
Ethylbenzene	<0.87	<0.87	<0.87	77.7	3.1E+07	2.8E+07	0.87
Xylenes	<1.8	5.6	<1.8	291	5.5E+06	4.9E+06	1.8
Aliphatic C6-C8 <sup>2</sup>	109	<15	<15	511	6.5E+08	5.9E+08	15.0
Aliphatic C8-C10	<15	<15	<15	127	3.4E+07	3.1E+07	15
Aromatic C8-C10	<15	<15	<15	385	5.8E+06	5.2E+06	15
Aliphatic >C10-C12	<15	<15	<15	<15	3.6E+07	3.2E+07	15
Aliphatic >C12-C16	<15	<15	<15	<15	3.6E+07	3.2E+07	15
Aromatic >C10-C12	<15	<15	<15	15	7.1E+06	6.4E+06	15
Aromatic >C12-C16	<15	<15	<15	<15	7.1E+06	6.4E+06	15
1,2-Dichloroethane (1,2-DCA)	<0.41	<0.41	<0.41	<0.82	2.2E+03	1.9E+03	0.41
Naphtalene	<5.2	<5.2	<5.2	28.8	6.9E+03	6.2E+03	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 400 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Sampling Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

## Table 10 - Summary of Soil Vapour Laboratory Analysis

### Chemicals of Potential Concern in Soil Vapour

#### Soil Vapour Samples-Residential Buildings-Installation Depth 4.5 m bgs

Sample ID	23	Guideline <sup>1</sup>	Guideline <sup>2</sup>	RDL
Installation Depth (m bgs)	4.5			
Sampling Date	12/02/2020			
Parameter				
Benzene	<0.54	1.9E+05	1.7E+05	0.54
Toluene	<0.80	1.2E+08	1.0E+08	0.80
Ethylbenzene	<0.87	3.2E+07	2.9E+07	0.87
Xylenes	<1.8	5.7E+06	5.1E+06	1.8
Aliphatic C6-C8	<15	6.8E+08	6.1E+08	15
Aliphatic C8-C10	<15	3.6E+07	3.2E+07	15
Aromatic C8-C10	<15	6.1E+06	5.4E+06	15
Aliphatic >C10-C12	<15	3.7E+07	3.4E+07	15
Aliphatic >C12-C16	<15	3.7E+07	3.4E+07	15
Aromatic >C10-C12	<15	7.4E+06	6.7E+06	15
Aromatic >C12-C16	<15	7.4E+06	6.7E+06	15
1,2-Dichloroethane (1,2-DCA)	<0.82	2.2E+03	2.0E+03	0.82
Naphtalene	<5.2	7.2E+03	6.5E+03	5.2

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 450 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Increased sampling frequency trigger values

RDL Reportable Detection Limit

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



Job No.	CG3418E03/E04
Client	Suncor EPP
Project	Soil Vapour Sampling Report, Winter 2020
Location	Hounsfield Heights, Calgary, AB 9445

**Table 11 - Summary of Soil Vapour Laboratory Analysis**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Samples-Residential Buildings-Installation Depth 5.0 m bgs**

Sample ID	7	24	25	26A	Guideline <sup>1</sup>	Guideline <sup>3</sup>	RDL
Installation Depth (m bgs)	5.0	5.0	5.0	5.0			
Sampling Date	11/25/2020	11/26/2020	12/02/2020	11/23/2020			
Parameter							
Benzene	0.64	<0.50	<0.54	<0.50	1.9E+05	1.7E+05	0.50
Toluene	1.09	<0.75	<0.80	<0.75	1.2E+08	1.1E+08	0.75
Ethylbenzene	<0.87	<0.87	<0.87	<0.87	3.3E+07	3.0E+07	0.87
Xylenes	<1.8	<1.8	<1.8	<1.8	5.9E+06	5.3E+06	1.8
Aliphatic C6-C8 <sup>2</sup>	41	<15	<15	<15	7.1E+08	6.4E+08	15
Aliphatic C8-C10	<15	<15	<15	<15	3.7E+07	3.4E+07	15
Aromatic C8-C10	<15	<15	<15	<15	6.3E+06	5.7E+06	15
Aliphatic >C10-C12	<15	<15	<15	<15	3.9E+07	3.5E+07	15
Aliphatic >C12-C16	<15	<15	<15	<15	3.9E+07	3.5E+07	15
Aromatic >C10-C12	<15	<15	<15	<15	7.8E+06	7.0E+06	15
Aromatic >C12-C16	<15	<15	<15	<15	7.8E+06	7.0E+06	15
1,2-Dichloroethane (1,2-DCA)	<0.41	<0.41	<0.82	<0.41	2.3E+03	2.1E+03	0.41
Naphtalene	<5.2	<5.2	<5.2	<5.2	7.5E+03	6.7E+03	5.2
Oxygen (% v/v)	ND	ND	ND	19.48	NG	NG	0.001
Nitrogen (% v/v)	ND	ND	ND	78.05	NG	NG	0.001
Methane (% v/v)	ND	ND	ND	<0.001	NG	NG	0.001
Carbon Dioxide (% v/v)	ND	ND	ND	2.11	NG	NG	0.001

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 500 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased sampling frequency trigger values

RDL Reportable Detection Limit

NG No applicable guideline

ND No Data Available

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing was conducted by AGAT Labs



Job No.	CG3418E03/E04
Client	Suncor EPP
Project	Soil Vapour Sampling Report, Winter 2020
Location	Hounsfield Heights, Calgary, AB 9445

---

# Appendix C

## Historical Analytical Results Tables



**Table 1 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV7**

Sample ID	7/3012	SV07/363	7/1034	SV07/1437	7/1205	7	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)								
5.0								
Sampling Date	4-Jun-16	13-Jul-17	4-Apr-18	21-Jan-19	21-Jan-20	25-Nov-20		
Parameter								
Benzene	<0.32	1.90	0.55	0.80	<0.32	0.64	1.9E+05	1.7E+05
Toluene	1.35	3.31	0.84	1.72	1.91	1.09	1.2E+08	1.1E+08
Ethylbenzene	0.68	0.55	0.95	<0.43	0.50	<0.87	3.3E+07	3.0E+07
Xylenes	2.7	2.9	3.9	2.0	2.1	<1.8	5.9E+06	5.3E+06
Aliphatic C6-C8 <sup>2</sup>	46.4	27.0	<10.0	<10.0	<10.0	41	7.1E+08	6.4E+08
Aliphatic C8-C10	29.0	11.2	<5.0	<5.0	<5.0	<15	3.7E+07	3.4E+07
Aromatic C8-C10	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.3E+06	5.7E+06
Aliphatic >C10-C12	35.9	38.5	13.6	<5.0	7.7	<15	3.9E+07	3.5E+07
Aliphatic >C12-C16	11.9	<5.0	<5.0	<5.0	7.8	<15	3.9E+07	3.5E+07
Aromatic >C10-C12	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.3E+03	2.1E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<1.0	<5.2	7.5E+03	6.7E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 500 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 2 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV8**

Sample ID	8/381	SV08 / 2525	SV08 / 1241	8/1333	8 / 2551	8/9769	8	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)									
4.0									
Sampling Date	4-Jun-16	13-Feb-17	25-Jul-17	4-Apr-18	8-Aug-19	21-Jan-20	25-Nov-20		
Parameter									
Benzene	3.28	<0.32	1.05	0.60	0.32	1.01	<0.50	1.8E+05	1.6E+05
Toluene	95.2	0.43	3.24	1.17	0.89	7.50	<0.75	1.1E+08	1.0E+08
Ethylbenzene	39.9	<0.43	0.54	5.73	<0.43	1.24	<0.87	3.1E+07	2.8E+07
Xylenes	181	<1.3	2.6	24.2	<1.3	5.3	<1.8	5.5E+06	4.9E+06
Aliphatic C6-C8 <sup>2</sup>	4080	<10.0	25.9	<10.0	<10.0	<10.0	109	6.5E+08	5.9E+08
Aliphatic C8-C10	2630	<5.0	45.8	<5.0	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aromatic C8-C10	188	<5.0	<5.0	8.5	<5.0	<5.0	<15	5.8E+06	5.2E+06
Aliphatic >C10-C12	2360	6.4	12.9	15.5	11.1	10.8	<15	3.6E+07	3.2E+07
Aliphatic >C12-C16	433	<5.0	<5.0	<5.0	8.2	<5.0	<15	3.6E+07	3.2E+07
Aromatic >C10-C12	108	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
Aromatic >C12-C16	26.5	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.2E+03	1.9E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	6.9E+03	6.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 400 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

**Table 3 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV9**

Sample ID	9/1384	SV9/2501	SV09/1512	9/263	SV09/1341	9 / 1334	9/9771	9	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
4.0										
Sampling Date	4-Jun-16	26-Jan-17	13-Jul-17	14-Apr-18	21-Jan-19	8-Aug-19	21-Jan-20	25-Nov-20		
Parameter										
Benzene	1.40	0.44	27.2	<0.32	0.50	0.71	1.13	<0.50	1.8E+05	1.6E+05
Toluene	113	0.80	63.7	<0.38	<0.38	1.14	7.52	1.62	1.1E+08	1.0E+08
Ethylbenzene	3.94	<0.43	18	<0.43	<0.43	0.68	1.53	<0.87	3.1E+07	2.8E+07
Xylenes	19.1	<1.3	98.3	<1.3	<1.3	<1.3	5.6	5.6	5.5E+06	4.9E+06
Aliphatic C6-C8 <sup>2</sup>	64.5	<10.0	124.1	<10.0	<10.0	<10.0	<11.7	<15	6.5E+08	5.9E+08
Aliphatic C8-C10	349	<5.0	26.5	<5.0	<5.0	16.0	<5.0	<15	3.4E+07	3.1E+07
Aromatic C8-C10	36.2	<5.0	60.7	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
Aliphatic >C10-C12	633	<5.0	25.3	9.0	<5.0	24.4	<5.0	<15	3.6E+07	3.2E+07
Aliphatic >C12-C16	145	<5.0	<5.0	<5.0	<5.0	12.3	<5.0	<15	3.6E+07	3.2E+07
Aromatic >C10-C12	34.7	<5.0	33.5	<5.0	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	3.60	<0.40	<0.41	2.2E+03	1.9E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	6.9E+03	6.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 400 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 4 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV10**

Sample ID	10/239	SV10/299	SV10/2477	10/1516	SV10/351	10/1016	10/9852	10	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
1.0										
Sampling Date	8-Jun-16	30-Jan-17	17-Jul-17	4-Apr-18	24-Jan-19	9-Aug-19	23-Jan-20	19-Nov-20		
Parameter										
Benzene	<0.32	1.02	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	3.0E+02	2.7E+02
Toluene	1.62	0.85	<0.38	0.43	1.34	<0.38	1.20	<0.75	1.9E+05	1.7E+05
Ethylbenzene	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	1.4	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	<11.5	<10.6	<13.1	<10.0	<10.0	<10.0	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	<5.0	15.2	5.4	<5.0	<5.0	<5.0	<5.0	<15	4.8E+04	4.3E+04
Aromatic C8-C10	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	15.3	7.1	18.6	30.5	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	<5.0	<5.0	10.2	<5.0	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	<5.0	<5.0	<5.0	<5.0	<5.0	30.2	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	0.61	<0.40	<0.41	4.0E+01	3.6E+01
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

- 1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016
  - 2 Indicates that the concentration exceeds guideline
  - 3 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions
  - 3 Increased monitoring frequency trigger values
- ND No Data Available  
 NG No applicable guideline
- All results are expressed as µg/m<sup>3</sup> unless otherwise noted.  
 Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 5 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV11**

Sample ID	11 / 1391	SV11/3020	SV11/2582	11 / 2569	SV11 (2389)	11 / 1389	11/9854	11	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
1.5										
Sampling Date	9-Jun-16	25-Jan-17	19-Jul-17	9-Apr-18	4-Feb-19	21-Aug-19	4-Feb-20	1-Dec-20		
Parameter										
Benzene	1.77	0.69	0.52	<0.32	<0.32	<0.32	0.60	<0.54	3.0E+02	2.7E+02
Toluene	16.3	<0.38	1.01	0.49	<0.38	<0.38	0.56	<0.80	1.9E+05	1.7E+05
Ethylbenzene	16.5	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	58.2	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	111.3	<10.0	<26.1	<10.0	<10.0	<10.0	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	224	<5.0	9.3	<5.0	<5.0	<5.0	<5.0	<15	4.8E+04	4.3E+04
Aromatic C8-C10	104	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	213	13.6	19.3	6.4	<5.0	12.9	<5.0	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	59.5	<5.0	12.7	<5.0	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	112	<5.0	7.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	21.4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.405	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	4.0E+01	3.6E+01
Naphtalene	<2.62	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 6 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV20**

Sample ID	20/1904	SV20/1765	SV20/2505	20 / 1357	SV20/2539	20 / 1428	20	20	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
3.5										
Sampling Date	7-Jun-16	3-Feb-17	21-Jul-17	9-Apr-18	29-Jan-19	19-Aug-19	30-Jan-20	2-Dec-20		
Parameter										
Benzene	1.81	0.37	<0.32	<0.32	<0.32	<0.32	<0.32	<0.54	1.8E+05	1.6E+05
Toluene	6.93	5.37	1.58	0.41	<0.38	0.44	0.95	3.69	1.1E+08	9.8E+07
Ethylbenzene	2.26	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	3.0E+07	2.7E+07
Xylenes	14.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	5.3E+06	4.8E+06
Aliphatic C6-C8 <sup>2</sup>	16.8	<11.5	<11.5	<10.0	<10.0	<10.0	<10.0	<15	6.2E+08	5.6E+08
Aliphatic C8-C10	14.9	<5.0	16.9	5.1	<5.0	<5.0	<5.0	<15	3.3E+07	2.9E+07
Aromatic C8-C10	18.4	18.4	12.0	<5.0	<5.0	<5.0	<5.0	<15	5.5E+06	5.0E+06
Aliphatic >C10-C12	31.2	23.3	78.1	13.7	24.1	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aliphatic >C12-C16	103	<5.0	23.0	<5.0	<5.0	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aromatic >C10-C12	17.5	<5.0	45.3	<5.0	<5.0	<5.0	<5.0	<15	6.8E+06	6.1E+06
Aromatic >C12-C16	<5.0	<5.0	6.0	<5.0	<5.0	<5.0	<5.0	<15	6.8E+06	6.1E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	2.1E+03	1.9E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	6.6E+03	5.9E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 350 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 7 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV21**

Sample ID	21 / 1780	SV21/3016	SV21/1897	21 / 1263	SV21/1775	21 / 1391	21	21	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
3.5										
Sampling Date	9-Jun-16	2-Feb-17	21-Jul-17	9-Apr-18	29-Jan-19	19-Aug-19	30-Jan-20	26-Nov-20		
Parameter										
Benzene	2.21	0.37	0.39	<0.32	<0.32	<0.32	<0.32	<0.50	1.8E+05	1.6E+05
Toluene	19.4	0.69	1.16	<0.38	<0.38	0.44	0.40	<0.75	1.1E+08	9.8E+07
Ethylbenzene	11.8	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	3.0E+07	2.7E+07
Xylenes	80.0	<1.3	1.6	<1.3	<1.3	<1.3	<1.3	<1.8	5.3E+06	4.8E+06
Aliphatic C6-C8 <sup>2</sup>	19.5	<10.0	<10.7	<10.0	<10.0	<10.0	<10.0	<15	6.2E+08	5.6E+08
Aliphatic C8-C10	63.3	9.6	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.3E+07	2.9E+07
Aromatic C8-C10	84.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.5E+06	5.0E+06
Aliphatic >C10-C12	147	<5.0	6.9	11.3	<5.0	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aliphatic >C12-C16	47.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aromatic >C10-C12	63.2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.8E+06	6.1E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.8E+06	6.1E+06
1,2-Dichloroethane (1,2-DCA)	<0.405	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.1E+03	1.9E+03
Naphtalene	<2.62	<2.6	<2.6	<2.6	<1.0	<1.0	<1.0	<5.2	6.6E+03	5.9E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 350 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 8 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV22**

Sample ID	22/1415	SV22/2521	22/1369	SV22/2549	22 / 1268	22	22	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)									
4.0									
Sampling Date	7-Jun-16	18-Jul-17	11-Apr-18	29-Jan-19	19-Aug-19	30-Jan-20	26-Nov-20		
Parameter									
Benzene	1.08	<0.32	<0.32	<0.32	<0.32	0.63	<0.50	1.8E+05	1.6E+05
Toluene	5.86	0.42	<0.38	<0.38	<0.38	1.14	<0.75	1.1E+08	1.0E+08
Ethylbenzene	4.40	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	3.1E+07	2.8E+07
Xylenes	29.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	5.5E+06	4.9E+06
Aliphatic C6-C8 <sup>2</sup>	14	<10.0	<10.0	<10.0	<10.0	<10.0	<15	6.5E+08	5.9E+08
Aliphatic C8-C10	6.3	<5.0	7.5	<5.0	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aromatic C8-C10	33.5	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
Aliphatic >C10-C12	21.3	17.5	24.2	10.5	<5.0	<5.0	<15	3.6E+07	3.2E+07
Aliphatic >C12-C16	20.3	8.8	<5.0	<5.0	<5.0	<5.0	<15	3.6E+07	3.2E+07
Aromatic >C10-C12	29.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.2E+03	1.9E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	6.9E+03	6.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 400 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfeld Heights, Calgary, AB 9445

**Table 9 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV23**

Sample ID	23/1402	SV23/1202	SV23/2526	23/1452	SV23/1758	23 / 1301	23	23	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
4.5										
Sampling Date	7-Jun-16	2-Feb-17	18-Jul-17	11-Apr-18	29-Jan-19	19-Aug-19	30-Jan-20	2-Dec-20		
Parameter										
Benzene	0.44	0.33	<0.32	0.32	<0.32	<0.32	<0.32	<0.54	1.9E+05	1.7E+05
Toluene	2.38	<0.38	0.49	<0.38	<0.38	0.39	0.60	<0.80	1.2E+08	1.0E+08
Ethylbenzene	1.49	<0.43	0.49	<0.43	<0.43	<0.43	<0.43	<0.87	3.2E+07	2.9E+07
Xylenes	9.5	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	5.7E+06	5.1E+06
Aliphatic C6-C8 <sup>2</sup>	10	<10.0	<16.6	<10.0	<10.0	<10.0	<10.0	<15	6.8E+08	6.1E+08
Aliphatic C8-C10	14.9	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.6E+07	3.2E+07
Aromatic C8-C10	15.2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.1E+06	5.4E+06
Aliphatic >C10-C12	16.2	<5.0	19.8	5.4	6.0	<5.0	<5.0	<15	3.7E+07	3.4E+07
Aliphatic >C12-C16	5.6	<5.0	6.6	<5.0	<5.0	<5.0	<5.0	<15	3.7E+07	3.4E+07
Aromatic >C10-C12	21.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.4E+06	6.7E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.4E+06	6.7E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	2.2E+03	2.0E+03
Naphtalene	2.9	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	7.2E+03	6.5E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 450 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 10 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV24**

Sample ID	24/383	SV24/406	SV24/237	24/1216	SV24/1776	24/2499	24/9761	24	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
5.0										
Sampling Date	7-Jun-16	2-Feb-17	18-Jul-17	11-Apr-18	30-Jan-19	19-Aug-19	24-Jan-20	26-Nov-20		
Parameter										
Benzene	1.35	1.37	<0.32	0.38	<0.32	2.40	<0.32	<0.50	1.9E+05	1.7E+05
Toluene	7.25	2.31	<0.38	0.55	0.50	<0.38	1.91	<0.75	1.2E+08	1.1E+08
Ethylbenzene	3.57	<0.43	<0.43	<0.43	<0.43	<0.43	0.50	<0.87	3.3E+07	3.0E+07
Xylenes	24.8	1.9	<1.3	2.0	<1.3	<1.3	2.1	<1.8	5.9E+06	5.3E+06
Aliphatic C6-C8 <sup>2</sup>	26.6	29.8	29.8	<10.0	<10.0	8.4	<10.0	<15	7.1E+08	6.4E+08
Aliphatic C8-C10	100	69.1	<5.0	<5.0	<5.0	7.4	<5.0	<15	3.7E+07	3.4E+07
Aromatic C8-C10	30.8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.3E+06	5.7E+06
Aliphatic >C10-C12	110	5.7	<5.0	14.3	5.8	<5.0	7.7	<15	3.9E+07	3.5E+07
Aliphatic >C12-C16	33.0	<5.0	<5.0	<5.0	14.3	<5.0	7.8	<15	3.9E+07	3.5E+07
Aromatic >C10-C12	36.3	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.3E+03	2.1E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	7.5E+03	6.7E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 500 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 11 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV25**

Sample ID	25/228	SV25/2549	25/1768	SV25/1275	25 / 227	25	25	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)									
5.0									
Sampling Date	3-Jun-16	18-Jul-17	11-Apr-18	30-Jan-19	19-Aug-19	30-Jan-20	2-Dec-20		
Parameter									
Benzene	0.68	0.65	0.53	2.21	2.40	0.87	<0.54	1.9E+05	1.7E+05
Toluene	4.26	<0.38	<0.38	<0.38	<0.38	0.67	<0.80	1.2E+08	1.1E+08
Ethylbenzene	1.24	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	3.3E+07	3.0E+07
Xylenes	6.7	<1.3	3.9	<1.3	<1.3	<1.3	<1.8	5.9E+06	5.3E+06
Aliphatic C6-C8 <sup>2</sup>	12.1	<10.0	<10.0	<10.0	8.4	<10.0	<15	7.1E+08	6.4E+08
Aliphatic C8-C10	<5.0	<5.0	<5.0	<5.0	7.4	<5.0	<15	3.7E+07	3.4E+07
Aromatic C8-C10	7.7	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.3E+06	5.7E+06
Aliphatic >C10-C12	12.6	6.7	6.3	6.1	<5.0	<5.0	<15	3.9E+07	3.5E+07
Aliphatic >C12-C16	6.9	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.9E+07	3.5E+07
Aromatic >C10-C12	6.9	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	2.3E+03	2.1E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	7.5E+03	6.7E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 500 cm, Intrinsik 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfeld Heights, Calgary, AB 9445

**Table 12 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV26A**

Sample ID	26A/1257	SV26A/1762	SV26A/338	26A/0224	SV26A/330	26A/279	26A/9762	26A	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
5.0										
Sampling Date	3-Jun-16	30-Jan-17	17-Jul-17	11-Apr-18	23-Jan-19	20-Aug-19	24-Jan-20	23-Nov-20		
Parameter										
Benzene	0.84	0.53	1.24	<0.32	<0.32	<0.32	<0.32	<0.50	1.9E+05	1.7E+05
Toluene	8.15	0.78	2.14	<0.38	<0.38	<0.38	1.80	<0.75	1.2E+08	1.1E+08
Ethylbenzene	6.47	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	3.3E+07	3.0E+07
Xylenes	55.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	5.9E+06	5.3E+06
Aliphatic C6-C8 <sup>2</sup>	10.4	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<15	7.1E+08	6.4E+08
Aliphatic C8-C10	115	8.7	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.7E+07	3.4E+07
Aromatic C8-C10	108	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.3E+06	5.7E+06
Aliphatic >C10-C12	131	10.0	14.5	7.0	<5.0	<5.0	8.2	<15	3.9E+07	3.5E+07
Aliphatic >C12-C16	36.8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.9E+07	3.5E+07
Aromatic >C10-C12	163	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
Aromatic >C12-C16	5.1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	7.8E+06	7.0E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.3E+03	2.1E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	7.5E+03	6.7E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 500 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 13 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV26B**

Sample ID	26B/1455	SV26B/2472	SV26B/2523	26B/1400	SV26B/1540	26B/324	26B/9766	26B	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
3.5										
Sampling Date	3-Jun-16	30-Jan-17	17-Jul-17	11-Apr-18	23-Jan-19	20-Aug-19	24-Jan-20	23-Nov-20		
Parameter										
Benzene	0.87	0.54	1.48	<0.32	<0.32	<0.32	0.34	<0.50	1.8E+05	1.6E+05
Toluene	6.28	0.41	0.47	<0.38	<0.38	<0.38	2.04	<0.75	1.1E+08	9.8E+07
Ethylbenzene	5.24	<0.43	<0.43	<0.43	<0.43	<0.43	0.46	<0.87	3.0E+07	2.7E+07
Xylenes	42.7	<1.3	<1.3	<1.3	<1.3	<1.3	2.0	<1.8	5.3E+06	4.8E+06
Aliphatic C6-C8 <sup>2</sup>	12.7	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<15	6.2E+08	5.6E+08
Aliphatic C8-C10	126	5.9	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.3E+07	2.9E+07
Aromatic C8-C10	83.1	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.5E+06	5.0E+06
Aliphatic >C10-C12	121	6.3	11.4	<5.0	<5.0	<5.0	9.0	<15	3.4E+07	3.1E+07
Aliphatic >C12-C16	26.8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.4E+07	3.1E+07
Aromatic >C10-C12	134	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.8E+06	6.1E+06
Aromatic >C12-C16	8.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.8E+06	6.1E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.1E+03	1.9E+03
Naphtalene	2.7	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	6.6E+03	5.9E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 350 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 14 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV26C**

Sample ID	26C/2473	SV26C/1308	SV26C/415	26C/2405	SV26C/275	26C / 209	26C/9770	26C	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
2.0										
Sampling Date	3-Jun-16	30-Jan-17	17-Jul-17	11-Apr-18	23-Jan-19	20-Aug-19	24-Jan-20	23-Nov-20		
Parameter										
Benzene	1.33	1.51	0.92	<0.32	<0.32	<0.32	0.48	<0.50	1.6E+05	1.4E+05
Toluene	4.23	1.14	0.45	<0.38	<0.38	<0.38	1.55	<0.75	9.8E+07	8.8E+07
Ethylbenzene	3.05	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	2.7E+07	2.4E+07
Xylenes	22.0	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	4.7E+06	4.3E+06
Aliphatic C6-C8 <sup>2</sup>	22.2	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<15	5.3E+08	4.8E+08
Aliphatic C8-C10	153	6.5	<5.0	<5.0	<5.0	<5.0	<5.0	<15	2.8E+07	2.5E+07
Aromatic C8-C10	42.2	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	4.7E+06	4.2E+06
Aliphatic >C10-C12	128	5.4	15.5	<5.0	<5.0	<5.0	5.5	<15	2.9E+07	2.6E+07
Aliphatic >C12-C16	17.8	<5.0	8.7	<5.0	<5.0	<5.0	<5.0	<15	2.9E+07	2.6E+07
Aromatic >C10-C12	61.9	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
Aromatic >C12-C16	7.9	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	1.9E+03	1.7E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	5.7E+03	5.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 200 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 15 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV27**

Sample ID	27/1041	SV27/364	SV27/2398	27/276	SV27/1193	27 / 1934	27	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)									
3.0									
Sampling Date	8-Jun-16	30-Jan-17	17-Jul-17	4-Apr-18	24-Jan-19	20-Aug-19	2-Dec-20		
Parameter									
Benzene	0.79	1.27	6.06	0.52	<0.32	<0.32	<0.54	1.6E+05	1.4E+05
Toluene	8.79	1.35	6.25	1.00	<0.38	<0.38	<0.80	9.8E+07	8.8E+07
Ethylbenzene	3.38	<0.43	1.72	<0.43	<0.43	<0.43	<0.87	2.7E+07	2.4E+07
Xylenes	16.0	1.4	6.2	<1.3	<1.3	<1.3	<1.8	4.7E+06	4.3E+06
Aliphatic C6-C8 <sup>2</sup>	14.9	<10.0	<17.8	<10.0	<10.0	<10.0	<15	5.3E+08	4.8E+08
Aliphatic C8-C10	19.1	11.0	6.7	<5.0	<5.0	<5.0	<15	2.8E+07	2.5E+07
Aromatic C8-C10	16.6	<5.0	<5.0	<5.0	<5.0	<5.0	<15	4.7E+06	4.2E+06
Aliphatic >C10-C12	38.2	9.1	6.0	13.4	<5.0	11.4	<15	2.9E+07	2.6E+07
Aliphatic >C12-C16	1280	<5.0	<5.0	<5.0	<5.0	<5.0	<15	2.9E+07	2.6E+07
Aromatic >C10-C12	18.7	<5.0	<5.0	<5.0	7.5	<5.0	<15	5.8E+06	5.2E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
1,2-Dichloroethane (1,2-DCA)	23.3	<0.40	<0.40	<0.40	3.72	11.1	1.01	1.9E+03	1.7E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	6.5	<1.0	<5.2	5.7E+03	5.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 300 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

**Table 16 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV28**

Sample ID	28/2514	SV28/1351	SV28/1464	28/1409	SV28/2509	28 / 6853	28/9767	28	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
2.5										
Sampling Date	8-Jun-16	30-Jan-17	17-Jul-17	4-Apr-18	5-Apr-18	20-Aug-19	21-Jan-20	19-Nov-20		
Parameter										
Benzene	2.55	0.81	0.41	<0.32	<0.32	<0.32	1.05	<0.50	1.6E+05	1.5E+05
Toluene	9.19	0.70	0.82	0.84	<0.38	<0.38	4.32	<0.75	1.0E+08	9.2E+07
Ethylbenzene	12.0	<0.43	<0.43	<0.43	<0.43	<0.43	0.79	<0.87	2.8E+07	2.5E+07
Xylenes	65.2	<1.3	<1.3	<1.3	<1.3	<1.3	2.6	<1.8	4.9E+06	4.4E+06
Aliphatic C6-C8 <sup>2</sup>	37	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<15	5.6E+08	5.1E+08
Aliphatic C8-C10	87.1	6.5	<5.0	<5.0	<5.0	<5.0	<5.0	<15	2.9E+07	2.7E+07
Aromatic C8-C10	133	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.0E+06	4.5E+06
Aliphatic >C10-C12	136	7.8	7.0	10.8	<5.0	7.0	<5.0	<15	3.1E+07	2.8E+07
Aliphatic >C12-C16	81.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	3.1E+07	2.8E+07
Aromatic >C10-C12	110	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.1E+06	5.5E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.1E+06	5.5E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	2.0E+03	1.8E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	6.0E+03	5.4E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 250 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 17 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV29**

Sample ID	29/1366	SV29/1178	SV29/2468	29/0240	SV29/1441	29 / 1202	29/9765	29	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
1.5										
Sampling Date	8-Jun-16	30-Jan-17	17-Jul-17	4-Apr-18	24-Jan-19	21-Aug-19	21-Jan-20	19-Nov-20		
Parameter										
Benzene	<0.32	1.37	1.21	0.41	<0.32	0.50	<0.32	<0.50	3.0E+02	2.7E+02
Toluene	1.30	0.93	0.69	0.92	<0.38	2.22	1.33	<0.75	1.9E+05	1.7E+05
Ethylbenzene	<0.43	<0.43	<0.43	<0.43	<0.43	0.49	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	2.0	<1.3	<1.3	<1.3	<1.3	2.1	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	16.1	<10.0	<10.0	<10.0	<10.0	12.0	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	<5.0	6.2	<5.0	<5.0	<5.0	12.9	<5.0	<15	4.8E+04	4.3E+04
Aromatic C8-C10	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	20.7	6.2	12.5	29.2	<5.0	14.0	<5.0	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	11.3	<5.0	6.0	<5.0	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	4.0E+01	3.6E+01
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 18 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV30**

Sample ID	30/1314	SV30/1244	SV30/1754	30/1438	SV30/1544	30/6649	30/9862	30	Guideline <sup>1</sup>
Installation Depth (m bgs)									
1.0									
Sampling Date	4-Jun-16	31-Jan-17	21-Jul-17	14-Apr-18	31-Jan-19	26-Aug-19	6-Feb-20	30-Nov-20	
Parameter									
Benzene	0.84	0.42	<0.32	<0.32	<0.32	<0.32	0.70	2.52	3.0E+02
Toluene	40.1	0.42	<0.38	2.01	<0.38	1.16	1.41	1.7	1.9E+05
Ethylbenzene	8.80	<0.43	<0.43	0.75	<0.43	<0.43	<0.43	<0.87	5.0E+04
Xylenes	56.0	<1.3	<1.3	2.4	<1.3	<1.3	<1.3	<1.8	8.9E+03
Aliphatic C6-C8 <sup>2</sup>	25	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<15	9.2E+05
Aliphatic C8-C10	28.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	4.8E+04
Aromatic C8-C10	88.9	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	8.1E+03
Aliphatic >C10-C12	199	21.7	<5.0	19.8	8.6	9.1	<5.0	<15	5.0E+04
Aliphatic >C12-C16	198	10.5	73.6	<5.0	<5.0	148	<5.0	<15	5.0E+04
Aromatic >C10-C12	128	<5.0	<5.0	5.3	<5.0	<5.0	<5.0	<15	1.0E+04
Aromatic >C12-C16	51.3	<5.0	27.6	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	4.0E+01
Naphtalene	4.1	<2.6	<2.6	3.5	<2.6	<1.0	<1.0	<5.2	1.0E+02

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 19 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV31**

Sample ID	31 / 2074	SV31/3002	SV31/395	31/1231	SV31/1521	31/2557	31/6857	31	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
1.0										
Sampling Date	9-Jun-16	25-Jan-17	19-Jul-17	9-Apr-18	30-Jan-19	21-Aug-19	4-Feb-20	1-Dec-20		
Parameter										
Benzene	6.45	0.48	0.42	0.44	<0.32	<0.32	0.64	<0.32	3.0E+02	2.7E+02
Toluene	53.7	0.57	3.97	0.77	<0.38	0.40	1.03	0.40	1.9E+05	1.7E+05
Ethylbenzene	15.3	<0.43	0.88	<0.43	<0.43	<0.43	<0.43	<0.43	5.0E+04	4.5E+04
Xylenes	63.8	<1.3	4.7	<1.3	<1.3	<1.3	<1.3	<1.3	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	20.9	<10.0	<15.8	<10.0	<10.0	<10.0	<10.0	<10.0	9.2E+05	8.2E+05
Aliphatic C8-C10	67.1	8.8	6.1	<5.0	<5.0	<5.0	<5.0	<5.0	4.8E+04	4.3E+04
Aromatic C8-C10	91.9	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	8.1E+03	7.3E+03
Aliphatic >C10-C12	160	17.6	17.8	<5.0	5.7	11.3	<5.0	11.3	5.0E+04	4.5E+04
Aliphatic >C12-C16	79.7	<5.0	30.7	<5.0	<5.0	<5.0	<5.0	<5.0	5.0E+04	4.5E+04
Aromatic >C10-C12	108	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	1.0E+04	9.0E+03
Aromatic >C12-C16	14.4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.405	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	4.0E+01	3.6E+01
Naphtalene	2.75	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<1.0	1.0E+02	9.3E+01

**Notes:**

- 1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016
  - 2 Indicates that the concentration exceeds guideline
  - 3 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions
  - 3 Increased monitoring frequency trigger values
- ND No Data Available  
 NG No applicable guideline
- All results are expressed as µg/m<sup>3</sup> unless otherwise noted.  
 Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 20 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV32**

Sample ID	32/398	SV32/1309	SV32/358	32/1508	SV32/1421	SV32CS/1521	32	32 / 1302	32	32/9774	32	32C/9943	32	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)															
1.0															
Sampling Date	8-Jun-16	30-Jan-17	21-Jul-17	14-Apr-18	31-Jan-19	20-Mar-19	16-May-19	22-Aug-19	12-Nov-19	29-Jan-20	10-Jun-20	6-Jul-20	18-Nov-20		
Parameter															
Benzene	5.19	0.61	<0.32	0.86	<140	<b>332</b>	10.1	0.96	0.51	<0.32	<b>19000</b>	<b>2020</b>	0.51	3.0E+02	2.7E+02
Toluene	111	0.74	0.4	0.86	<170	1030	225	1.04	0.81	0.62	44000	4680	0.81	1.9E+05	1.7E+05
Ethylbenzene	95.8	<0.43	<0.43	<0.43	<190	<40	<0.434	<0.43	<0.43	<0.43	3740	466	<0.43	5.0E+04	4.5E+04
Xylenes	447	<1.3	<1.3	<1.3	<580	<120	1.94	<1.3	<1.3	<1.3	<b>15900</b>	2370	<1.3	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	135.5	<10.0	<10.0	<10.0	<b>1220000</b>	130670	2244	191590	<56.3	<23.7	636000	47400	<56.3	9.2E+05	8.2E+05
Aliphatic C8-C10	198	<5.0	<5.0	<5.0	<2200	<460	22.6	337	<5.0	11.6	16000	1340	<5.0	4.8E+04	4.3E+04
Aromatic C8-C10	692	<5.0	<5.0	<5.0	<2200	<460	<5.0	<5.0	<5.0	<5.0	<b>9940</b>	1340	<5.0	8.1E+03	7.3E+03
Aliphatic >C10-C12	1140	<5.0	<5.0	34.7	<2200	<460	7.1	29.5	<5.0	37.1	<8200	<270	<5.0	5.0E+04	4.5E+04
Aliphatic >C12-C16	490	<5.0	<5.0	7.7	<2200	<460	<5.0	<5.0	<5.0	10.9	<8200	<270	<5.0	5.0E+04	4.5E+04
Aromatic >C10-C12	569	<5.0	<5.0	<5.0	<2200	<460	<5.0	<5.0	<5.0	<5.0	<8200	1340	<5.0	1.0E+04	9.0E+03
Aromatic >C12-C16	76.8	<5.0	<5.0	<5.0	<2200	<460	<5.0	<5.0	<5.0	<5.0	<8200	647	<5.0	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<b>&lt;180</b>	<b>&lt;37</b>	0.482	<0.40	<0.40	<0.40	<b>&lt;660</b>	<22	<0.40	4.0E+01	3.6E+01
Naphtalene	3.1	<2.6	<2.6	<2.6	<b>&lt;1200</b>	<b>&lt;97</b>	<1.05	<1.0	<1.0	<1.0	<b>&lt;1700</b>	<58	<1.0	1.0E+02	9.3E+01

**Notes:**

- Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016
  - Indicates that the concentration exceeds guideline
  - Potential guideline exceedance-increased RDL
  - 2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions
  - 3 Increased monitoring frequency trigger values
  - ND No Data Available
  - NG No applicable guideline
- All results are expressed as µg/m<sup>3</sup> unless otherwise noted.  
 Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfeld Heights, Calgary, AB 9445

**Table 21 - Summary of Soil Vapour Historical Analytical Results  
Chemicals of Potential Concern in Soil Vapour  
Soil Vapour Monitoring Point SV36**

Sample ID	36/322	SV36/1755	SV36/337	SV36/1523	36 / 531	36/9859	36	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)									
3.0									
Sampling Date	7-Jun-16	25-Jan-17	19-Jul-17	28-Jan-19	14-Aug-19	7-Feb-20	27-Nov-20		
Parameter									
Benzene	3.47	0.41	<0.32	0.41	<0.32	0.68	<0.50	1.6E+05	1.4E+05
Toluene	41.8	0.41	<0.38	0.77	1.02	1.41	<0.75	9.8E+07	8.8E+07
Ethylbenzene	47.6	<0.43	<0.43	<0.43	0.96	<0.43	<0.87	2.7E+07	2.4E+07
Xylenes	313	<1.3	<1.3	2.3	2.2	<1.3	<1.8	4.7E+06	4.3E+06
Aliphatic C6-C8 <sup>2</sup>	40.5	<10.0	<10.0	<10.0	<10.0	<10.0	<15	5.3E+08	4.8E+08
Aliphatic C8-C10	92.9	<5.0	<5.0	23.1	<5.0	<5.0	<15	2.8E+07	2.5E+07
Aromatic C8-C10	429	<5.0	<5.0	<5.0	<5.0	<5.0	<15	4.7E+06	4.2E+06
Aliphatic >C10-C12	427	<5.0	8.1	53.2	<5.0	<5.0	<15	2.9E+07	2.6E+07
Aliphatic >C12-C16	150	<5.0	<5.0	<5.0	<5.0	<5.0	<15	2.9E+07	2.6E+07
Aromatic >C10-C12	384	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	1.9E+03	1.7E+03
Naphtalene	<2.6	<2.6	<2.6	<1.0	<1.0	<1.0	<5.2	5.7E+03	5.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 300 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

**Table 22 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV37**

Sample ID	37/1160	SV37/288	SV37/347	37 / 2470	SV37/338	37 / 2558	37/9874	37	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
2.5										
Sampling Date	15-Jun-16	25-Jan-17	19-Jul-17	9-Apr-18	30-Jan-19	23-Aug-19	4-Feb-20	27-Nov-20		
Parameter										
Benzene	0.69	0.34	<0.32	0.77	<0.32	<0.32	0.72	<0.50	1.6E+05	1.5E+05
Toluene	18.0	<0.38	1.02	0.54	0.66	0.38	1.90	<0.75	1.0E+08	9.2E+07
Ethylbenzene	4.67	<0.43	<0.43	0.77	<0.43	<0.43	<0.43	<0.87	2.8E+07	2.5E+07
Xylenes	26.2	<1.3	<1.3	2.0	<1.3	<1.3	<1.3	<1.8	4.9E+06	4.4E+06
Aliphatic C6-C8 <sup>2</sup>	18.3	<10.0	<10.0	<13.1	<13.1	<10.0	<10.0	<15	5.6E+08	5.1E+08
Aliphatic C8-C10	29.6	<5.0	<5.0	5.5	5.5	<5.0	10.0	<15	2.9E+07	2.7E+07
Aromatic C8-C10	32.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.0E+06	4.5E+06
Aliphatic >C10-C12	44.1	7.0	6.2	<5.0	6.0	9.6	62.7	<15	3.1E+07	2.8E+07
Aliphatic >C12-C16	26.8	<5.0	<5.0	<5.0	<5.0	11.9	<5.0	<15	3.1E+07	2.8E+07
Aromatic >C10-C12	39.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.1E+06	5.5E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	6.1E+06	5.5E+06
1,2-Dichloroethane (1,2-DCA)	<0.405	<0.40	<0.40	<0.40	<0.40	2.72	<0.40	<0.41	2.0E+03	1.8E+03
Naphtalene	<2.62	<2.6	<2.6	<2.6	<1.0	<1.0	<1.0	<5.2	6.0E+03	5.4E+03

**Notes:**

- 1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 250 cm, Intrinsic 31/8/2016
  - Indicates that the concentration exceeds guideline
  - 2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions
  - 3 Increased monitoring frequency trigger values
- ND No Data Available  
 NG No applicable guideline
- All results are expressed as µg/m<sup>3</sup> unless otherwise noted.  
 Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 23 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV38**

Sample ID	38/384	SV38/207	SV38/1370	38/1534	38 / 6316	38/9858	38	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)									
4.0									
Sampling Date	7-Jun-16	31-Jan-17	21-Jul-17	14-Apr-18	26-Aug-19	5-Feb-20	30-Nov-20		
Parameter									
Benzene	0.98	0.42	<0.32	<0.32	0.50	0.88	176	1.8E+05	1.6E+05
Toluene	13.9	0.49	<0.38	<0.38	2.79	2.44	300	1.1E+08	1.0E+08
Ethylbenzene	11.2	<0.43	<0.43	<0.43	1.14	0.44	77.7	3.1E+07	2.8E+07
Xylenes	75.3	<1.3	<1.3	<1.3	5.4	1.5	291	5.5E+06	4.9E+06
Aliphatic C6-C8 <sup>2</sup>	23.5	<10.0	<10.0	<10.0	6.1	<10.0	511	6.5E+08	5.9E+08
Aliphatic C8-C10	14.6	<5.0	<5.0	<5.0	51.0	7.0	127	3.4E+07	3.1E+07
Aromatic C8-C10	105	<5.0	<5.0	<5.0	<5.0	<5.0	385	5.8E+06	5.2E+06
Aliphatic >C10-C12	73.8	9.9	<5.0	<5.0	157	9.7	<15	3.6E+07	3.2E+07
Aliphatic >C12-C16	78.4	<5.0	17.2	<5.0	16.9	<5.0	<15	3.6E+07	3.2E+07
Aromatic >C10-C12	103	<5.0	<5.0	<5.0	<5.0	<5.0	15	7.1E+06	6.4E+06
Aromatic >C12-C16	<5.0	<5.0	9.8	<5.0	<5.0	<5.0	<15	7.1E+06	6.4E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	2.2E+03	1.9E+03
Naphtalene	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	28.8	6.9E+03	6.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 400 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



<b>Job No.</b>	CG3418E03/E04
<b>Client</b>	Suncor EPP
<b>Project</b>	Soil Vapour Monitoring Report, Winter 2020
<b>Location</b>	Hounsfield Heights, Calgary, AB 9445

**Table 24 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV39**

Sample ID	SV39/291	39 / 1019	SV39/397	39 / 2240	39/9872	39	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)								
2.0								
Sampling Date	25-Jan-17	9-Apr-18	30-Jan-19	23-Aug-19	4-Feb-20	27-Nov-20		
Parameter								
Benzene	10.5	<0.32	<0.32	0.34	0.67	<0.50	1.6E+05	1.4E+05
Toluene	12.3	0.42	<0.38	0.45	1.00	<0.75	9.8E+07	8.8E+07
Ethylbenzene	3.37	<0.43	<0.43	<0.43	<0.43	<0.87	2.7E+07	2.4E+07
Xylenes	12.1	12.1	<1.3	<1.3	<1.3	<1.8	4.7E+06	4.3E+06
Aliphatic C6-C8 <sup>2</sup>	<34.7	<10	<10.0	<10.0	<10.0	<15	5.3E+08	4.8E+08
Aliphatic C8-C10	11.7	<5.0	<5.0	<5.0	<5.0	<15	2.8E+07	2.5E+07
Aromatic C8-C10	8.6	<5.0	<5.0	<5.0	<5.0	<15	4.7E+06	4.2E+06
Aliphatic >C10-C12	16.0	9.1	<5.0	10.2	<5.0	<15	2.9E+07	2.6E+07
Aliphatic >C12-C16	<5.0	<5.0	<5.0	8.8	<5.0	<15	2.9E+07	2.6E+07
Aromatic >C10-C12	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<5.0	<15	5.8E+06	5.2E+06
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.41	1.9E+03	1.7E+03
Naphtalene	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	5.7E+03	5.2E+03

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth 200 cm, Intrinsic

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfeld Heights, Calgary, AB 9445

**Table 25 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV40**

Sample ID	40 / 206	SV40/1452	SV40/386	40 / 1370	SV40/2242	40 / 6858	40/9856	40	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
1.5										
Sampling Date	9-Jun-16	25-Jan-17	19-Jul-17	9-Apr-18	30-Jan-19	23-Aug-19	4-Feb-20	1-Dec-20		
Parameter										
Benzene	1.69	1.70	0.99	0.45	<0.32	0.35	0.68	<0.54	3.0E+02	2.7E+02
Toluene	14.0	0.69	1.62	1.04	<0.38	<0.38	0.98	<0.80	1.9E+05	1.7E+05
Ethylbenzene	38.2	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	166	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	545.7	<10.0	<19.3	<10.0	<10.0	<10.0	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	353	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	4.8E+04	4.3E+04
Aromatic C8-C10	161	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	215	11.4	18.7	10.1	<5.0	8.0	<5.0	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	53.8	5.4	9.3	5.4	<5.0	8.6	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	123	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	22.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.405	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	4.0E+01	3.6E+01
Naphtalene	<2.62	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 26 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV41**

Sample ID	41/2529	SV41/1236	SV41/334	41/2466	SV41/2528	41 / 421	41/9873	41	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)										
1.5										
Sampling Date	4-Jun-16	31-Jan-17	21-Jul-17	14-Apr-18	31-Jan-19	26-Aug-19	6-Feb-20	30-Nov-20		
Parameter										
Benzene	2.68	0.39	1.64	<0.32	0.41	<0.32	0.78	60.3	3.0E+02	2.7E+02
Toluene	43.1	<0.38	<0.38	0.94	<0.38	<0.38	0.85	59.8	1.9E+05	1.7E+05
Ethylbenzene	24.4	<0.43	0.48	<0.43	<0.43	<0.43	<0.43	15.5	5.0E+04	4.5E+04
Xylenes	161	<1.3	1.7	<1.3	<1.3	<1.3	<1.3	62.4	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	36.7	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	76	9.2E+05	8.2E+05
Aliphatic C8-C10	362	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	16	4.8E+04	4.3E+04
Aromatic C8-C10	228	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	48	8.1E+03	7.3E+03
Aliphatic >C10-C12	537	<5.0	<5.0	11.6	<5.0	9.3	<5.0	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	105	<5.0	<5.0	8.6	<5.0	17.6	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	215	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	20.8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.82	4.0E+01	3.6E+01
Naphtalene	<2.6	<2.6	<2.6	<2.6	<2.6	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

**Table 27 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV321/SV321B**

Sample ID	321	SV321/1283	321	321/1893	321	321B	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)								
1.0								
Sampling Date	16-May-19	22-Aug-19	12-Nov-19	29-Jan-20	10-Jun-20	18-Nov-20		
Parameter								
Benzene	<0.638	<0.32	<0.32	1.55	<0.32	<0.50	3.0E+02	2.7E+02
Toluene	3.59	0.96	<0.38	5.87	0.41	<0.75	1.9E+05	1.7E+05
Ethylbenzene	1.85	<0.43	<0.43	0.96	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	10.7	<1.3	<1.3	4.6	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	<20.0	<10.0	<10.0	<11.9	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	46	<5.0	<5.0	<5.0	11.8	<15	4.8E+04	4.3E+04
Aromatic C8-C10	18	<5.0	14.2	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	1840	<5.0	7.9	10.7	17.6	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	265	<5.0	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	37	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	<10	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.810	<0.40	<0.40	<0.40	<0.40	<0.41	4.0E+01	3.6E+01
Naphtalene	<2.10	<1.0	<1.0	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 28 - Summary of Soil Vapour Historical Analytical Results**  
**Chemicals of Potential Concern in Soil Vapour**  
**Soil Vapour Monitoring Point SV322**

Sample ID	322	SV322/6875	322/9780	322	322	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)							
1.0							
Sampling Date	16-May-19	22-Aug-19	29-Jan-20	10-Jun-20	18-Nov-20		
Parameter							
Benzene	<0.319	<0.32	0.37	0.33	<0.50	3.0E+02	2.7E+02
Toluene	2.06	<0.38	1.21	0.57	0.98	1.9E+05	1.7E+05
Ethylbenzene	1.25	<0.43	<0.43	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	8.02	<1.3	<1.3	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	<10.0	<10.0	<10.0	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	11.3	<5.0	<5.0	<5.0	<15	4.8E+04	4.3E+04
Aromatic C8-C10	13.6	<5.0	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	250	<5.0	9.2	7.2	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	73.2	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	27.8	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	<5.0	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.405	<0.40	<0.40	<0.40	<0.41	4.0E+01	3.6E+01
Naphtalene	<1.05	<1.0	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 29 - Summary of Soil Vapour Historical Analytical Results**

**Chemicals of Potential Concern in Soil Vapour**

**Soil Vapour Monitoring Point SV323**

Sample ID	323	323/9778	323	323	Guideline <sup>1</sup>	Guideline <sup>3</sup>
Installation Depth (m bgs)						
1.0						
Sampling Date	12-Nov-19	29-Jan-20	10-Jun-20	18-Nov-20		
Parameter						
Benzene	0.52	1.02	<0.32	0.51	3.0E+02	2.7E+02
Toluene	1.57	2.20	0.48	2.37	1.9E+05	1.7E+05
Ethylbenzene	<0.43	<0.43	<0.43	<0.87	5.0E+04	4.5E+04
Xylenes	<1.3	1.8	<1.3	<1.8	8.9E+03	8.0E+03
Aliphatic C6-C8 <sup>2</sup>	<10.0	<10.0	<10.0	<15	9.2E+05	8.2E+05
Aliphatic C8-C10	<5.0	<5.0	<5.0	<15	4.8E+04	4.3E+04
Aromatic C8-C10	<5.0	<5.0	<5.0	<15	8.1E+03	7.3E+03
Aliphatic >C10-C12	18.0	9.4	6.1	<15	5.0E+04	4.5E+04
Aliphatic >C12-C16	<5.0	<5.0	<5.0	<15	5.0E+04	4.5E+04
Aromatic >C10-C12	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
Aromatic >C12-C16	<5.0	<5.0	<5.0	<15	1.0E+04	9.0E+03
1,2-Dichloroethane (1,2-DCA)	<0.40	<0.40	<0.40	<0.41	4.0E+01	3.6E+01
Naphtalene	<1.0	<1.0	<1.0	<5.2	1.0E+02	9.3E+01

**Notes:**

1 Soil vapour quality guidelines protective of indoor air quality for a residential building on fine-textured soil, depth < 100 cm, Intrinsic 31/8/2016

Indicates that the concentration exceeds guideline

2 Aliphatic C6-C8 values calculated by summing Aliphatic >C5-C6 and Aliphatic >C6-C8 fractions

3 Increased monitoring frequency trigger values

ND No Data Available

NG No applicable guideline

All results are expressed as µg/m<sup>3</sup> unless otherwise noted.

Testing conducted by Maxxam Analytics/Bureau Veritas Laboratories/AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

---

# Appendix D

## QA/QC Tables



Clifton

**Table 1 A - Summary of Integrity Testing by Helium Tracer**

SVMP ID		SV07	SV08	SV09	SV10	SV11	SV20	SV21	SV22	SV23	SV24
<b>Installation Date</b>		24-May-16	24-May-16	24-May-16	24-May-16	02-Jun-16	31-May-16	31-May-16	31-May-16	30-May-16	31-May-16
<b>Testing Date Date</b>		25-Nov-20	25-Nov-20	25-Nov-20	19-Nov-20	01-Dec-20	02-Dec-20	26-Nov-20	26-Nov-20	02-Dec-20	26-Nov-20
<b>Helium Analyzer</b>	<b>Units</b>	MGD 2002									
Initial Recorded He Shroud Concentration	%	29.1	27.2	26.9	26.8	26.9	26.9	25.6	27.2	29.1	26.4
Final Recorded He Shroud Concentration	%	5.6	12.2	13.1	11.1	12.8	11.9	13.1	11.9	12.6	19.5
Final Sampling Train He Concentration	%	0.0	0.01	0.02	0.07	0.03	0.01	0.01	0.03	0.0	0.05
Percentage of He Concentration Decrease (Initial Shroud vs.Final Sampling Train)	%	100.0	100.0	99.9	99.7	99.9	100.0	100.0	99.9	100.0	99.8
Integrity Test Result	PASS/FAIL	<b>PASS</b>									

**Notes:**

**He** 99.99% commercial grade helium tracer  
 Testing conducted by Clifton Engineering Group Inc.



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 1 B - Summary of Integrity Testing by Helium Tracer**

SVMP ID		SV25	SV26 A	SV26 B	SV26 C	SV27	SV28	SV29	SV30	SV31	SV32
Installation Date		30-May-16	26-May-16	26-May-16	26-May-16	24-May-16	24-May-16	24-May-16	01-Jun-16	24-May-16	01-Jun-16
Testing Date Date		02-Dec-20	23-Nov-20	23-Nov-20	23-Nov-20	02-Dec-20	19-Nov-20	19-Nov-20	30-Nov-20	01-Dec-20	18-Nov-20
Helium Analyzer	Units	MGD 2002									
Initial Recorded He Shroud Concentration	%	27.1	25.5	27.4	25.0	27.6	27.1	25.4	27.4	26.8	29.1
Final Recorded He Shroud Concentration	%	15.0	11.7	12.8	14.4	14.1	12.8	13.6	13.5	10.9	14.1
Final Sampling Train He Concentration	%	0.6	0.09	0.1	0.13	0.06	0.04	0.07	0.04	0.08	0.2
Percentage of He Concentration Decrease (Initial Shroud vs.Final Sampling Train)	%	97.8	99.6	99.6	99.5	99.8	99.9	99.7	99.9	99.7	99.7
Integrity Test Result	PASS/FAIL	<b>PASS</b>									

**Notes:**

**He** 99.99% commercial grade helium tracer  
 Testing conducted by Clifton Engineering Group Inc.



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfeld Heights, Calgary, AB 9445

**Table 1 C - Summary of Integrity Testing by Helium Tracer**

SVMP ID		SV36	SV37	SV38	SV39	SV40	SV41	SV321B	SV322	SV323	
<b>Installation Date</b>		03-Jun-16	01-Jun-16	03-Jun-16	02-Jun-16	02-Jun-16	01-Jun-16	13-May-19	13-May-19	12-Nov-19	
<b>Testing Date Date</b>		27-Nov-20	27-Nov-20	30-Nov-20	27-Nov-20	01-Dec-20	30-Nov-20	18-Nov-20	18-Nov-20	18-Nov-20	
<b>Helium Analyzer</b>	<b>Units</b>	MGD 2002									
Initial Recorded He Shroud Concentration	%	25.9	26.2	26.4	28.1	28.2	27.8	27.6	27.2	29.5	
Final Recorded He Shroud Concentration	%	12.9	13.4	12.2	14.7	11.9	13.1	13.1	12.4	17.0	
Final Sampling Train He Concentration	%	0.11	0.09	0.14	0.02	0.07	0.05	0.06	0.08	0.05	
Percentage of He Concentration Decrease (Initial Shroud vs.Final Sampling Train)	%	99.6	99.7	99.5	99.9	99.8	99.8	99.8	99.7	99.8	
Integrity Test Result	PASS/FAIL	<b>PASS</b>									

**Notes:**

**He** 99.99% commercial grade helium tracer  
Testing conducted by Clifton Engineering Group Inc.



**Job No.** CG3418E03/E04  
**Client** Suncor EPP  
**Project** Soil Vapour Monitoring Report, Winter 2020  
**Location** Hounsfield Heights, Calgary, AB 9445

**Table 2 - Summary of Field Duplicates - Laboratory Analysis and Relative Percent Difference Calculations**

Sample ID	RDL	8	98	RPD (%)	39	939	RPD (%)	32	932	RPD (%)
Sample Date		25-Nov-20			27-Nov-20			18-Nov-20		
Parameter										
Benzene	0.50	<0.50	0.58	N/A	<0.50	<0.54	N/A	<0.50	0.77	N/A
Toluene	0.75	<0.75	<0.75	N/A	<0.75	<0.80	N/A	<0.75	2.79	N/A
Ethylbenzene	0.87	<0.87	<0.87	N/A	<0.87	<0.87	N/A	<0.87	<0.87	N/A
Total Xylenes	1.8	<1.8	<1.8	N/A	<1.8	<1.8	N/A	<1.8	<1.8	N/A
Aliphatic >C6-C8	15	109	82	18.0	<15	<15	N/A	<15	<15	N/A
Aliphatic >C8-C10	15	<15	<15	N/A	<15	<15	N/A	<15	<15	N/A
Aromatic >C8-C10	15	<15	<15	N/A	<15	<15	N/A	<15	<15	N/A
Aliphatic >C10-C12	15	<15	<15	N/A	<15	<15	N/A	<15	<15	N/A
Aliphatic >C12-C16	15	<15	<15	N/A	<15	<15	N/A	<15	<15	N/A
Aromatic >C10-C12	15	<15	<15	N/A	<15	<15	N/A	<15	<15	N/A
Aromatic >C12-C16	15	<15	<15	N/A	<15	<15	N/A	<15	<15	N/A
1,2-Dichloroethane (1,2-DCA)	0.41	<0.41	<0.41	N/A	<0.41	<0.41	N/A	<0.41	<0.41	N/A
Naphthalene	5.2	<5.2	<5.2	N/A	<5.2	<5.2	N/A	<5.2	<5.2	N/A

**Notes:**

- RDL Reportable Detection Limit
- RPD Relative Percent Difference
- N/A Not applicable

**Bold** RPD > 25%

All results are expressed as µg/m<sup>3</sup> unless otherwise noted  
 Testing was conducted by AGAT Labs



Job No. CG3418E03/E04  
 Client Suncor EPP  
 Project Soil Vapour Monitoring Report, Winter 2020  
 Location Hounsfield Heights, Calgary, AB 9445

---

# Appendix E

## Certificate of Analysis



Clifton



CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
1155 GLENAYRE DRIVE PO BOX 100  
PORT MOODY, BC V3H 3E1

ATTENTION TO: Paul Gordon

PROJECT: CG3418E04 9445

AGAT WORK ORDER: 20T669403

AIR QUALITY MONITORING REVIEWED BY: Theresa Stephenson, Manager of Technical Services

DATE REPORTED: Jan 21, 2021

PAGES (INCLUDING COVER): 14

VERSION\*: 1

Should you require any information regarding this analysis please contact your client services representative at (905) 712-5100

\*Notes

*Disclaimer:*

- *All work conducted herein has been done using accepted standard protocols, and generally accepted practices and methods. AGAT test methods may incorporate modifications from the specified reference methods to improve performance.*
- *All samples will be disposed of within 30 days following analysis, unless expressly agreed otherwise in writing. Please contact your Client Project Manager if you require additional sample storage time.*
- *AGAT's liability in connection with any delay, performance or non-performance of these services is only to the Client and does not extend to any other third party. Unless expressly agreed otherwise in writing, AGAT's liability is limited to the actual cost of the specific analysis or analyses included in the services.*
- *This Certificate shall not be reproduced except in full, without the written approval of the laboratory.*
- *The test results reported herewith relate only to the samples as received by the laboratory.*
- *Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. AGAT assumes no responsibility for any errors or omissions in the guidelines contained in this document.*
- *All reportable information as specified by ISO/IEC 17025:2017 is available from AGAT Laboratories upon request.*



## Air Quality Summary

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

SAMPLING SITE:

ATTENTION TO: Paul Gordon

SAMPLED BY:

Parameter	Unit	Number of Samples	Peak Reading	Network Average
Benzene	µg/m3	5	0.77	<0.50
Propylene	µg/m3	5	<0.52	<0.52
Dichlorodifluoromethane	µg/m3	5	3.66	3.14
Toluene	µg/m3	5	2.79	1.23
1,2-Dichlorotetrafluoroethane	µg/m3	5	<1.4	<1.4
Ethylbenzene	µg/m3	5	<0.87	<0.87
Ethanol	µg/m3	5	36.60	8.73
m&p-Xylene	µg/m3	5	1.6	<1.3
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3	5	<1.5	<1.5
o-Xylene	µg/m3	5	<0.87	<0.87
Chloromethane	µg/m3	5	1.22	<0.62
Total Xylenes	µg/m3	5	<1.8	<1.8
C6-C8 Aliphatic	µg/m3	5	<15	<15
Vinyl Chloride	µg/m3	5	<0.51	<0.51
1,3-Butadiene	µg/m3	5	<1.1	<1.1
>C8-C10 Aliphatic	µg/m3	5	<15	<15
>C10-C12 Aliphatic	µg/m3	5	<15	<15
Bromomethane	µg/m3	5	<1.9	<1.9
>C12-C16 Aliphatic	µg/m3	5	<15	<15
Chloroethane	µg/m3	5	<1.1	<1.1
C6-C8 Aromatic	µg/m3	5	<15	<15
Vinyl Bromide	µg/m3	5	<0.88	<0.88
>C8-C10 Aromatic	µg/m3	5	<15	<15
Trichlorofluoromethane	µg/m3	5	<2.2	<2.2
>C10-C12 Aromatic	µg/m3	5	<15	<15
Acetone	µg/m3	5	16.9	8.2
>C12-C16 Aromatic	µg/m3	5	<15	<15
Isopropanol	µg/m3	5	16.7	6.6
1,1-Dichloroethene	µg/m3	5	<1.2	<1.2
C6-C10 (F1)	µg/m3	5	<15	<15
C6-C10 (F1 minus BTEX)	µg/m3	5	<15	<15



## Air Quality Summary

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
 SAMPLING SITE:

ATTENTION TO: Paul Gordon  
 SAMPLED BY:

Parameter	Unit	Number of Samples	Peak Reading	Network Average
Dichloromethane (Methylene Chloride)	µg/m3	5	1.2	<1.0
>C10-C16 (F2)	µg/m3	5	<15	<15
Carbon Disulfide	µg/m3	5	<1.5	<1.5
4-Bromofluorobenzene	%	5	89	87
trans-1,2-Dichloroethene	µg/m3	5	2.82	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3	5	<0.72	<0.72
1,1-Dichloroethane	µg/m3	5	<1.2	<1.2
Vinyl Acetate	µg/m3	5	<1.8	<1.8
n-Hexane	µg/m3	5	<1.1	<1.1
Methyl Ethyl Ketone	µg/m3	5	<1.5	<1.5
cis-1,2-Dichloroethene	µg/m3	5	<0.80	<0.80
Chloroform	µg/m3	5	1.4	<1.0
Ethyl Acetate	µg/m3	5	<1.8	<1.8
Tetrahydrofuran	µg/m3	5	<1.2	<1.2
1,2-Dichloroethane	µg/m3	5	<0.41	<0.41
1,1,1-Trichloroethane	µg/m3	5	<1.6	<1.6
2,2,4-Trimethylpentane (Iso octane)	µg/m3	5	<2.3	<2.3
Cyclohexane	µg/m3	5	<0.69	<0.69
Carbon Tetrachloride	µg/m3	5	<1.9	<1.9
Benzene	µg/m3	5	0.77	<0.64
1,2-Dichloropropane	µg/m3	5	<1.8	<1.8
n-Heptane	µg/m3	5	<1.2	<1.2
Trichloroethene	µg/m3	5	3.2	1.5
Bromodichloromethane	µg/m3	5	<1.3	<1.3
1,4-Dioxane	µg/m3	5	<2.2	<2.2
Methyl Methacrylate	µg/m3	5	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3	5	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3	5	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3	5	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3	5	<1.1	<1.1
Toluene	µg/m3	5	2.79	1.23



## Air Quality Summary

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

SAMPLING SITE:

ATTENTION TO: Paul Gordon

SAMPLED BY:

Parameter	Unit	Number of Samples	Peak Reading	Network Average
2-Hexanone	µg/m3	5	<2.0	<2.0
Dibromochloromethane	µg/m3	5	<1.7	<1.7
1,2-Dibromoethane	µg/m3	5	<1.5	<1.5
Tetrachloroethene	µg/m3	5	1.2	<1.0
Chlorobenzene	µg/m3	5	<0.92	<0.92
Ethylbenzene	µg/m3	5	<0.87	<0.87
m&p-Xylene	µg/m3	5	1.6	<1.3
Bromoform	µg/m3	5	<2.1	<2.1
Styrene	µg/m3	5	<0.85	<0.85
1,1,2,2-Tetrachloroethane	µg/m3	5	<1.4	<1.4
o-Xylene	µg/m3	5	<0.87	<0.87
1-Ethyl-4-Methylbenzene	µg/m3	5	<2.5	<2.5
1,3,5-Trimethylbenzene	µg/m3	5	<2.5	<2.5
1,2,4-Trimethylbenzene	µg/m3	5	<2.5	<2.5
1,3-Dichlorobenzene	µg/m3	5	<2.5	<2.5
Benzyl Chloride	µg/m3	5	<2.6	<2.6
1,4-Dichlorobenzene	µg/m3	5	<2.4	<2.4
1,2-Dichlorobenzene	µg/m3	5	<2.4	<2.4
1,2,4-Trichlorobenzene	µg/m3	5	<3.7	<3.7
Naphthalene	µg/m3	5	<5.2	<5.2
Hexachlorobutadiene	µg/m3	5	<5.3	<5.3
Total Xylenes	µg/m3	5	<2.2	<2.2
4-Bromofluorobenzene	%	5	89	87



## Certificate of Analysis

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

### BTEX/F1/F2 Fractionation in Air (Canister) (µg/m<sup>3</sup>)

DATE RECEIVED: 2020-11-24

DATE REPORTED: 2021-01-21

Parameter	Unit	SAMPLE DESCRIPTION:		321B	322	323	32	932
		SAMPLE TYPE:		Air	Air	Air	Air	Air
		DATE SAMPLED:		2020-11-18	2020-11-18	2020-11-18	2020-11-18	2020-11-18
		G / S	RDL	1730573	1730591	1730592	1730593	1730701
Benzene	µg/m <sup>3</sup>		0.50	<0.50	<0.50	0.51	<0.50	0.77
Toluene	µg/m <sup>3</sup>		0.75	<0.75	0.98	2.37	<0.75	2.79
Ethylbenzene	µg/m <sup>3</sup>		0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m <sup>3</sup>		1.3	<1.3	<1.3	1.6	<1.3	1.5
o-Xylene	µg/m <sup>3</sup>		0.87	<0.87	<0.87	<0.87	<0.87	<0.87
Total Xylenes	µg/m <sup>3</sup>		1.8	<1.8	<1.8	<1.8	<1.8	<1.8
C6-C8 Aliphatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C8-C10 Aliphatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C10-C12 Aliphatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C12-C16 Aliphatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
C6-C8 Aromatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C8-C10 Aromatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C10-C12 Aromatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C12-C16 Aromatic	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
C6-C10 (F1)	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
C6-C10 (F1 minus BTEX)	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
>C10-C16 (F2)	µg/m <sup>3</sup>		15	<15	<15	<15	<15	<15
Surrogate	Unit	Acceptable Limits						
4-Bromofluorobenzene	%	70-130		85	86	89	85	88

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

1730573-1730701 BTEX and fractionation analysis was performed from an air canister sample, using a Cold Vapor Trap preconcentrator and GC/MSD.

Analysis done at AGAT 5623 McAdam Road Mississauga location.

Analysis performed at AGAT Toronto (unless marked by \*)

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-11-24

DATE REPORTED: 2021-01-21

Parameter	Unit	SAMPLE DESCRIPTION:		321B	322	323	32	932
		SAMPLE TYPE:		Air	Air	Air	Air	Air
		DATE SAMPLED:		2020-11-18	2020-11-18	2020-11-18	2020-11-18	2020-11-18
		G / S	RDL	1730573	1730591	1730592	1730593	1730701
pressure upon receipt	inHg			-5	-6	-5	-4	-4
Propylene	µg/m3	0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52
Dichlorodifluoromethane	µg/m3	0.99	3.12	3.02	3.66	2.92	2.97	2.97
1,2-Dichlorotetrafluoroethane	µg/m3	1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Ethanol	µg/m3	0.94	<0.94	<0.94	36.6	<0.94	7.07	7.07
1,1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3	1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Chloromethane	µg/m3	0.62	<0.62	<0.62	<0.62	<0.62	1.22	1.22
Vinyl Chloride	µg/m3	0.51	<0.51	<0.51	<0.51	<0.51	<0.51	<0.51
1,3-Butadiene	µg/m3	1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Bromomethane	µg/m3	1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Chloroethane	µg/m3	1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Vinyl Bromide	µg/m3	0.88	<0.88	<0.88	<0.88	<0.88	<0.88	<0.88
Trichlorofluoromethane	µg/m3	2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Acetone	µg/m3	1.2	1.9	4.1	16.9	4.3	13.9	13.9
Isopropanol	µg/m3	1.2	<1.2	2.9	16.7	4.7	8.8	8.8
1,1-Dichloroethene	µg/m3	1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Dichloromethane (Methylene Chloride)	µg/m3	1.0	<1.0	<1.0	1.0	<1.0	1.2	1.2
Carbon Disulfide	µg/m3	1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
trans-1,2-Dichloroethene	µg/m3	0.80	<0.80	<0.80	2.82	<0.80	<0.80	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3	0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72
1,1-Dichloroethane	µg/m3	1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Vinyl Acetate	µg/m3	1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Hexane	µg/m3	1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Methyl Ethyl Ketone	µg/m3	1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
cis-1,2-Dichloroethene	µg/m3	0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Chloroform	µg/m3	1.0	<1.0	1.4	1.1	<1.0	<1.0	<1.0
Ethyl Acetate	µg/m3	1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
Tetrahydrofuran	µg/m3	1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-Dichloroethane	µg/m3	0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-11-24

DATE REPORTED: 2021-01-21

Parameter	Unit	SAMPLE DESCRIPTION:		321B	322	323	32	932
		SAMPLE TYPE:		Air	Air	Air	Air	Air
		DATE SAMPLED:		2020-11-18	2020-11-18	2020-11-18	2020-11-18	2020-11-18
		G / S	RDL	1730573	1730591	1730592	1730593	1730701
1,1,1-Trichloroethane	µg/m3		1.6	<1.6	<1.6	<1.6	<1.6	<1.6
2,2,4-Trimethylpentane (Iso octane)	µg/m3		2.3	<2.3	<2.3	<2.3	<2.3	<2.3
Cyclohexane	µg/m3		0.69	<0.69	<0.69	<0.69	<0.69	<0.69
Carbon Tetrachloride	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Benzene	µg/m3		0.64	<0.64	<0.64	<0.64	<0.64	0.77
1,2-Dichloropropane	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Heptane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Trichloroethene	µg/m3		1.1	<1.1	1.6	2.6	<1.1	3.2
Bromodichloromethane	µg/m3		1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,4-Dioxane	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Methyl Methacrylate	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3		0.91	<0.91	<0.91	<0.91	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3		0.91	<0.91	<0.91	<0.91	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Toluene	µg/m3		0.75	<0.75	0.98	2.37	<0.75	2.79
2-Hexanone	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	µg/m3		1.7	<1.7	<1.7	<1.7	<1.7	<1.7
1,2-Dibromoethane	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Tetrachloroethene	µg/m3		1.0	<1.0	<1.0	1.2	<1.0	<1.0
Chlorobenzene	µg/m3		0.92	<0.92	<0.92	<0.92	<0.92	<0.92
Ethylbenzene	µg/m3		0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3		1.3	<1.3	<1.3	1.6	<1.3	1.5
Bromoform	µg/m3		2.1	<2.1	<2.1	<2.1	<2.1	<2.1
Styrene	µg/m3		0.85	<0.85	<0.85	<0.85	<0.85	<0.85
1,1,2,2-Tetrachloroethane	µg/m3		1.4	<1.4	<1.4	<1.4	<1.4	<1.4
o-Xylene	µg/m3		0.87	<0.87	<0.87	<0.87	<0.87	<0.87
1-Ethyl-4-Methylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,3,5-Trimethylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,2,4-Trimethylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-11-24

DATE REPORTED: 2021-01-21

Parameter	Unit	SAMPLE DESCRIPTION:		321B	322	323	32	932
		G / S	RDL	1730573	1730591	1730592	1730593	1730701
1,3-Dichlorobenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5
Benzyl Chloride	µg/m3		2.6	<2.6	<2.6	<2.6	<2.6	<2.6
1,4-Dichlorobenzene	µg/m3		2.4	<2.4	<2.4	<2.4	<2.4	<2.4
1,2-Dichlorobenzene	µg/m3		2.4	<2.4	<2.4	<2.4	<2.4	<2.4
1,2,4-Trichlorobenzene	µg/m3		3.7	<3.7	<3.7	<3.7	<3.7	<3.7
Naphthalene	µg/m3		5.2	<5.2	<5.2	<5.2	<5.2	<5.2
Hexachlorobutadiene	µg/m3		5.3	<5.3	<5.3	<5.3	<5.3	<5.3
Total Xylenes	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Surrogate	Unit	Acceptable Limits						
4-Bromofluorobenzene	%		70-130	85	86	89	85	88

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard  
 1730573-1730701 VOC analysis was performed from an air canister sample, using a Cold Vapor Trap preconcentrator and GC/MSD.

Analysis done at AGAT 5623 McAdam Road Mississauga location.

Analysis performed at AGAT Toronto (unless marked by \*)

Certified By:

## Quality Assurance

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

Air Quality Monitoring														
RPT Date: Jan 21, 2021			DUPLICATE				Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE		MATRIX SPIKE	
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD	Measured Value		Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits
							Lower	Upper	Lower		Upper	Lower		Upper

**BTEX/F1/F2 Fractionation in Air (Canister) (µg/m3)**

Benzene	1711875	1.37	1.34	NA	< 0.50	134%	60%	140%	132%	50%	140%	NA
Toluene	1711875	2.22	2.19	NA	< 0.75	106%	60%	140%	112%	50%	140%	NA
Ethylbenzene	1711875	1.00	0.96	NA	< 0.87	108%	60%	140%	115%	50%	140%	NA
m&p-Xylene	1711875	4.6	4.5	NA	< 1.3	109%	60%	140%	115%	50%	140%	NA
o-Xylene	1711875	1.61	1.56	NA	< 0.87	106%	60%	140%	118%	50%	140%	NA
C6-C8 Aliphatic	1711875	< 15	< 15	0.0%	< 15	111%	60%	140%	119%	50%	140%	NA
>C8-C10 Aliphatic	1711875	< 15	< 15	0.0%	< 15	119%	60%	140%	127%	50%	140%	NA
>C10-C12 Aliphatic	1711875	< 15	< 15	0.0%	< 15	97%	60%	140%	110%	50%	140%	NA
C6-C8 Aromatic	1711875	< 15	< 15	0.0%	< 15	126%	60%	140%	136%	50%	140%	NA
>C8-C10 Aromatic	1711875	< 15	< 15	0.0%	< 15	90%	60%	140%	94%	50%	140%	NA
>C10-C12 Aromatic	1711875	< 15	< 15	0.0%	< 15	80%	60%	140%	75%	50%	140%	NA
C6-C10 (F1)	1711875	< 15	< 15	0.0%	< 15	112%	60%	140%	119%	50%	140%	NA
>C10-C16 (F2)	1711875	< 15	< 15	0.0%	< 15	97%	60%	140%	110%	50%	140%	NA

**VOCs in Air (Canister) - TO15 Full List (µg/m3)**

Propylene	1711875	<0.52	<0.52	NA	< 0.52	129%	60%	140%	128%	50%	140%	NA
Dichlorodifluoromethane	1711875	2.92	2.92	NA	< 0.99	125%	60%	140%	125%	50%	140%	NA
1,2-Dichlorotetrafluoroethane	1711875	<1.4	<1.4	NA	< 1.4	105%	60%	140%	102%	50%	140%	NA
Ethanol	1711875	37.5	36.5	2.6%	< 0.94	117%	60%	140%	119%	50%	140%	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	1711875	<1.5	<1.5	NA	< 1.5	132%	50%	140%	123%	60%	140%	NA
Chloromethane	1711875	1.09	0.99	NA	< 0.62	107%	60%	140%	103%	50%	140%	NA
Vinyl Chloride	1711875	<0.51	<0.51	NA	< 0.51	103%	60%	140%	100%	50%	140%	NA
1,3-Butadiene	1711875	<1.1	<1.1	NA	< 1.1	109%	60%	140%	104%	50%	140%	NA
Bromomethane	1711875	<1.9	<1.9	NA	< 1.9	106%	60%	140%	103%	50%	140%	NA
Chloroethane	1711875	<1.1	<1.1	NA	< 1.1	108%	60%	140%	101%	50%	140%	NA
Vinyl Bromide	1711875	<0.88	<0.88	NA	< 0.88	NA			108%	50%	140%	NA
Trichlorofluoromethane	1711875	<2.2	<2.2	NA	< 2.2	117%	60%	140%	120%	50%	140%	NA
Acetone	1711875	16.9	16.5	2%	< 1.2	137%	60%	140%	137%	50%	140%	NA
Isopropanol	1711875	<1.2	<1.2	NA	< 1.2	136%	60%	140%	133%	50%	140%	NA
1,1-Dichloroethene	1711875	<1.2	<1.2	NA	< 1.2	130%	60%	140%	129%	50%	140%	NA
Dichloromethane (Methylene Chloride)	1711875	1.0	1.0	NA	< 1.0	136%	60%	140%	137%	50%	140%	NA
Carbon Disulfide	1711875	<1.5	<1.5	NA	< 1.5	106%	60%	140%	130%	50%	140%	NA
trans-1,2-Dichloroethene	1711875	<0.80	<0.80	NA	< 0.80	135%	60%	140%	118%	50%	140%	NA
Methyl tert-Butyl ether (MTBE)	1711875	<0.72	<0.72	NA	< 0.72	139%	60%	140%	128%	50%	140%	NA
1,1-Dichloroethane	1711875	<1.2	<1.2	NA	< 1.2	128%	60%	140%	130%	50%	140%	NA
Vinyl Acetate	1711875	<1.8	<1.8	NA	< 1.8	124%	60%	140%	136%	50%	140%	NA
n-Hexane	1711875	<1.1	<1.1	NA	< 1.1	136%	60%	140%	136%	50%	140%	NA
Methyl Ethyl Ketone	1711875	<1.5	<1.5	NA	< 1.5	108%	60%	140%	111%	50%	140%	NA
cis-1,2-Dichloroethene	1711875	<0.80	<0.80	NA	< 0.80	130%	60%	140%	120%	50%	140%	NA

## Quality Assurance

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

### Air Quality Monitoring (Continued)

RPT Date: Jan 21, 2021			DUPLICATE			Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE			MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD		Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper
Chloroform	1711875		<1.0	<1.0	NA	< 1.0	133%	60%	140%	133%	50%	140%	NA		
Ethyl Acetate	1711875		1.8	<1.8	NA	< 1.8	131%	60%	140%	130%	50%	140%	NA		
Tetrahydrofuran	1711875		12.0	12.0	0.2%	< 1.2	140%	60%	140%	123%	50%	140%	NA		
1,2-Dichloroethane	1711875		<0.41	<0.41	NA	< 0.41	124%	60%	140%	126%	50%	140%	NA		
1,1,1-Trichloroethane	1711875		<1.6	<1.6	NA	< 1.6	139%	60%	140%	126%	50%	140%	NA		
2,2,4-Trimethylpentane (Iso octane)	1711875		<2.3	<2.3	NA	< 2.3	NA			137%	50%	140%	NA		
Cyclohexane	1711875		<0.69	<0.69	NA	< 0.69	138%	60%	140%	138%	50%	140%	NA		
Carbon Tetrachloride	1711875		<1.9	<1.9	NA	< 1.9	134%	60%	140%	135%	50%	140%	NA		
Benzene	1711875		1.37	1.34	NA	< 0.64	134%	60%	140%	132%	50%	140%	NA		
1,2-Dichloropropane	1711875		<1.8	<1.8	NA	< 1.8	136%	60%	140%	139%	50%	140%	NA		
n-Heptane	1711875		<1.2	<1.2	NA	< 1.2	133%	60%	140%	135%	50%	140%	NA		
Trichloroethene	1711875		<1.1	<1.1	NA	< 1.1	131%	60%	140%	136%	50%	140%	NA		
Bromodichloromethane	1711875		<1.3	<1.3	NA	< 1.3	129%	60%	140%	132%	50%	140%	NA		
1,4-Dioxane	1711875		<2.2	<2.2	NA	< 2.2	131%	60%	140%	133%	50%	140%	NA		
Methyl Methacrylate	1711875		<2.0	<2.0	NA	< 2.0	134%	60%	140%	137%	50%	140%	NA		
cis-1,3-Dichloropropene	1711875		<0.91	<0.91	NA	< 0.91	133%	60%	140%	132%	50%	140%	NA		
trans-1,3-Dichloropropene	1711875		<0.91	<0.91	NA	< 0.91	131%	60%	140%	126%	50%	140%	NA		
Methyl Isobutyl Ketone (MIBK)	1711875		<2.0	<2.0	NA	< 2.0	86%	60%	140%	95%	50%	140%	NA		
1,1,2-Trichloroethane	1711875		<1.1	<1.1	NA	< 1.1	102%	60%	140%	106%	50%	140%	NA		
Toluene	1711875		2.22	2.19	NA	< 0.75	106%	60%	140%	112%	50%	140%	NA		
2-Hexanone	1711875		<2.0	<2.0	NA	< 2.0	92%	60%	140%	98%	50%	140%	NA		
Dibromochloromethane	1711875		<1.7	<1.7	NA	< 1.7	100%	60%	140%	105%	50%	140%	NA		
1,2-Dibromoethane	1711875		<1.5	<1.5	NA	< 1.5	103%	60%	140%	108%	50%	140%	NA		
Tetrachloroethene	1711875		<1.0	<1.0	NA	< 1.0	112%	60%	140%	120%	50%	140%	NA		
Chlorobenzene	1711875		<0.92	<0.92	NA	< 0.92	106%	60%	140%	113%	50%	140%	NA		
Ethylbenzene	1711875		1.00	0.96	NA	< 0.87	108%	60%	140%	115%	50%	140%	NA		
m&p-Xylene	1711875		4.6	4.5	NA	< 1.3	109%	60%	140%	115%	50%	140%	NA		
Bromoform	1711875		<2.1	<2.1	NA	< 2.1	97%	60%	140%	108%	50%	140%	NA		
Styrene	1711875		<0.85	<0.85	NA	< 0.85	105%	60%	140%	113%	50%	140%	NA		
1,1,2,2-Tetrachloroethane	1711875		<1.4	<1.4	NA	< 1.4	104%	60%	140%	113%	50%	140%	NA		
o-Xylene	1711875		1.61	1.56	NA	< 0.87	106%	60%	140%	118%	50%	140%	NA		
1-Ethyl-4-Methylbenzene	1711875		<2.5	<2.5	NA	< 2.5	106%	60%	140%	121%	50%	140%	NA		
1,3,5-Trimethylbenzene	1711875		<2.5	<2.5	NA	< 2.5	103%	60%	140%	116%	50%	140%	NA		
1,2,4-Trimethylbenzene	1711875		<2.5	<2.5	NA	< 2.5	131%	60%	140%	127%	50%	140%	NA		
1,3-Dichlorobenzene	1711875		<2.5	<2.5	NA	< 2.5	133%	60%	140%	138%	50%	140%	NA		
Benzyl Chloride	1711875		<2.6	<2.6	NA	< 2.6	131%	60%	140%	135%	50%	140%	NA		
1,4-Dichlorobenzene	1711875		<2.4	<2.4	NA	< 2.4	134%	60%	140%	125%	50%	140%	NA		
1,2-Dichlorobenzene	1711875		<2.4	<2.4	NA	< 2.4	106%	60%	140%	89%	50%	140%	NA		
1,2,4-Trichlorobenzene	1711875		<3.7	<3.7	NA	< 3.7	134%	60%	140%	135%	50%	140%	NA		

## Quality Assurance

 CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
 PROJECT: CG3418E04 9445  
 SAMPLING SITE:

 AGAT WORK ORDER: 20T669403  
 ATTENTION TO: Paul Gordon  
 SAMPLED BY:

### Air Quality Monitoring (Continued)

RPT Date: Jan 21, 2021			DUPLICATE			Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE			MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD		Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper
Naphthalene	1711875		<5.2	<5.2	NA	< 5.2	140%	60%	140%	122%	50%	140%	NA		
Hexachlorobutadiene	1711875		<5.3	<5.3	NA	< 5.3	109%	60%	140%	114%	50%	140%	NA		

Certified By:



## Method Summary

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Air Quality Monitoring			
Benzene	AQM-248-16000	modified from EPA TO15	GC/MS
Toluene	AQM-248-16000	modified from EPA TO15	GC/MS
Ethylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
m&p-Xylene	AQM-248-16000	modified from EPA TO15	GC/MS
o-Xylene	AQM-248-16000	modified from EPA TO15	GC/MS
Total Xylenes	AQM-248-16000	modified from EPA TO15	CALCULATION
C6-C8 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C8-C10 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C10-C12 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C12-C16 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
C6-C8 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C8-C10 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C10-C12 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C12-C16 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
C6-C10 (F1)	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
C6-C10 (F1 minus BTEX)	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C10-C16 (F2)	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
4-Bromofluorobenzene pressure upon receipt	AQM-248-16000	modified from EPA TO15	GC/MS N/A
Propylene	AQM-248-16000	modified from EPA TO15	GC/MS
Dichlorodifluoromethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichlorotetrafluoroethane	AQM-248-16000	modified from EPA TO15	GC/MS
Ethanol	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,2-Trichloro-1,2,2-trifluoroethane	AQM 248-16000	modified from EPA TO15	GC/MS
Chloromethane	AQM-248-16000	modified from EPA TO15	GC/MS
Vinyl Chloride	AQM-248-16000	modified from EPA TO15	GC/MS
1,3-Butadiene	AQM-248-16000	modified from EPA TO15	GC/MS
Bromomethane	AQM-248-16000	modified from EPA TO15	GC/MS
Chloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
Vinyl Bromide	AQM-248-16000	modified from EPA TO15	GC/MS
Trichlorofluoromethane	AQM-248-16000	modified from EPA TO15	GC/MS
Acetone	AQM-248-16000	modified from EPA TO15	GC/MS
Isopropanol	AQM-248-16000	modified from EPA TO15	GC/MS
1,1-Dichloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Dichloromethane (Methylene Chloride)	AQM-248-16000	modified from EPA TO15	GC/MS
Carbon Disulfide	AQM-248-16000	modified from EPA TO15	GC/MS
trans-1,2-Dichloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl tert-Butyl ether (MTBE)	AQM-248-16000	modified from EPA TO15	GC/MS
1,1-Dichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
Vinyl Acetate	AQM-248-16000	modified from EPA TO15	GC/MS

## Method Summary

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669403

PROJECT: CG3418E04 9445

ATTENTION TO: Paul Gordon

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
n-Hexane	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl Ethyl Ketone	AQM-248-16000	modified from EPA TO15	GC/MS
cis-1,2-Dichloroethene	AQM 248-16000	modified from EPA TO15	GC/MS
Chloroform	AQM-248-16000	modified from EPA TO15	GC/MS
Ethyl Acetate	AQM 248-16000	modified from EPA TO15	GC/MS
Tetrahydrofuran	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,1-Trichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
2,2,4-Trimethylpentane (Iso octane)	AQM-248-16000	modified from EPA TO15	GC/MS
Cyclohexane	AQM-248-16000	modified from EPA TO15	GC/MS
Carbon Tetrachloride	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichloropropane	AQM-248-1600	modified from EPA TO15	GC/MS
n-Heptane	AQM-248-16000	modified from EPA TO15	GC/MS
Trichloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Bromodichloromethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,4-Dioxane	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl Methacrylate	AQM-248-16000	modified from EPA TO15	GC/MS
cis-1,3-Dichloropropene	AQM-248-16000	modified from EPA TO15	GC/MS
trans-1,3-Dichloropropene	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl Isobutyl Ketone (MIBK)	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,2-Trichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
2-Hexanone	AQM-248-16000	modified from EPA TO15	GC/MS
Dibromochloromethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dibromoethane	AQM-248-16000	modified from EPA TO15	GC/MS
Tetrachloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Chlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Bromoform	AQM-248-16000	modified from EPA TO15	GC/MS
Styrene	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,2,2-Tetrachloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
1-Ethyl-4-Methylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,3,5-Trimethylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,2,4-Trimethylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,3-Dichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Benzyl Chloride	AQM-248-16000	modified from EPA TO15	GC/MS
1,4-Dichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,2,4-Trichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Naphthalene	AQM-248-16000	modified from EPA TO15	GC/MS
Hexachlorobutadiene	AQM-248-16000	modified from EPA TO15	GC/MS



# AGAT Laboratoires

5835 Coopers Ave  
Mississauga, Ontario  
L4Z 1Y2

www.agatlabs.com • webeath.agatlabs.com

**Laboratory Use Only**

AGAT WO#: 20T669403

Notes: 21 large BIK

23-NOV '20 PM 2:57

## Air Analysis Chain of Custody Record

P: 905.712.5100 • F: 905.712.5122

**Report Information**

Company: CLIFTON

Contact: Daniel\_Budai@

Address: CLIFTON, CA  
2222 30 AVE NE, CREGARY

Phone: 403 690 6945 Fax: \_\_\_\_\_

Client Project #: CG3418 PO: EO4

AGAT Quote #: SUNCOR OUTLET 9445

**Invoice To** Same Yes  / No

Company: CLIFTON

Contact: Stephen\_Meadie@clifton.ca

Address: 2222 30 AVE NE, CREGARY

**Report Information**

1. Name: \_\_\_\_\_  
Email: \_\_\_\_\_

2. Name: \_\_\_\_\_  
Email: \_\_\_\_\_

**Turnaround Time Required (TAT)**

Regular TAT\*  10 working days

Rush TAT\*  3 working days  
 2 working days

UPON FILLING OUT THIS SECTION, THE CLIENT ACCEPTS THAT SURCHARGES WILL BE ATTACHED TO THIS ANALYSIS. IF NOT COMPLETED, REGULAR TAT WILL BE DEFAULT.

\*TATS ARE EXCLUSIVE OF WEEKENDS AND STATUTORY HOLIDAYS.

FOR RUSH TAT, CONFIRM AVAILABILITY WITH LABORATORY.

**Regulatory Guidelines**

153 CCME  
419 Other: \_\_\_\_\_

SAMPLE ID	CANISTER #	FLOW CONTROLLER #	DATE SAMPLED	INITIAL PRESSURE	FINAL PRESSURE	AMBIENT TEMPERATURE	SAMPLE TYPE					REPORT UNITS mg/m <sup>3</sup>	REPORT UNIT ppmv	REPORT UNITS ug/m <sup>3</sup>	
							AMBIENT	SOIL-VAPOUR	SUB-SLAB	INDOOR-RFS	INDOOR-COMM				
321B	0165		18/11/2020	26.0	5.0	-4		X							
322	3603		-	26.0	6.0	-4		X							
323	3596		-	26.0	4.0	-4		X							
32	9177		-	26.0	3.5	-4		X							
932	0110		-	26.0	3.5	-4		X							

R1 large BIK

23-NOV '20 PM 2:57

RI-TEX, FI-F2  
FI-F2 FRACTIONS  
VOCs (Full List)  
MATRIX GASES  
(O<sub>2</sub>, N<sub>2</sub>, City, CO<sub>2</sub>)  
CHROMATOGRAM  
RECORD

Samples Relinquished By (Print Name and Sign): <u>Daniel Budai</u>	Date/Time: <u>23/11/2020</u>	Samples Received By (Print Name and Sign): <u>T. Meadie</u>	Date/Time: <u>NOV 23/20 @ 14:57</u>	Page <u>1</u> of <u>1</u>
Samples Relinquished By (Print Name and Sign): _____	Date/Time: <u>14:15</u>	Samples Received By (Print Name and Sign): <u>Taksharya</u>	Date/Time: <u>NOV 24 20 @ 8:45am</u>	
Samples Relinquished By (Print Name and Sign): _____	Date/Time: _____	Samples Received By (Print Name and Sign): _____	Date/Time: _____	

Pink Copy - Client  
Yellow Copy - I  
White Copy - A

**C 49974**



CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
1155 GLENAYRE DRIVE PO BOX 100  
PORT MOODY, BC V3H 3E1

ATTENTION TO: Daniel Budai

PROJECT: CG3418E03 9444

AGAT WORK ORDER: 20T669397

AIR QUALITY MONITORING REVIEWED BY: Kelly Hogue, B.Sc, P.Chem, Operations Manager

DATE REPORTED: Jan 07, 2021

PAGES (INCLUDING COVER): 26

VERSION\*: 1

Should you require any information regarding this analysis please contact your client services representative at (905) 712-5100

\*Notes

**Disclaimer:**

- All work conducted herein has been done using accepted standard protocols, and generally accepted practices and methods. AGAT test methods may incorporate modifications from the specified reference methods to improve performance.
- All samples will be disposed of within 30 days following analysis, unless expressly agreed otherwise in writing. Please contact your Client Project Manager if you require additional sample storage time.
- AGAT's liability in connection with any delay, performance or non-performance of these services is only to the Client and does not extend to any other third party. Unless expressly agreed otherwise in writing, AGAT's liability is limited to the actual cost of the specific analysis or analyses included in the services.
- This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
- The test results reported herewith relate only to the samples as received by the laboratory.
- Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. AGAT assumes no responsibility for any errors or omissions in the guidelines contained in this document.
- All reportable information as specified by ISO/IEC 17025:2017 is available from AGAT Laboratories upon request.



## Air Quality Summary

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
SAMPLING SITE:

ATTENTION TO: Daniel Budai  
SAMPLED BY:

Parameter	Unit	Number of Samples	Peak Reading	Network Average
Benzene	µg/m3	27	176.00	8.89
Propylene	µg/m3	27	171.00	7.68
Dichlorodifluoromethane	µg/m3	27	5.64	3.01
Toluene	µg/m3	27	300.00	13.63
1,2-Dichlorotetrafluoroethane	µg/m3	27	<1.4	<1.4
Ethylbenzene	µg/m3	27	77.70	3.45
Ethanol	µg/m3	27	17.00	3.87
m&p-Xylene	µg/m3	27	222.0	9.9
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3	27	<1.5	<1.5
o-Xylene	µg/m3	27	69.30	3.17
Chloromethane	µg/m3	27	1.78	<0.62
Total Xylenes	µg/m3	27	291.0	13.1
C6-C8 Aliphatic	µg/m3	27	511	30
Vinyl Chloride	µg/m3	27	<0.51	<0.51
1,3-Butadiene	µg/m3	27	<1.1	<1.1
>C8-C10 Aliphatic	µg/m3	27	127	<15
>C10-C12 Aliphatic	µg/m3	27	<15	<15
Bromomethane	µg/m3	27	<1.9	<1.9
>C12-C16 Aliphatic	µg/m3	27	<15	<15
Chloroethane	µg/m3	27	<1.1	<1.1
C6-C8 Aromatic	µg/m3	27	676	29
Vinyl Bromide	µg/m3	27	<0.88	<0.88
>C8-C10 Aromatic	µg/m3	27	385	16
Trichlorofluoromethane	µg/m3	27	62.0	8.6
>C10-C12 Aromatic	µg/m3	27	15	<15
Acetone	µg/m3	27	80.0	11.3
>C12-C16 Aromatic	µg/m3	27	<15	<15
Isopropanol	µg/m3	27	23.1	6.5
1,1-Dichloroethene	µg/m3	27	<1.2	<1.2
C6-C10 (F1)	µg/m3	27	1700	81
C6-C10 (F1 minus BTEX)	µg/m3	27	855	42



## Air Quality Summary

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
SAMPLING SITE:

ATTENTION TO: Daniel Budai  
SAMPLED BY:

Parameter	Unit	Number of Samples	Peak Reading	Network Average
Dichloromethane (Methylene Chloride)	µg/m3	27	2.2	<1.0
>C10-C16 (F2)	µg/m3	27	15	<15
Carbon Disulfide	µg/m3	27	3.2	<1.5
4-Bromofluorobenzene	%	27	107	95
trans-1,2-Dichloroethene	µg/m3	27	<0.80	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3	27	<0.72	<0.72
1,1-Dichloroethane	µg/m3	27	<1.2	<1.2
Vinyl Acetate	µg/m3	27	<1.8	<1.8
n-Hexane	µg/m3	27	21.6	1.5
Methyl Ethyl Ketone	µg/m3	27	4.3	<1.5
cis-1,2-Dichloroethene	µg/m3	27	<0.80	<0.80
Chloroform	µg/m3	27	135.0	15.6
Ethyl Acetate	µg/m3	27	4.1	<1.8
Tetrahydrofuran	µg/m3	27	<1.2	<1.2
1,2-Dichloroethane	µg/m3	27	1.01	<0.41
1,1,1-Trichloroethane	µg/m3	27	<1.6	<1.6
2,2,4-Trimethylpentane (Iso octane)	µg/m3	27	36.7	2.7
Cyclohexane	µg/m3	27	3.68	<0.69
Carbon Tetrachloride	µg/m3	27	<1.9	<1.9
Benzene	µg/m3	27	176.00	8.85
1,2-Dichloropropane	µg/m3	27	<1.8	<1.8
n-Heptane	µg/m3	27	27.8	1.3
Trichloroethene	µg/m3	27	8.9	1.3
Bromodichloromethane	µg/m3	27	<1.3	<1.3
1,4-Dioxane	µg/m3	27	<2.2	<2.2
Methyl Methacrylate	µg/m3	27	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3	27	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3	27	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3	27	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3	27	<1.1	<1.1
Toluene	µg/m3	27	300.00	13.63



## Air Quality Summary

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
 SAMPLING SITE:

ATTENTION TO: Daniel Budai  
 SAMPLED BY:

Parameter	Unit	Number of Samples	Peak Reading	Network Average
2-Hexanone	µg/m3	27	<2.0	<2.0
Dibromochloromethane	µg/m3	27	<1.7	<1.7
1,2-Dibromoethane	µg/m3	27	<1.5	<1.5
Tetrachloroethene	µg/m3	27	1.6	<1.0
Chlorobenzene	µg/m3	27	<0.92	<0.92
Ethylbenzene	µg/m3	27	77.70	3.45
m&p-Xylene	µg/m3	27	222.0	10.0
Bromoform	µg/m3	27	<2.1	<2.1
Styrene	µg/m3	27	2.73	<0.85
1,1,2,2-Tetrachloroethane	µg/m3	27	<1.4	<1.4
o-Xylene	µg/m3	27	69.30	3.17
1-Ethyl-4-Methylbenzene	µg/m3	27	45.7	<2.5
1,3,5-Trimethylbenzene	µg/m3	27	45.7	<2.5
1,2,4-Trimethylbenzene	µg/m3	27	163.0	<16.0
1,3-Dichlorobenzene	µg/m3	27	<2.5	<2.5
Benzyl Chloride	µg/m3	27	<2.6	<2.6
1,4-Dichlorobenzene	µg/m3	27	<2.4	<2.4
1,2-Dichlorobenzene	µg/m3	27	<2.4	<2.4
1,2,4-Trichlorobenzene	µg/m3	27	<3.7	<3.7
Naphthalene	µg/m3	27	28.8	<5.2
Hexachlorobutadiene	µg/m3	27	<5.3	<5.3
Total Xylenes	µg/m3	27	291.0	13.1
4-Bromofluorobenzene	%	27	107	94



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### BTEX/F1/F2 Fractionation in Air (Canister) (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		26C	26B	26A	28	29	10	7	8
		SAMPLE TYPE:		Air							
		DATE SAMPLED:		2020-11-23	2020-11-23	2020-11-23	2020-11-19	2020-11-19	2020-11-19	2020-11-25	2020-11-25
		G / S	RDL	1730627	1730628	1730629	1730630	1730631	1730632	1769036	1769037
pressure upon receipt	inHg				-7	-6	-5	-5	-5	-4	-5
Benzene	µg/m3	0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.64	<0.50
Toluene	µg/m3	0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	1.09	<0.75
Ethylbenzene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3	1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
o-Xylene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
Total Xylenes	µg/m3	1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
C6-C8 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	41	109
>C8-C10 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C10-C12 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C12-C16 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
C6-C8 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C8-C10 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C10-C12 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C12-C16 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
C6-C10 (F1)	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	41	109
C6-C10 (F1 minus BTEX)	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	39	109
>C10-C16 (F2)	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
Surrogate	Unit	Acceptable Limits									
4-Bromofluorobenzene	%	70-130	84	85	86	85	86	84	87	87	

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### BTEX/F1/F2 Fractionation in Air (Canister) (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		98	9	22	21	24	37	36	39
		G / S	RDL	1769038	1769039	1769040	1769041	1769042	1769043	1769044	1769045
pressure upon receipt	inHg			-5	-8	-7	-6	-6	-5	-3	-6
Benzene	µg/m3	0.50	0.58	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Toluene	µg/m3	0.75	<0.75	1.62	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
Ethylbenzene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3	1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
o-Xylene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
Total Xylenes	µg/m3	1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
C6-C8 Aliphatic	µg/m3	15	82	<15	<15	<15	<15	<15	<15	<15	<15
>C8-C10 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C10-C12 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C12-C16 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
C6-C8 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C8-C10 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C10-C12 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
>C12-C16 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
C6-C10 (F1)	µg/m3	15	82	<15	<15	<15	<15	<15	<15	<15	<15
C6-C10 (F1 minus BTEX)	µg/m3	15	81	<15	<15	<15	<15	<15	<15	<15	<15
>C10-C16 (F2)	µg/m3	15	<15	<15	<15	<15	<15	<15	<15	<15	<15
Surrogate	Unit	Acceptable Limits									
4-Bromofluorobenzene	%	70-130	88	93	96	99	96	107	97	107	

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### BTEX/F1/F2 Fractionation in Air (Canister) (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION: 939		38		41		30		40		31	
		SAMPLE TYPE: Air		Air		Air		Air		Air		Air	
		DATE SAMPLED: 2020-11-27		2020-11-30		2020-11-30		2020-11-30		2020-12-01		2020-12-01	
		G / S	RDL	1769046	RDL	1783411	RDL	1783412	1783413	1783414	1783414	1783415	1783415
pressure upon receipt	inHg			-6		-5		-5	-5	-5	-5	-3	
Benzene	µg/m3	0.54	<0.54	2.70		176	0.54	60.3	2.52	<0.54	<0.54	<0.54	
Toluene	µg/m3	0.80	<0.80	4.00		300	0.80	59.8	1.70	<0.80	<0.80	<0.80	
Ethylbenzene	µg/m3	0.87	<0.87	4.30		77.7	0.87	15.5	<0.87	<0.87	<0.87	<0.87	
m&p-Xylene	µg/m3	2.0	<2.0	9.9		222	2.0	46.0	<2.0	<2.0	<2.0	<2.0	
o-Xylene	µg/m3	1.02	<1.02	5.10		69.3	1.02	16.4	<1.02	<1.02	<1.02	<1.02	
Total Xylenes	µg/m3	1.8	<1.8	1.8		291	1.8	62.4	<1.8	<1.8	<1.8	<1.8	
C6-C8 Aliphatic	µg/m3	15	<15	15		511	15	76	<15	<15	<15	<15	
>C8-C10 Aliphatic	µg/m3	15	<15	15		127	15	16	<15	<15	<15	<15	
>C10-C12 Aliphatic	µg/m3	15	<15	15		<15	15	<15	<15	<15	<15	<15	
>C12-C16 Aliphatic	µg/m3	15	<15	15		<15	15	<15	<15	<15	<15	<15	
C6-C8 Aromatic	µg/m3	15	<15	15		676	15	117	<15	<15	<15	<15	
>C8-C10 Aromatic	µg/m3	15	<15	15		385	15	48	<15	<15	<15	<15	
>C10-C12 Aromatic	µg/m3	15	<15	15		15	15	<15	<15	<15	<15	<15	
>C12-C16 Aromatic	µg/m3	15	<15	15		<15	15	<15	<15	<15	<15	<15	
C6-C10 (F1)	µg/m3	15	<15	15		1700	15	257	<15	<15	<15	<15	
C6-C10 (F1 minus BTEX)	µg/m3	15	<15	15		855	15	59	<15	<15	<15	<15	
>C10-C16 (F2)	µg/m3	15	<15	15		15	15	<15	<15	<15	<15	<15	
Surrogate	Unit	Acceptable Limits											
4-Bromofluorobenzene	%	70-130	102	0		102	0	100	102	98	94		

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### BTEX/F1/F2 Fractionation in Air (Canister) (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:						
		G / S	RDL	11	27	25	20	23
pressure upon receipt	inHg			-5	-5	-4	-8	-3
Benzene	µg/m3	0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54
Toluene	µg/m3	0.80	<0.80	<0.80	<0.80	3.69	<0.80	<0.80
Ethylbenzene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
o-Xylene	µg/m3	1.02	<1.02	<1.02	<1.02	<1.02	<1.02	<1.02
Total Xylenes	µg/m3	1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
C6-C8 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15
>C8-C10 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15
>C10-C12 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15
>C12-C16 Aliphatic	µg/m3	15	<15	<15	<15	<15	<15	<15
C6-C8 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15
>C8-C10 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15
>C10-C12 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15
>C12-C16 Aromatic	µg/m3	15	<15	<15	<15	<15	<15	<15
C6-C10 (F1)	µg/m3	15	<15	<15	<15	<15	<15	<15
C6-C10 (F1 minus BTEX)	µg/m3	15	<15	<15	<15	<15	<15	<15
>C10-C16 (F2)	µg/m3	15	<15	<15	<15	<15	<15	<15
Surrogate	Unit	Acceptable Limits						
4-Bromofluorobenzene	%	70-130	100	99	97	97	99	99

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

1730627-1783420 BTEX and fractionation analysis was performed from an air canister sample, using a Cold Vapor Trap preconcentrator and GC/MSD.

Analysis done at AGAT 5623 McAdam Road Mississauga location.

Analysis performed at AGAT Toronto (unless marked by \*)

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		26C	26B	26A	28	29	10	7	8
		SAMPLE TYPE:		Air							
		DATE SAMPLED:		2020-11-23	2020-11-23	2020-11-23	2020-11-19	2020-11-19	2020-11-19	2020-11-25	2020-11-25
		G / S	RDL	1730627	1730628	1730629	1730630	1730631	1730632	1769036	1769037
Propylene	µg/m3		0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52
Dichlorodifluoromethane	µg/m3		0.99	4.65	4.90	4.90	2.97	2.97	2.82	2.27	2.47
1,2-Dichlorotetrafluoroethane	µg/m3		1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Ethanol	µg/m3		0.94	<0.94	<0.94	<0.94	<0.94	<0.94	<0.94	3.00	2.75
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Chloromethane	µg/m3		0.62	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	1.26
Vinyl Chloride	µg/m3		0.51	<0.51	<0.51	<0.51	<0.51	<0.51	<0.51	<0.51	<0.51
1,3-Butadiene	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Bromomethane	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Chloroethane	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Vinyl Bromide	µg/m3		0.88	<0.88	<0.88	<0.88	<0.88	<0.88	<0.88	<0.88	<0.88
Trichlorofluoromethane	µg/m3		2.2	62.0	36.9	36.4	3.3	5.2	<2.2	<2.2	<2.2
Acetone	µg/m3		1.2	5.1	5.7	3.2	7.5	<1.2	6.2	31.6	<1.2
Isopropanol	µg/m3		1.2	3.5	7.7	5.1	12.0	17.3	11.2	<1.2	<1.2
1,1-Dichloroethene	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Dichloromethane (Methylene Chloride)	µg/m3		1.0	<1.0	1.5	<1.0	1.6	2.2	1.9	<1.0	<1.0
Carbon Disulfide	µg/m3		1.5	<1.5	<1.5	1.7	<1.5	<1.5	<1.5	<1.5	<1.5
trans-1,2-Dichloroethene	µg/m3		0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3		0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72
1,1-Dichloroethane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Vinyl Acetate	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Hexane	µg/m3		1.1	<1.1	1.9	<1.1	2.1	1.7	<1.1	2.8	3.3
Methyl Ethyl Ketone	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	4.3	<1.5
cis-1,2-Dichloroethene	µg/m3		0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Chloroform	µg/m3		1.0	2.1	2.1	2.1	<1.0	4.6	1.6	1.7	<1.0
Ethyl Acetate	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	4.1	3.0	<1.8	<1.8
Tetrahydrofuran	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-Dichloroethane	µg/m3		0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41
1,1,1-Trichloroethane	µg/m3		1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		26C	26B	26A	28	29	10	7	8
		SAMPLE TYPE:		Air							
		DATE SAMPLED:		2020-11-23	2020-11-23	2020-11-23	2020-11-19	2020-11-19	2020-11-19	2020-11-19	2020-11-25
		G / S	RDL	1730627	1730628	1730629	1730630	1730631	1730632	1769036	1769037
2,2,4-Trimethylpentane (Iso octane)	µg/m3		2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	10.3	10.6
Cyclohexane	µg/m3		0.69	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69	1.31
Carbon Tetrachloride	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Benzene	µg/m3		0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64
1,2-Dichloropropane	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Heptane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	1.5	<1.2
Trichloroethene	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	6.1	6.3	<1.1	<1.1
Bromodichloromethane	µg/m3		1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,4-Dioxane	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Methyl Methacrylate	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3		0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3		0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Toluene	µg/m3		0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	1.09	<0.75
2-Hexanone	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	µg/m3		1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
1,2-Dibromoethane	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Tetrachloroethene	µg/m3		1.0	<1.0	<1.0	<1.0	1.6	1.4	<1.0	<1.0	<1.0
Chlorobenzene	µg/m3		0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92
Ethylbenzene	µg/m3		0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3		1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
Bromoform	µg/m3		2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1
Styrene	µg/m3		0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85
1,1,2,2-Tetrachloroethane	µg/m3		1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
o-Xylene	µg/m3		0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
1-Ethyl-4-Methylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,3,5-Trimethylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,2,4-Trimethylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,3-Dichlorobenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		26C	26B	26A	28	29	10	7	8	
		SAMPLE TYPE:		Air								
		DATE SAMPLED:		2020-11-23	2020-11-23	2020-11-23	2020-11-19	2020-11-19	2020-11-19	2020-11-25	2020-11-25	2020-11-25
		G / S	RDL	1730627	1730628	1730629	1730630	1730631	1730632	1769036	1769037	
Benzyl Chloride	µg/m3		2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	
1,4-Dichlorobenzene	µg/m3		2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	
1,2-Dichlorobenzene	µg/m3		2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	
1,2,4-Trichlorobenzene	µg/m3		3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	
Naphthalene	µg/m3		5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	
Hexachlorobutadiene	µg/m3		5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	
Total Xylenes	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	
Surrogate	Unit	Acceptable Limits										
4-Bromofluorobenzene	%		70-130	84	85	86	85	86	84	87	87	

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		98	9	22	21	24	37	36
		SAMPLE TYPE:		Air						
		DATE SAMPLED:		2020-11-25	2020-11-25	2020-11-26	2020-11-26	2020-11-26	2020-11-27	2020-11-27
		G / S	RDL	1769038	1769039	1769040	1769041	1769042	1769043	1769044
Propylene	µg/m3		0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52
Dichlorodifluoromethane	µg/m3		0.99	2.62	5.64	3.71	3.41	<0.99	4.30	3.12
1,2-Dichlorotetrafluoroethane	µg/m3		1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Ethanol	µg/m3		0.94	3.15	5.63	14.9	<0.94	<0.94	<0.94	<0.94
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Chloromethane	µg/m3		0.62	1.26	1.32	<0.62	<0.62	<0.62	<0.62	<0.62
Vinyl Chloride	µg/m3		0.51	<0.51	<0.51	<0.51	<0.51	<0.51	<0.51	<0.51
1,3-Butadiene	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Bromomethane	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Chloroethane	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Vinyl Bromide	µg/m3		0.88	<0.88	<0.88	<0.88	<0.88	<0.88	<0.88	<0.88
Trichlorofluoromethane	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	18.8	<2.2	51.2
Acetone	µg/m3		1.2	<1.2	17.2	18.6	<1.2	<1.2	<1.2	<1.2
Isopropanol	µg/m3		1.2	<1.2	<1.2	23.1	<1.2	<1.2	<1.2	<1.2
1,1-Dichloroethene	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Dichloromethane (Methylene Chloride)	µg/m3		1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Disulfide	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
trans-1,2-Dichloroethene	µg/m3		0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3		0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72
1,1-Dichloroethane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Vinyl Acetate	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Hexane	µg/m3		1.1	2.5	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Methyl Ethyl Ketone	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
cis-1,2-Dichloroethene	µg/m3		0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Chloroform	µg/m3		1.0	<1.0	<1.0	<1.0	4.3	16.2	48.4	47.8
Ethyl Acetate	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
Tetrahydrofuran	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-Dichloroethane	µg/m3		0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41
1,1,1-Trichloroethane	µg/m3		1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		98	9	22	21	24	37	36
		G / S	RDL	Air						
DATE SAMPLED:		2020-11-25	2020-11-25	2020-11-26	2020-11-26	2020-11-26	2020-11-26	2020-11-27	2020-11-27	2020-11-27
		1769038	1769039	1769040	1769041	1769042	1769043	1769043	1769044	1769044
2,2,4-Trimethylpentane (Iso octane)	µg/m3	2.3	7.9	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3
Cyclohexane	µg/m3	0.69	0.93	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69
Carbon Tetrachloride	µg/m3	1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Benzene	µg/m3	0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64
1,2-Dichloropropane	µg/m3	1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Heptane	µg/m3	1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Trichloroethene	µg/m3	1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Bromodichloromethane	µg/m3	1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,4-Dioxane	µg/m3	2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Methyl Methacrylate	µg/m3	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3	0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3	0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3	1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Toluene	µg/m3	0.75	<0.75	1.62	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
2-Hexanone	µg/m3	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	µg/m3	1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
1,2-Dibromoethane	µg/m3	1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Tetrachloroethene	µg/m3	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chlorobenzene	µg/m3	0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92
Ethylbenzene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3	1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
Bromoform	µg/m3	2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1
Styrene	µg/m3	0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85
1,1,2,2-Tetrachloroethane	µg/m3	1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
o-Xylene	µg/m3	0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
1-Ethyl-4-Methylbenzene	µg/m3	2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,3,5-Trimethylbenzene	µg/m3	2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,2,4-Trimethylbenzene	µg/m3	2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,3-Dichlorobenzene	µg/m3	2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		98	9	22	21	24	37	36	
		G / S	RDL	1769038	1769039	1769040	1769041	1769042	1769043	1769044	
Benzyl Chloride	µg/m3			2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	
1,4-Dichlorobenzene	µg/m3			2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	
1,2-Dichlorobenzene	µg/m3			2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	
1,2,4-Trichlorobenzene	µg/m3			3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	
Naphthalene	µg/m3			5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	
Hexachlorobutadiene	µg/m3			5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	
Total Xylenes	µg/m3			2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	
Surrogate	Unit	Acceptable Limits									
4-Bromofluorobenzene	%			70-130	88	93	96	99	96	107	97

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION: 39		939		38		41		30	
		SAMPLE TYPE: Air		Air		Air		Air		Air	
		DATE SAMPLED: 2020-11-27		2020-11-27		2020-11-30		2020-11-30		2020-11-30	
		G / S	RDL	1769045	RDL	1769046	RDL	1783411	RDL	1783412	1783413
Propylene	µg/m3	0.52	<0.52	0.52	<0.52	1.50	1.50	171	0.52	31.3	2.27
Dichlorodifluoromethane	µg/m3	0.99	2.42	1.26	2.67	1.26	2.67	2.32	1.26	2.47	2.57
1,2-Dichlorotetrafluoroethane	µg/m3	1.4	<1.4	1.8	<1.8	1.8	<1.8	<1.8	1.8	<1.8	<1.8
Ethanol	µg/m3	0.94	11.3	0.94	<0.94	0.94	0.94	17.0	0.94	7.73	7.74
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3	1.5	<1.5	1.7	<1.7	1.7	<1.7	<1.7	1.7	<1.7	<1.7
Chloromethane	µg/m3	0.62	<0.62	0.62	<0.62	0.62	<0.62	<0.62	0.62	1.65	1.34
Vinyl Chloride	µg/m3	0.51	<0.51	0.70	<0.70	0.70	<0.70	<0.70	0.70	<0.70	<0.70
1,3-Butadiene	µg/m3	1.1	<1.1	1.1	<1.1	1.1	<1.1	<1.1	1.1	<1.1	<1.1
Bromomethane	µg/m3	1.9	<1.9	1.9	<1.9	1.9	<1.9	<1.9	1.9	<1.9	<1.9
Chloroethane	µg/m3	1.1	<1.1	1.1	<1.1	1.1	<1.1	<1.1	1.1	<1.1	<1.1
Vinyl Bromide	µg/m3	0.88	<0.88	1.10	<1.10	1.10	<1.10	<1.10	1.10	<1.10	<1.10
Trichlorofluoromethane	µg/m3	2.2	3.0	2.2	2.8	2.2	<2.2	<2.2	2.2	<2.2	<2.2
Acetone	µg/m3	1.2	15.4	1.2	7.9	1.2	80.0	1.2	1.2	23.1	13.1
Isopropanol	µg/m3	1.2	21.8	1.2	8.0	3.9	7.5	1.2	1.2	11.3	11.3
1,1-Dichloroethene	µg/m3	1.2	<1.2	1.2	<1.2	1.2	<1.2	<1.2	1.2	<1.2	<1.2
Dichloromethane (Methylene Chloride)	µg/m3	1.0	<1.0	1.0	1.0	1.0	1.0	1.0	1.0	<1.0	<1.0
Carbon Disulfide	µg/m3	1.5	1.6	1.5	<1.5	1.5	<1.5	<1.5	1.5	<1.5	<1.5
trans-1,2-Dichloroethene	µg/m3	0.80	<0.80	0.80	<0.80	0.80	<0.80	<0.80	0.80	<0.80	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3	0.72	<0.72	0.72	<0.72	0.72	<0.72	<0.72	0.72	<0.72	<0.72
1,1-Dichloroethane	µg/m3	1.2	<1.2	1.2	<1.2	1.2	<1.2	<1.2	1.2	<1.2	<1.2
Vinyl Acetate	µg/m3	1.8	<1.8	1.8	<1.8	1.8	<1.8	<1.8	1.8	<1.8	<1.8
n-Hexane	µg/m3	1.1	<1.1	1.1	<1.1	1.1	21.6	1.1	1.1	4.1	<1.1
Methyl Ethyl Ketone	µg/m3	1.5	<1.5	1.5	<1.5	1.5	1.9	1.5	1.5	<1.5	<1.5
cis-1,2-Dichloroethene	µg/m3	0.80	<0.80	0.80	<0.80	0.80	<0.80	0.80	0.80	<0.80	<0.80
Chloroform	µg/m3	1.1	133	1.1	135	1.1	<1.1	<1.1	1.1	<1.1	<1.1
Ethyl Acetate	µg/m3	1.8	1.8	1.8	<1.8	1.8	2.0	1.8	1.8	<1.8	<1.8
Tetrahydrofuran	µg/m3	1.2	<1.2	1.2	<1.2	1.2	<1.2	<1.2	1.2	<1.2	<1.2
1,2-Dichloroethane	µg/m3	0.41	<0.41	0.82	<0.82	0.82	<0.82	<0.82	0.82	<0.82	<0.82
1,1,1-Trichloroethane	µg/m3	1.6	<1.6	1.6	<1.6	1.6	<1.6	<1.6	1.6	<1.6	<1.6

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION: 39		939		38		41		30	
		SAMPLE TYPE: Air		Air		Air		Air		Air	
		DATE SAMPLED: 2020-11-27		2020-11-27		2020-11-30		2020-11-30		2020-11-30	
		G / S	RDL	1769045	RDL	1769046	RDL	1783411	RDL	1783412	1783413
2,2,4-Trimethylpentane (Iso octane)	µg/m3		2.3	<2.3	2.3	<2.3	2.3	36.7	2.3	7.4	<2.3
Cyclohexane	µg/m3		0.69	<0.69	0.69	<0.69	0.69	3.68	0.69	<0.69	<0.69
Carbon Tetrachloride	µg/m3		1.9	<1.9	1.9	<1.9	1.9	<1.9	1.9	<1.9	<1.9
Benzene	µg/m3		0.64	<0.64	0.64	<0.64	2.70	176	0.64	60.3	2.52
1,2-Dichloropropane	µg/m3		1.8	<1.8	1.8	<1.8	1.8	<1.8	1.8	<1.8	<1.8
n-Heptane	µg/m3		1.2	<1.2	1.2	<1.2	1.2	27.8	1.2	4.6	<1.2
Trichloroethene	µg/m3		1.1	8.9	1.1	2.5	1.1	8.3	1.1	<1.1	<1.1
Bromodichloromethane	µg/m3		1.3	<1.3	1.3	<1.3	1.3	<1.3	1.3	<1.3	<1.3
1,4-Dioxane	µg/m3		2.2	<2.2	2.2	<2.2	2.2	<2.2	2.2	<2.2	<2.2
Methyl Methacrylate	µg/m3		2.0	<2.0	2.0	<2.0	2.6	<2.6	2.0	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3		0.91	<0.91	0.91	<0.91	0.91	<0.91	0.91	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3		0.91	<0.91	0.91	<0.91	0.91	<0.91	0.91	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3		2.0	<2.0	2.0	<2.0	2.0	<2.0	2.0	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3		1.1	<1.1	1.2	<1.2	1.2	<1.2	1.2	<1.2	<1.2
Toluene	µg/m3		0.75	<0.75	0.75	<0.75	4.00	300	0.75	59.8	1.70
2-Hexanone	µg/m3		2.0	<2.0	2.0	<2.0	2.0	<2.0	2.0	<2.0	<2.0
Dibromochloromethane	µg/m3		1.7	<1.7	2.0	<2.0	2.0	<2.0	2.0	<2.0	<2.0
1,2-Dibromoethane	µg/m3		1.5	<1.5	1.9	<1.9	1.9	<1.9	1.9	<1.9	<1.9
Tetrachloroethene	µg/m3		1.0	<1.0	1.5	<1.5	1.5	<1.5	1.5	<1.5	<1.5
Chlorobenzene	µg/m3		0.92	<0.92	1.10	<1.10	1.10	<1.10	1.10	<1.10	<1.10
Ethylbenzene	µg/m3		0.87	<0.87	0.87	<0.87	4.30	77.7	0.87	15.5	<0.87
m&p-Xylene	µg/m3		1.3	<1.3	1.3	<1.3	9.9	222	1.3	46.0	1.6
Bromoform	µg/m3		2.1	<2.1	2.6	<2.6	2.6	<2.6	2.6	<2.6	<2.6
Styrene	µg/m3		0.85	<0.85	0.96	<0.96	0.96	2.73	0.96	<0.96	<0.96
1,1,2,2-Tetrachloroethane	µg/m3		1.4	<1.4	1.8	<1.8	1.8	<1.8	1.8	<1.8	<1.8
o-Xylene	µg/m3		0.87	<0.87	0.87	<0.87	5.10	69.3	0.87	16.4	<0.87
1-Ethyl-4-Methylbenzene	µg/m3		2.5	<2.5	2.5	<2.5	2.5	45.7	2.5	6.3	<2.5
1,3,5-Trimethylbenzene	µg/m3		2.5	<2.5	2.5	<2.5	2.5	45.7	2.5	6.2	<2.5
1,2,4-Trimethylbenzene	µg/m3		2.5	<2.5	3.2	<3.2	16.0	163	3.2	23.0	<3.2
1,3-Dichlorobenzene	µg/m3		2.5	<2.5	3.2	<3.2	3.2	<3.2	3.2	<3.2	<3.2

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1Y2  
 TEL (905)712-5100  
 FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION: 39		939		38		41		30	
		SAMPLE TYPE: Air		Air		Air		Air		Air	
		DATE SAMPLED: 2020-11-27		2020-11-27		2020-11-30		2020-11-30		2020-11-30	
		G / S	RDL	1769045	RDL	1769046	RDL	1783411	RDL	1783412	1783413
Benzyl Chloride	µg/m3		2.6	<2.6	2.8	<2.8	2.8	<2.8	2.8	<2.8	<2.8
1,4-Dichlorobenzene	µg/m3		2.4	<2.4	2.4	<2.4	2.4	<2.4	2.4	<2.4	<2.4
1,2-Dichlorobenzene	µg/m3		2.4	<2.4	2.4	<2.4	2.4	<2.4	2.4	<2.4	<2.4
1,2,4-Trichlorobenzene	µg/m3		3.7	<3.7	3.7	<3.7	3.7	<3.7	3.7	<3.7	<3.7
Naphthalene	µg/m3		5.2	<5.2	5.2	<5.2	5.2	28.8	5.2	<5.2	<5.2
Hexachlorobutadiene	µg/m3		5.3	<5.3	5.3	<5.3	5.3	<5.3	5.3	<5.3	<5.3
Total Xylenes	µg/m3		2.2	<2.2	2.2	<2.2	2.2	291	2.2	62.4	<2.2
Surrogate	Unit	Acceptable Limits									
4-Bromofluorobenzene	%	70-130	107	0	90	0	102	0	100	102	

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		40	31	11	27	25	20	23
		SAMPLE TYPE:		Air						
		DATE SAMPLED:		2020-12-01	2020-12-01	2020-12-01	2020-12-02	2020-12-02	2020-12-02	2020-12-02
		G / S	RDL	1783414	1783415	1783416	1783417	1783418	1783419	1783420
Propylene	µg/m3		0.52	<0.52	<0.52	<0.52	<0.52	<0.52	2.72	<0.52
Dichlorodifluoromethane	µg/m3		1.26	2.42	2.82	<1.26	2.87	3.51	2.52	4.06
1,2-Dichlorotetrafluoroethane	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
Ethanol	µg/m3		0.94	<0.94	3.88	6.61	<0.94	<0.94	12.7	8.18
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/m3		1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
Chloromethane	µg/m3		0.62	<0.62	<0.62	<0.62	<0.62	<0.62	1.78	<0.62
Vinyl Chloride	µg/m3		0.70	<0.70	<0.70	<0.70	<0.70	<0.70	<0.70	<0.70
1,3-Butadiene	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Bromomethane	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Chloroethane	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Vinyl Bromide	µg/m3		1.10	<1.10	<1.10	<1.10	<1.10	<1.10	<1.10	<1.10
Trichlorofluoromethane	µg/m3		2.2	<2.2	3.7	3.9	2.4	2.8	<2.2	<2.2
Acetone	µg/m3		1.2	7.5	7.1	6.7	5.2	<1.2	37.7	6.4
Isopropanol	µg/m3		1.2	<1.2	8.3	7.3	4.8	<1.2	5.7	9.5
1,1-Dichloroethene	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Dichloromethane (Methylene Chloride)	µg/m3		1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Carbon Disulfide	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	3.2	<1.5
trans-1,2-Dichloroethene	µg/m3		0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Methyl tert-Butyl ether (MTBE)	µg/m3		0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72	<0.72
1,1-Dichloroethane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Vinyl Acetate	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Hexane	µg/m3		1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Methyl Ethyl Ketone	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	3.3	<1.5
cis-1,2-Dichloroethene	µg/m3		0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Chloroform	µg/m3		1.1	2.9	<1.1	<1.1	2.5	3.6	<1.1	13.9
Ethyl Acetate	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
Tetrahydrofuran	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-Dichloroethane	µg/m3		0.82	<0.82	<0.82	<0.82	1.01	<0.82	<0.82	<0.82
1,1,1-Trichloroethane	µg/m3		1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		40	31	11	27	25	20	23
		G / S	RDL	1783414	1783415	1783416	1783417	1783418	1783419	1783420
2,2,4-Trimethylpentane (Iso octane)	µg/m3		2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3
Cyclohexane	µg/m3		0.69	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69
Carbon Tetrachloride	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Benzene	µg/m3		0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64
1,2-Dichloropropane	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
n-Heptane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Trichloroethene	µg/m3		1.1	2.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Bromodichloromethane	µg/m3		1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,4-Dioxane	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Methyl Methacrylate	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
cis-1,3-Dichloropropene	µg/m3		0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91
trans-1,3-Dichloropropene	µg/m3		0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91
Methyl Isobutyl Ketone (MIBK)	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,1,2-Trichloroethane	µg/m3		1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Toluene	µg/m3		0.75	<0.75	<0.75	<0.75	<0.75	<0.75	3.69	<0.75
2-Hexanone	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Dibromochloromethane	µg/m3		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
1,2-Dibromoethane	µg/m3		1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Tetrachloroethene	µg/m3		1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Chlorobenzene	µg/m3		1.10	<1.10	<1.10	<1.10	<1.10	<1.10	<1.10	<1.10
Ethylbenzene	µg/m3		0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
m&p-Xylene	µg/m3		1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
Bromoform	µg/m3		2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6
Styrene	µg/m3		0.96	<0.96	<0.96	<0.96	<0.96	<0.96	<0.96	<0.96
1,1,2,2-Tetrachloroethane	µg/m3		1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
o-Xylene	µg/m3		0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87
1-Ethyl-4-Methylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,3,5-Trimethylbenzene	µg/m3		2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
1,2,4-Trimethylbenzene	µg/m3		3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2
1,3-Dichlorobenzene	µg/m3		3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2

Certified By:

*Kelly Hogue*



## Certificate of Analysis

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

5835 COOPERS AVENUE  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1Y2  
TEL (905)712-5100  
FAX (905)712-5122  
<http://www.agatlabs.com>

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### VOCs in Air (Canister) - TO15 Full List (µg/m3)

DATE RECEIVED: 2020-12-04

DATE REPORTED: 2021-01-07

Parameter	Unit	SAMPLE DESCRIPTION:		40	31	11	27	25	20	23
		G / S	RDL	1783414	1783415	1783416	1783417	1783418	1783419	1783420
Benzyl Chloride	µg/m3		2.8	<2.8	<2.8	<2.8	<2.8	<2.8	<2.8	<2.8
1,4-Dichlorobenzene	µg/m3		2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4
1,2-Dichlorobenzene	µg/m3		2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4	<2.4
1,2,4-Trichlorobenzene	µg/m3		3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7
Naphthalene	µg/m3		5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2	<5.2
Hexachlorobutadiene	µg/m3		5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3
Total Xylenes	µg/m3		2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2	<2.2
Surrogate	Unit	Acceptable Limits								
4-Bromofluorobenzene	%		70-130	98	94	100	99	97	97	99

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard  
1730627-1783420 VOC analysis was performed from an air canister sample, using a Cold Vapor Trap preconcentrator and GC/MSD.

Analysis done at AGAT 5623 McAdam Road Mississauga location.

Analysis performed at AGAT Toronto (unless marked by \*)

Certified By:

## Quality Assurance

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

Air Quality Monitoring															
RPT Date: Jan 07, 2021			DUPLICATE				Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE		MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD	Measured Value		Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper

**BTEX/F1/F2 Fractionation in Air (Canister) (µg/m3)**

Benzene	1711875		1.37	1.34	NA	< 0.50	134%	60%	140%	132%	50%	140%	NA
Toluene	1711875		2.22	2.19	NA	< 0.75	106%	60%	140%	112%	50%	140%	NA
Ethylbenzene	1711875		1.00	0.96	NA	< 0.87	108%	60%	140%	115%	50%	140%	NA
m&p-Xylene	1711875		4.6	4.5	NA	< 1.3	109%	60%	140%	115%	50%	140%	NA
o-Xylene	1711875		1.61	1.56	NA	< 0.87	106%	60%	140%	118%	50%	140%	NA
C6-C8 Aliphatic	1711875		< 15	< 15	0.0%	< 15	111%	60%	140%	119%	50%	140%	
>C8-C10 Aliphatic	1711875		< 15	< 15	0.0%	< 15	119%	60%	140%	127%	50%	140%	
>C10-C12 Aliphatic	1711875		< 15	< 15	0.0%	< 15	97%	60%	140%	110%	50%	140%	
C6-C8 Aromatic	1711875		< 15	< 15	0.0%	< 15	126%	60%	140%	136%	50%	140%	
>C8-C10 Aromatic	1711875		< 15	< 15	0.0%	< 15	90%	60%	140%	94%	50%	140%	
>C10-C12 Aromatic	1711875		< 15	< 15	0.0%	< 15	80%	60%	140%	75%	50%	140%	
C6-C10 (F1)	1711875		< 15	< 15	0.0%	< 15	112%	60%	140%	119%	50%	140%	
>C10-C16 (F2)	1711875		< 15	< 15	0.0%	< 15	97%	60%	140%	119%	50%	140%	

**VOCs in Air (Canister) - TO15 Full List (µg/m3)**

Propylene	1711875		<0.52	<0.52	NA	< 0.52	129%	60%	140%	128%	50%	140%	NA
Dichlorodifluoromethane	1711875		2.92	2.92	NA	< 0.99	125%	60%	140%	125%	50%	140%	NA
1,2-Dichlorotetrafluoroethane	1711875		<1.4	<1.4	NA	< 1.4	105%	60%	140%	102%	50%	140%	NA
Ethanol	1711875		37.5	36.5	2.6%	< 0.94	117%	60%	140%	119%	50%	140%	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	1711875		<1.5	<1.5	NA	< 1.5	132%	50%	140%	123%	60%	140%	NA
Chloromethane	1711875		1.09	0.99	NA	< 0.62	107%	60%	140%	103%	50%	140%	NA
Vinyl Chloride	1711875		<0.51	<0.51	NA	< 0.51	103%	60%	140%	100%	50%	140%	NA
1,3-Butadiene	1711875		<1.1	<1.1	NA	< 1.1	109%	60%	140%	104%	50%	140%	NA
Bromomethane	1711875		<1.9	<1.9	NA	< 1.9	106%	60%	140%	103%	50%	140%	NA
Chloroethane	1711875		<1.1	<1.1	NA	< 1.1	108%	60%	140%	101%	50%	140%	NA
Vinyl Bromide	1711875		<0.88	<0.88	NA	< 0.88	NA			108%	50%	140%	NA
Trichlorofluoromethane	1711875		<2.2	<2.2	NA	< 2.2	117%	60%	140%	120%	50%	140%	NA
Acetone	1711875		16.9	16.5	2.0%	< 1.2	137%	60%	140%	137%	50%	140%	NA
Isopropanol	1711875		<1.2	<1.2	NA	< 1.2	136%	60%	140%	133%	50%	140%	NA
1,1-Dichloroethene	1711875		<1.2	<1.2	NA	< 1.2	130%	60%	140%	129%	50%	140%	NA
Dichloromethane (Methylene Chloride)	1711875		1.0	1.0	NA	< 1.0	136%	60%	140%	137%	50%	140%	NA
Carbon Disulfide	1711875		<1.5	<1.5	NA	< 1.5	106%	60%	140%	130%	50%	140%	NA
trans-1,2-Dichloroethene	1711875		<0.80	<0.80	NA	< 0.80	135%	60%	140%	118%	50%	140%	NA
Methyl tert-Butyl ether (MTBE)	1711875		<0.72	<0.72	NA	< 0.72	139%	60%	140%	128%	50%	140%	NA
1,1-Dichloroethane	1711875		<1.2	<1.2	NA	< 1.2	128%	60%	140%	130%	50%	140%	NA
Vinyl Acetate	1711875		<1.8	<1.8	NA	< 1.8	124%	60%	140%	136%	50%	140%	NA
n-Hexane	1711875		<1.1	<1.1	NA	< 1.1	136%	60%	140%	136%	50%	140%	NA
Methyl Ethyl Ketone	1711875		<1.5	<1.5	NA	< 1.5	108%	60%	140%	111%	50%	140%	NA
cis-1,2-Dichloroethene	1711875		<0.80	<0.80	NA	< 0.80	130%	60%	140%	120%	50%	140%	NA

## Quality Assurance

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

### Air Quality Monitoring (Continued)

RPT Date: Jan 07, 2021			DUPLICATE			Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE			MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD		Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper
Chloroform	1711875		<1.0	<1.0	NA	< 1.0	133%	60%	140%	133%	50%	140%	NA		
Ethyl Acetate	1711875		1.8	<1.8	NA	< 1.8	131%	60%	140%	130%	50%	140%	NA		
Tetrahydrofuran	1711875		12.0	12.0	0.2%	< 1.2	140%	60%	140%	123%	50%	140%	NA		
1,2-Dichloroethane	1711875		<0.41	<0.41	NA	< 0.41	124%	60%	140%	126%	50%	140%	NA		
1,1,1-Trichloroethane	1711875		<1.6	<1.6	NA	< 1.6	139%	60%	140%	126%	50%	140%	NA		
2,2,4-Trimethylpentane (Iso octane)	1711875		<2.3	<2.3	NA	3.6	NA			137%	50%	140%	NA		
Cyclohexane	1711875		<0.69	<0.69	NA	< 0.69	138%	60%	140%	138%	50%	140%	NA		
Carbon Tetrachloride	1711875		<1.9	<1.9	NA	< 1.9	134%	60%	140%	135%	50%	140%	NA		
Benzene	1711875		1.37	1.34	NA	< 0.64	134%	60%	140%	132%	50%	140%	NA		
1,2-Dichloropropane	1711875		<1.8	<1.8	NA	< 1.8	136%	60%	140%	139%	50%	140%	NA		
n-Heptane	1711875		<1.2	<1.2	NA	< 1.2	133%	60%	140%	135%	50%	140%	NA		
Trichloroethene	1711875		<1.1	<1.1	NA	< 1.1	131%	60%	140%	136%	50%	140%	NA		
Bromodichloromethane	1711875		<1.3	<1.3	NA	< 1.3	129%	60%	140%	132%	50%	140%	NA		
1,4-Dioxane	1711875		<2.2	<2.2	NA	< 2.2	131%	60%	140%	133%	50%	140%	NA		
Methyl Methacrylate	1711875		<2.0	<2.0	NA	< 2.0	134%	60%	140%	137%	50%	140%	NA		
cis-1,3-Dichloropropene	1711875		<0.91	<0.91	NA	< 0.91	133%	60%	140%	132%	50%	140%	NA		
trans-1,3-Dichloropropene	1711875		<0.91	<0.91	NA	< 0.91	131%	60%	140%	126%	50%	140%	NA		
Methyl Isobutyl Ketone (MIBK)	1711875		<2.0	<2.0	NA	< 2.0	86%	60%	140%	95%	50%	140%	NA		
1,1,2-Trichloroethane	1711875		<1.1	<1.1	NA	< 1.1	102%	60%	140%	106%	50%	140%	NA		
Toluene	1711875		2.22	2.19	NA	< 0.75	106%	60%	140%	112%	50%	140%	NA		
2-Hexanone	1711875		<2.0	<2.0	NA	< 2.0	92%	60%	140%	98%	50%	140%	NA		
Dibromochloromethane	1711875		<1.7	<1.7	NA	< 1.7	100%	60%	140%	105%	50%	140%	NA		
1,2-Dibromoethane	1711875		<1.5	<1.5	NA	< 1.5	103%	60%	140%	108%	50%	140%	NA		
Tetrachloroethene	1711875		<1.0	<1.0	NA	< 1.0	112%	60%	140%	120%	50%	140%	NA		
Chlorobenzene	1711875		<0.92	<0.92	NA	< 0.92	106%	60%	140%	113%	50%	140%	NA		
Ethylbenzene	1711875		1.00	0.96	NA	< 0.87	108%	60%	140%	115%	50%	140%	NA		
m&p-Xylene	1711875		4.6	4.5	NA	< 1.3	109%	60%	140%	115%	50%	140%	NA		
Bromoform	1711875		<2.1	<2.1	NA	< 2.1	97%	60%	140%	108%	50%	140%	NA		
Styrene	1711875		<0.85	<0.85	NA	< 0.85	105%	60%	140%	113%	50%	140%	NA		
1,1,2,2-Tetrachloroethane	1711875		<1.4	<1.4	NA	< 1.4	104%	60%	140%	113%	50%	140%	NA		
o-Xylene	1711875		1.61	1.56	NA	< 0.87	106%	60%	140%	118%	50%	140%	NA		
1-Ethyl-4-Methylbenzene	1711875		<2.5	<2.5	NA	< 2.5	106%	60%	140%	121%	50%	140%	NA		
1,3,5-Trimethylbenzene	1711875		<2.5	<2.5	NA	< 2.5	103%	60%	140%	116%	50%	140%	NA		
1,2,4-Trimethylbenzene	1711875		<2.5	<2.5	NA	< 2.5	131%	60%	140%	127%	50%	140%	NA		
1,3-Dichlorobenzene	1711875		<2.5	<2.5	NA	< 2.5	133%	60%	140%	138%	50%	140%	NA		
Benzyl Chloride	1711875		<2.6	<2.6	NA	< 2.6	131%	60%	140%	135%	50%	140%	NA		
1,4-Dichlorobenzene	1711875		<2.4	<2.4	NA	< 2.4	134%	60%	140%	125%	50%	140%	NA		
1,2-Dichlorobenzene	1711875		<2.4	<2.4	NA	< 2.4	106%	60%	140%	89%	50%	140%	NA		
1,2,4-Trichlorobenzene	1711875		<3.7	<3.7	NA	< 3.7	134%	60%	140%	135%	50%	140%	NA		

## Quality Assurance

 CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
 PROJECT: CG3418E03 9444  
 SAMPLING SITE:

 AGAT WORK ORDER: 20T669397  
 ATTENTION TO: Daniel Budai  
 SAMPLED BY:

### Air Quality Monitoring (Continued)

RPT Date: Jan 07, 2021			DUPLICATE			Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE			MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD		Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper
Naphthalene	1711875		<5.2	<5.2	NA	< 5.2	140%	60%	140%	122%	50%	140%	NA		
Hexachlorobutadiene	1711875		<5.3	<5.3	NA	< 5.3	109%	60%	140%	114%	50%	140%	NA		

Certified By: \_\_\_\_\_



## Method Summary

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Air Quality Monitoring			
pressure upon receipt			N/A
Benzene	AQM-248-16000	modified from EPA TO15	GC/MS
Toluene	AQM-248-16000	modified from EPA TO15	GC/MS
Ethylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
m&p-Xylene	AQM-248-16000	modified from EPA TO15	GC/MS
o-Xylene	AQM-248-16000	modified from EPA TO15	GC/MS
Total Xylenes	AQM-248-16000	modified from EPA TO15	CALCULATION
C6-C8 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C8-C10 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C10-C12 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C12-C16 Aliphatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
C6-C8 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C8-C10 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C10-C12 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C12-C16 Aromatic	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
C6-C10 (F1)	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
C6-C10 (F1 minus BTEX)	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
>C10-C16 (F2)	AQM-248-16001	modified from MASS APH, Rev. 1, Dec. 2009	GC/MS
4-Bromofluorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Propylene	AQM-248-16000	modified from EPA TO15	GC/MS
Dichlorodifluoromethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichlorotetrafluoroethane	AQM-248-16000	modified from EPA TO15	GC/MS
Ethanol	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,2-Trichloro-1,2,2-trifluoroethane	AQM 248-16000	modified from EPA TO15	GC/MS
Chloromethane	AQM-248-16000	modified from EPA TO15	GC/MS
Vinyl Chloride	AQM-248-16000	modified from EPA TO15	GC/MS
1,3-Butadiene	AQM-248-16000	modified from EPA TO15	GC/MS
Bromomethane	AQM-248-16000	modified from EPA TO15	GC/MS
Chloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
Vinyl Bromide	AQM-248-16000	modified from EPA TO15	GC/MS
Trichlorofluoromethane	AQM-248-16000	modified from EPA TO15	GC/MS
Acetone	AQM-248-16000	modified from EPA TO15	GC/MS
Isopropanol	AQM-248-16000	modified from EPA TO15	GC/MS
1,1-Dichloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Dichloromethane (Methylene Chloride)	AQM-248-16000	modified from EPA TO15	GC/MS
Carbon Disulfide	AQM-248-16000	modified from EPA TO15	GC/MS
trans-1,2-Dichloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl tert-Butyl ether (MTBE)	AQM-248-16000	modified from EPA TO15	GC/MS
1,1-Dichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
Vinyl Acetate	AQM-248-16000	modified from EPA TO15	GC/MS

## Method Summary

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20T669397

PROJECT: CG3418E03 9444

ATTENTION TO: Daniel Budai

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
n-Hexane	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl Ethyl Ketone	AQM-248-16000	modified from EPA TO15	GC/MS
cis-1,2-Dichloroethene	AQM 248-16000	modified from EPA TO15	GC/MS
Chloroform	AQM-248-16000	modified from EPA TO15	GC/MS
Ethyl Acetate	AQM 248-16000	modified from EPA TO15	GC/MS
Tetrahydrofuran	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,1-Trichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
2,2,4-Trimethylpentane (Iso octane)	AQM-248-16000	modified from EPA TO15	GC/MS
Cyclohexane	AQM-248-16000	modified from EPA TO15	GC/MS
Carbon Tetrachloride	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichloropropane	AQM-248-1600	modified from EPA TO15	GC/MS
n-Heptane	AQM-248-16000	modified from EPA TO15	GC/MS
Trichloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Bromodichloromethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,4-Dioxane	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl Methacrylate	AQM-248-16000	modified from EPA TO15	GC/MS
cis-1,3-Dichloropropene	AQM-248-16000	modified from EPA TO15	GC/MS
trans-1,3-Dichloropropene	AQM-248-16000	modified from EPA TO15	GC/MS
Methyl Isobutyl Ketone (MIBK)	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,2-Trichloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
2-Hexanone	AQM-248-16000	modified from EPA TO15	GC/MS
Dibromochloromethane	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dibromoethane	AQM-248-16000	modified from EPA TO15	GC/MS
Tetrachloroethene	AQM-248-16000	modified from EPA TO15	GC/MS
Chlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Bromoform	AQM-248-16000	modified from EPA TO15	GC/MS
Styrene	AQM-248-16000	modified from EPA TO15	GC/MS
1,1,2,2-Tetrachloroethane	AQM-248-16000	modified from EPA TO15	GC/MS
1-Ethyl-4-Methylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,3,5-Trimethylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,2,4-Trimethylbenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,3-Dichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Benzyl Chloride	AQM-248-16000	modified from EPA TO15	GC/MS
1,4-Dichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,2-Dichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
1,2,4-Trichlorobenzene	AQM-248-16000	modified from EPA TO15	GC/MS
Naphthalene	AQM-248-16000	modified from EPA TO15	GC/MS
Hexachlorobutadiene	AQM-248-16000	modified from EPA TO15	GC/MS



### Laboratory Use Only

AGAT WO#: 20T669399

Notes: Large Blue  
23-NOV-20 PM 2:50

## Air Analysis Chain of Custody Record

P: 905.712.5100 • F: 905.712.5122

### Report Information

Company: CLIFTON  
Contact: Daniel\_Budai@clifton.ca  
Address: 2222 30 AVE NE  
CALGARY, AB T2E 7K9  
Phone: 403 690 6940  
Client Project #: CG 3418 E03  
AGAT Quote #: SUNCOR OUTLET 9441

### Invoice To

Same Yes  / No

Company: CLIFTON  
Contact: Stephen\_Davidie@clifton.ca  
Address: CLIFTON

### Turnaround Time Required (TAT)

Regular TAT\*  10 working days

Rush TAT\*  3 working days

2 working days

UPON FILLING OUT THIS SECTION, THE CLIENT ACCEPTS THAT SURCHARGES WILL BE ATTACHED TO THIS ANALYSIS. IF NOT COMPLETED, REGULAR TAT WILL BE DEFAULT.

\*TATS ARE EXCLUSIVE OF WEEKENDS AND STATUTORY HOLIDAYS

FOR RUSH TAT, CONFIRM AVAILABILITY WITH LABORATORY.

### Regulatory Guidelines

153 CCME

419 Other:

### Report Information

1. Name: \_\_\_\_\_  
Email: \_\_\_\_\_  
2. Name: \_\_\_\_\_  
Email: \_\_\_\_\_

SAMPLE ID	CANISTER #	FLOW CONTROLLER #	DATE SAMPLED	INITIAL PRESSURE	FINAL PRESSURE	AMBIENT TEMPERATURE	SAMPLE TYPE					REPORT UNITS mg/m <sup>3</sup>	REPORT UNIT ppmv	REPORT UNITS µg/m <sup>3</sup>		
							AMBIENT	SOIL-VAPOUR	SUB-SLAB	INDOOR-RES	INDOOR-COMM					
26C	10058		23/11/20	26.0	6.0	0°C		X								
26B	10090		—	26.0	5.0	0°C		X								
26A	6819		—	26.0	5.5	0°C		X								
28	9445		19/11/20	26.5	5.0	-10°C		X								
29	0178		—	26.0	5.0	-10°C		X								
10	0142		—	26.5	5.0	-10°C		X								
<div style="border: 1px solid black; width: 100%; height: 100%; transform: rotate(-45deg); opacity: 0.5;"></div>																

XXX BIEX, FI-FZ  
 XXX FI-FZ FRACTIONS  
 XXX VOCs (FULL LIST)  
 XXX MATRIX GASES  
 (O<sub>2</sub>, N<sub>2</sub>, CH<sub>4</sub>, CO<sub>2</sub>)  
 XXX CHROMATOGRAM  
 RECORD  
 REPORT UNITS mg/m<sup>3</sup>  
 REPORT UNIT ppmv  
 REPORT UNITS µg/m<sup>3</sup>

Samples Relinquished By (Print Name and Sign): <u>DANIEL BUDAI</u>	Date/Time: <u>23/11/20</u> <u>11:15</u>	Samples Received By (Print Name and Sign): <u>lakshanya</u>	Date/Time: <u>23/11/20</u> <u>14:58</u>	Pink Copy - Client Yellow Copy - A White Copy - AC	Page <u>1</u> of <u>1</u>  <b>C 49975</b>
---	---	--	---	--	---



CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
1155 GLENAYRE DRIVE PO BOX 100  
PORT MOODY, BC V3H 3E1

ATTENTION TO: Omran Desouki

PROJECT:

AGAT WORK ORDER: 20C687794

OCCUPATIONAL HYGIENE REVIEWED BY: Gerry Ecker, Analyst

DATE REPORTED: Dec 15, 2020

PAGES (INCLUDING COVER): 5

VERSION\*: 1

Should you require any information regarding this analysis please contact your client services representative at (403) 299-2000

\*Notes

**Disclaimer:**

- All work conducted herein has been done using accepted standard protocols, and generally accepted practices and methods. AGAT test methods may incorporate modifications from the specified reference methods to improve performance.
- All samples will be disposed of within 30 days following analysis, unless expressly agreed otherwise in writing. Please contact your Client Project Manager if you require additional sample storage time.
- AGAT's liability in connection with any delay, performance or non-performance of these services is only to the Client and does not extend to any other third party. Unless expressly agreed otherwise in writing, AGAT's liability is limited to the actual cost of the specific analysis or analyses included in the services.
- This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
- The test results reported herewith relate only to the samples as received by the laboratory.
- Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. AGAT assumes no responsibility for any errors or omissions in the guidelines contained in this document.
- All reportable information as specified by ISO/IEC 17025:2017 is available from AGAT Laboratories upon request.



## Certificate of Analysis

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
PROJECT:  
SAMPLING SITE:

AGAT WORK ORDER: 20C687794  
ATTENTION TO: Omran Desouki  
SAMPLED BY:

Gas C10+ (Including O2) (%)							
SAMPLE TYPE: Gas		SAMPLE ID: SUMMA1		DATE RECEIVED: Dec 08, 2020			
DATE SAMPLED: Nov 23, 2020		DATE REPORTED:					
SAMPLE DESCRIPTION: NOT AVAILABLE, SAMPLE ID: 26C, CANISTER #10058, ENVIRO LAB #: 1730627A							
PARAMETER	UNIT	RESULT	G / S	RDL	DATE ANALYZED	INITIAL	DATE PREPARED
Helium (He)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hydrogen (H2)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Oxygen (O2)	%	19.7798		0.001	Dec 15, 2020	GE	Dec 15, 2020
Nitrogen (N2)	%	78.2291		0.001	Dec 15, 2020	GE	Dec 15, 2020
Carbon Dioxide (CO2)	%	1.9910		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hydrogen Sulphide (H2S)	%	<0.0001		0.0001	Dec 15, 2020	GE	Dec 15, 2020
Methane (C1)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Ethane (C2)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Propane (C3)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
I-Butane (IC4)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
N-Butane (NC4)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
I-Pentane (IC5)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
N-Pentane (NC5)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hexanes (C6)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Heptanes (C7)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Octanes (C8)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Nonanes (C9)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Decanes+ (C10+)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020

COMMENTS:

RDL - Reported Detection Limit; G / S - Guideline / Standard  
Analysis Conducted Using GPA 2286-14 (Modified)

Certified By: \_\_\_\_\_



## Certificate of Analysis

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
 PROJECT:  
 SAMPLING SITE:

AGAT WORK ORDER: 20C687794  
 ATTENTION TO: Omran Desouki  
 SAMPLED BY:

Gas C10+ (Including O2) (%)							
SAMPLE TYPE: Gas		SAMPLE ID: SUMMA2		DATE RECEIVED: Dec 08, 2020			
DATE SAMPLED: Nov 23, 2020				DATE REPORTED:			
SAMPLE DESCRIPTION: NOT AVAILABLE, SAMPLE ID: 26B, CANISTER #10090, ENVIRO LAB#: 1730628A							
PARAMETER	UNIT	RESULT	G / S	RDL	DATE ANALYZED	INITIAL	DATE PREPARED
Helium (He)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hydrogen (H2)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Oxygen (O2)	%	19.9413		0.001	Dec 15, 2020	GE	Dec 15, 2020
Nitrogen (N2)	%	78.0627		0.001	Dec 15, 2020	GE	Dec 15, 2020
Carbon Dioxide (CO2)	%	1.9960		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hydrogen Sulphide (H2S)	%	<0.0001		0.0001	Dec 15, 2020	GE	Dec 15, 2020
Methane (C1)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Ethane (C2)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Propane (C3)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
I-Butane (IC4)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
N-Butane (NC4)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
I-Pentane (IC5)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
N-Pentane (NC5)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hexanes (C6)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Heptanes (C7)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Octanes (C8)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Nonanes (C9)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Decanes+ (C10+)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020

COMMENTS:

RDL - Reported Detection Limit; G / S - Guideline / Standard  
 Analysis Conducted Using GPA 2286-14 (Modified)

Certified By:



## Certificate of Analysis

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP  
PROJECT:  
SAMPLING SITE:

AGAT WORK ORDER: 20C687794  
ATTENTION TO: Omran Desouki  
SAMPLED BY:

Gas C10+ (Including O2) (%)							
SAMPLE TYPE: Gas		SAMPLE ID: SUMMA3		DATE RECEIVED: Dec 08, 2020			
DATE SAMPLED: Nov 23, 2020		DATE REPORTED:					
SAMPLE DESCRIPTION: NOT AVAILABLE, SAMPLE ID: 26A, CANISTER #6819, ENVIRO LAB#: 1730629A							
PARAMETER	UNIT	RESULT	G / S	RDL	DATE ANALYZED	INITIAL	DATE PREPARED
Helium (He)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hydrogen (H2)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Oxygen (O2)	%	19.4822		0.001	Dec 15, 2020	GE	Dec 15, 2020
Nitrogen (N2)	%	78.0499		0.001	Dec 15, 2020	GE	Dec 15, 2020
Carbon Dioxide (CO2)	%	2.1079		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hydrogen Sulphide (H2S)	%	<0.0001		0.0001	Dec 15, 2020	GE	Dec 15, 2020
Methane (C1)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Ethane (C2)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Propane (C3)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
I-Butane (IC4)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
N-Butane (NC4)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
I-Pentane (IC5)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
N-Pentane (NC5)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Hexanes (C6)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Heptanes (C7)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Octanes (C8)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Nonanes (C9)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020
Decanes+ (C10+)	%	<0.001		0.001	Dec 15, 2020	GE	Dec 15, 2020

COMMENTS:

RDL - Reported Detection Limit; G / S - Guideline / Standard  
Analysis Conducted Using GPA 2286-14 (Modified)

Certified By: \_\_\_\_\_



## Method Summary

CLIENT NAME: SUNCOR ENERGY PRODUCTS PARTNERSHIP

AGAT WORK ORDER: 20C687794

PROJECT:

ATTENTION TO: Omran Desouki


SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Occupational Hygiene Analysis			
Helium (He)	HC-0160	GPA 2286-14	GC/TCD/FID
Hydrogen (H2)	HC-0160	GPA 2286-14	GC/TCD/FID
Oxygen (O2)	HC-0160	GPA 2286-14	GC/TCD/FID
Nitrogen (N2)	HC-0160	GPA 2286-14	GC/TCD/FID
Carbon Dioxide (CO2)	HC-0160	GPA 2286-14	GC/TCD/FID
Hydrogen Sulphide (H2S)	HC-0160	GPA 2286-14	GC/TCD/FID
Methane (C1)	HC-0160	GPA 2286-14	GC/TCD/FID
Ethane (C2)	HC-0160	GPA 2286-14	GC/TCD/FID
Propane (C3)	HC-0160	GPA 2286-14	GC/TCD/FID
I-Butane (IC4)	HC-0160	GPA 2286-14	GC/TCD/FID
N-Butane (NC4)	HC-0160	GPA 2286-14	GC/TCD/FID
I-Pentane (IC5)	HC-0160	GPA 2286-14	GC/TCD/FID
N-Pentane (NC5)	HC-0160	GPA 2286-14	GC/TCD/FID
Hexanes (C6)	HC-0160	GPA 2286-14	GC/FID
Heptanes (C7)	HC-0160	GPA 2286-14	GC/FID
Octanes (C8)	HC-0160	GPA 2286-14	GC/FID
Nonanes (C9)	HC-0160	GPA 2286-14	GC/FID
Decanes+ (C10+)	HC-0160	GPA 2286-14	GC/FID


Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_025.D  
 Acq On : 3 Dec 2020 12:03 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769036  
 Misc : Can 6443  
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Dec 04 11:28:14 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_026.D  
 Acq On : 3 Dec 2020 12:35 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769037  
 Misc : Can 10076  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Dec 04 11:36:40 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_027.D  
 Acq On : 3 Dec 2020 1:09 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769038  
 Misc : Can 9444  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Dec 04 11:35:31 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_028.D  
 Acq On : 3 Dec 2020 1:42 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769039  
 Misc : Can 136  
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Dec 04 11:44:50 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_029.D  
 Acq On : 3 Dec 2020 2:15 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769040  
 Misc : Can 9442  
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 04 11:46:16 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_030.D  
 Acq On : 3 Dec 2020 2:49 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769041  
 Misc : Can 104  
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 04 11:47:37 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
Data File : 2020\_Dec\_02\_0824\_031.D  
Acq On : 3 Dec 2020 3:22 pm  
Operator : LIMS import  
Sample : 20T669397-1769042  
Misc : Can 10070  
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Dec 04 11:48:52 2020  
Quant Method : C:\msdchem\1\methods\201119TO15.M  
Quant Title : TO 15 VOCs in Air (Canisters)  
QLast Update : Thu Nov 19 08:36:14 2020  
Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_039.D  
 Acq On : 4 Dec 2020 11:40 am  
 Operator : LIMS import  
 Sample : 20T669397-1769043  
 Misc : Can 10066  
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Dec 04 12:16:36 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration




Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_032.D  
 Acq On : 3 Dec 2020 3:55 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769044  
 Misc : Can 10062  
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Dec 04 11:50:33 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_040.D  
 Acq On : 4 Dec 2020 12:13 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769045  
 Misc : Can 171  
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Dec 04 13:56:21 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2020\_Dec\_02\_0824\  
 Data File : 2020\_Dec\_02\_0824\_041.D  
 Acq On : 4 Dec 2020 12:47 pm  
 Operator : LIMS import  
 Sample : 20T669397-1769046  
 Misc : Can 9433  
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Dec 04 13:30:11 2020  
 Quant Method : C:\msdchem\1\methods\201119TO15.M  
 Quant Title : TO 15 VOCs in Air (Canisters)  
 QLast Update : Thu Nov 19 08:36:14 2020  
 Response via : Initial Calibration

